SOURCES

PART ONE: PREVALENCE AND HEALTH

Tobacco "death clock" shows almost 40 million dead (Update1). (2008, October 21). Bloomberg News.

CHAPTER 1: TYPES OF TOBACCO USE Boffetta P, Hecht S, Gray N, Gupta P. Straif K. (2008, July). Smokeless tobacco and cancer.

Lancet Oncology, 9(7): 667–675. Maziak W. Ward KD. Afifi Soweid RA, Eissenberg T. (2004, December). Tobacco smoking using a waterpipe: a re-emerging strain in a global epidemic. Tobacco Control, 13(4): 327-333.

National Cancer Institute. (N.d.). Smokeless tobacco and cancer. http://www.cancer.gov/ cancertopics/smokeless-tobacco. Accessed August 19, 2008.

National Cancer Institute. Smoking and cancer. (N.d.) http://www.cancer.gov/ cancertopics/tobacco. Accessed August 19, 2008.

National Cancer Institute, Centers for Disease Control and Stockholm Centre of Public Health. (2002). Smokeless tobacco fact sheets. http://cancercontrol. cancer.gov/tcrb/stfact_sheet_ combined 10-23-02.pdf. Accessed August 19, 2008.

Prignot J, Sasco A, Poulet E, Gupta P, Aditama T. (2008, July). Alternative forms of tobacco use. International Journal of Tuberculosis and Lung Disease, *12*(7): 718–727.

World Health Organization. (1997). Tobacco or health: A global status report. Geneva: WHO.

World Health Organization. (1998). Guidelines for controlling and monitoring the tobacco epidemic. Geneva: WHO.

CHAPTER 2: MALE SMOKING

Smoke gets in your eyes: In a country of smokers, a small group of artists tries to clear the air. (2000, August 30). Prague Post.

114

Bekedam H. (2008). Foreword. In T.-W. Hu (ed.), Tobacco control policy analysis in China: Economics and health (pp. v-vii). Berkeley: University of California.

ERC. (2007). World cigarette survey 2007. London: ERC Group Plc.

Ezzati M, Lopez AD. (2003, September 13). Estimates of global mortality attributable to smoking in 2000. Lancet, 362(9387): 847-852.

Ibison D. (1992, October 16) Rothmans' joint deal opens heavenly gates. Window, Hong

Jha P et al. (2008). A nationally representative case-control study of smoking and death in India. New England Journal of Medicine, 358: 1137-1147.

Scull R. Bright future predicted for Asia Pacific. (1986, September). World Tobacco: 35.

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO. http://www.who.int/ tobacco/mpower/mpower_ report_full_2008.pdf. Accessed June 23, 2008.

Map and Symbols

WHO MPOWER Report. (2008). The 2008 MPOWER report served as the data source for estimates of age-standardized current cigarette smoking prevalence for all countries, except the following:

Bahamas — Pan American Health Organization. (1992). Tobacco or health: Status in the *Americas.* http://publications .paho.org/product.php? productid=280. Accessed August 27, 2008.

Bhutan — Ugen S. (2003, December 12) Bhutan: The world's most advanced tobacco control nation? Tobacco Control, 4:

Burundi — Mahwenya P. (1998). Analyse de la situation actuelle du tabagisme au Burundi. (N.p.).

Djibouti — Hersi AH. (1999). Tobacco-related problems in Djibouti. (N.p.).

Hong Kong — Hong Kong Department of Health. (2003) General household survey, 2003. Hong Kong Department of

Macedonia, Former Yugoslav Republic of — WHO regional office for Europe, Tobacco control database. WHO Health for All Database. http://data.euro .who.int/tobacco// Accessed August 27, 2008.

Micronesia, Federated State of - Shmulewitz D. (2001). Epidemiology and factor analysis of obesity, type II diabetes, hypertension, and dyslipidemia (Syndrome X) on the Island of Kosrae, Federated States of Micronesia. Human Heredity, 51: 8-19.

Niue — Laugesen M. (2003). Mission report on tobacco from Niue. Harley Stanton. Personal communication.

Palestinian Authority

— Palestine Central Bureau of Statistics. (1997). Country profiles on tobacco control in the eastern Mediterranean region. http:// www.emro.who.int/TFI/ CountryProfile.htm. Accessed August 2008.

Papua New Guinea — Tobacco-free initiative Western Pacific Region. World Health Organization, Western Pacific Regional Office, 2000. Country profiles on tobacco or health 2000. http://www.wpro.who .int/ NR/rdonlyres/ 751257EA-1037-4E62-98F7-EBEEE278ADAF/0/

Qatar — Hamad Medical Centre survey. (1999). Reported in *Coun*try profiles on tobacco control in the eastern Mediterranean region.

Accessed September 16, 2008.

countryprofiles2000.pdf.

San Marino — World Health Organization. (1997). Tobacco or health: a global status report. Geneva: WHO. http://whqlibdoc .who.int/publications/1997/ 924156184X_eng.pdf. Accessed August 2008.

Sudan — Country profiles on tobacco control in the Eastern Mediterranean region.

Turkmenistan — Piha T et al. (1993). Tobacco or health. World Health Statistics Quarterly, 46:

Tuvalu — Tuomilehto J, Zimmet P, Taylor R, Bennet P, Wolf E, Kankaanpaa J. (1986). Smoking rates in the Pacific Íslands. Bulletin of the World Health Organization 64(3): 447-456.

Yemen — Hadarani A. (1998). Sanaa University survey. Country profiles on tobacco control in the Eastern Mediterranean region.

Age-standardized smoking prevalence estimates for Canada, Saint Vincent, the Grenadines, Singapore, and Timor-Leste were extrapolated from available data.

Smoking Trends

Cigarette smoking among adults, United States, 2006. (2007, November 9), Morbidity and Mortality Weekly Report, 56(44): 1157-1161.

Early release of selected estimates based on data from the January–September 2007 National Health Interview Survev. (N.d.). http://www.cdc.gov/ nchs/data/nhis/earlyrelease/ 200712_08.pdf. Accessed August 25, 2008.

Japan Ministry of Health statistics. (N.d.). http://www .health-net.or.jp/tobacco/product/pd100000.html.

Japan Ministry of Health statistics. (N.d.). http://www .health-net.or.jp/tobacco/prod-

uct/pd090000.html. National Statistics Online. (N.d.). Smoking habits in Great Britain. http://www.statistics .gov.uk/cci/nugget_print.sp? ID=313. Accessed July 17, 2008.

Top 20 Male

U.S. Census Bureau, International Data Base. Table 094. Midyear Population, by Age and Sex. URL: http://www.census .gov/ipc/www/idb/tables.html. Accessed December 7, 2008.

File Folder

Areas of opportunity for R. J. Reynolds — 18-24 year old smokers. (1980). http://legacy .library.ucsf.edu/action/ document/page?tid=kfx62d00& page=4. Accessed July 2, 2008.

Wow: China

Central Intelligence Agency. (2008). The world factbook: China. https://www.cia.gov/library/ publications/the-world-factbook/ geos/ch.html#People. Accessed June 23, 2008.

WHO MPOWER Report.

CHAPTER 3: FEMALE SMOKING

Ouote NYC health. (2007, March 19). NYC has 123,000 fewer female smokers now than in 2002. Press release. http://www.nyc .gov/html/doh/html/pr2007/ pr017-07.shtml. Accessed July 8, 2008.

Text

Ezzati M, Lopez AD, Rodgers A, Murray CJL. (Eds.). (2004). Smoking and oral tobacco use: Comparative quantification of health risks, global and regional burden of disease attributable to selected major risk factors. WHO: Geneva. http://www.who.int/ publications/cra/chapters/ volume1/part4/en/index.html. Accessed June 23, 2008.

The female smoker market. http://tobaccodocuments.org/ landman/03375503-5510.html Accessed July 12, 2005.

RJ Reynolds. (1985). Younger adult female analysis. http:// legacy.library.ucsf.edu/tid/ tlx58d00/pdf. Accessed July 2, 2008.

Tobacco.org Quotes. http:// www.tobacco.org/quotes .php?mode=listing&records per_page=25&pattern= smaller+babies. Accessed July 7, 2008.

Virginia Slims 5-year plan.

(1989). http://legacy.library

Pacific region. (2000). Country profiles on tobacco or health 2000. Manila: World Health

.ucsf.edu/action/document/ page?tid=aln75e00&page=2. Accessed July 2, 2008.

World Health Organization. (2007). The European tobacco control report: 2007. Copenhagen World Health Organization. http://www.euro.who.int/ document/e89842.pdf. Accessed July 8, 2008.

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO. http://www.who.int/ tobacco/mpower/mpower_ report_full_2008.pdf. Accessed June 23, 2008.

Map and Symbols

WHO MPOWER Report (2008). The 2008 MPOWER report served as the data source for estimates of age-standardized current cigarette smoking prevalence for all countries, except the following:

Bahamas — Pan American Health Organization. (1992). Tobacco or health: Status in the Americas. http:// publications.paho.org/ product.php?productid=280. Accessed August 27, 2008.

Bhutan — Ugen S. (2003, December 12). Bhutan: The world's most advanced tobacco control nation? Tobacco Control, 4:

Burundi — Mahwenya P. (1998). Analyse de la situation actuelle du tabagisme au Burundi. (N.p.).

Djibouti — Hersi AH. (1999). Tobacco-related problems in Djibouti. (N.p.).

Hong Kong — Hong Kong Department of Health. (2003). General household survey.

Macedonia, Former Yugoslav Republic of — WHO Regional Office for Europe. (N.d.). Tobacco control database. WHO Health for All Database. http:// data euro who int/tobacco/ Accessed August 27, 2008.

Ninu — Laugesen M. (2003). Mission report on tobacco from Niue. Harley Stanton. Personal

Palestinian Authority — Palestine Central Bureau of Statistics. (1997). Country profiles on tobacco control in the eastern Mediterranean region. http://www.emro.who. int/TFI/CountryProfile.htm. Accessed August 2008.

Papua New Guinea — Tobacco-free initiative Western Organization, Western Pacific Regional Office. http://www .wpro.who.int/NR/rdonlyres/ 751257EA-1037-4E62-98F7-EBEEE278ADAF/0/ countryprofiles2000.pdf. Accessed September 16, 2008.

Qatar — Hamad Medical Centre survey. (1999). Country profiles on tobacco control in the eastern Mediterranean region.

San Marino — World Health Organization, (1997), Tobacco or health: A global status report. Geneva: World Health Organization. http://whqlibdoc.who .int/ publications/1997/ 924156184X_eng.pdf. August

Solomon Islands — Tobaccofree initiative Western Pacific region. (2000). Country profiles on tobacco or health, 2000. Manila: World Health Organization, Western Pacific Regional Office. http://www.wpro.who .int/NR/rdonlyres/751257EA-1037-4E62-98F7-EBEEE-278ADAF/0/ countryprofiles2000.pdf.

Accessed September 16, 2008. Sudan — Country profiles on tobacco control in the eastern Mediterranean region.

Turkmenistan — Piha T et al. (1993). Tobacco or health. World Health Statistics Quarterly, 46: 188-194.

Tuvalu — Tuomilehto J, Zimmet P, Taylor R, Bennet P, Wolf E, Kankaanpaa J. (1986). Smoking rates in the Pacific Islands. Bulletin of the World Health Organization, 64(3): 447-456.

Yemen — Hadarani A. (1998). Sanaa University survey. Country profiles on tobacco control in the eastern Mediterranean region.

Age-standardized smoking prevalence estimates for Canada, Saint Vincent and the Grenadines. Singapore, and Timor-Leste were extrapolated from available data.

Smoking Trends Cigarette smoking among

adults, United States, 2006. (2007, November 9). Morbidity and Mortality Weekly Report, 56(44): 1157-1161.

Early release of selected estimates based on data from the January-September 2007 National Health Interview Survey. (N.d.), http://www.cdc.gov/nchs/ data/nhis/earlyrelease/200712_ 08.pdf. Accessed August 25, 2008.

Japan Ministry of Health statistics. http://www.healthnet.or.jp/tobacco/product/ pd100000.html

Japan Ministry of Health statistics. http://www.healthnet.or.jp/tobacco/product/ pd090000.html

National Statistics Online. (N.d.). Smoking habits in Great Britain, http://www.statistics .gov.uk/cci/nugget_print .asp?ID=313. Accessed July 17,

Top 20 Female

U.S. Census Bureau, International Data Base. Table 094. Midyear Population, by Age and Sex. URL: http://www.census .gov/ipc/www/idb/tables.html. Accessed December 7, 2008.

File Folder Cullman J. Face the Nation (CBS), January 3, 1971.

Wow: Twelve Percent Greaves L. Jategaonkar N. Sanchez S. (Eds.) (2006). Turning a new leaf: Women, tobacco, and the future. British Columbia Centre of Excellence for Women's Health (BCCEWH) and International Network of Women Against Tobacco (INWAT). Vancouver: British Columbia Centre of Excellence for Women's Health.

Wow: Female Smokers

Jha P et al. (2008). A nationally representative case-control study of smoking and death in India. New England Journal of Medicine, 358: 1137-1147.

CHAPTER 4: HEALTH PROFESSIONALS

World Health Organization. The role of health professionals in tobacco control. (2005). http://www .who.int/tobacco/resources/ publications/wntd/2005/ bookletfinal_20april.pdf. Accessed August 2005.

Fiore MC et al. (2000). Treating tobacco use and dependence. Clinical practice guideline. US Department of Health and Human Services, Public Health Service.

Gorin SS. (2001). Predictors of tobacco control among nursing students. Patient Education & Counseling, 44(3): 251-262.

Martinez C et al. (2008). Barriers and challenges for tobacco control in a smoke-free hospital Cancer Nursing, 31(2): 88-94.

Terasalmi E et al. (2001). Smoking habits of community pharmacists in 12 European countries and their attitudes towards nonsmoking work. World Health Organizaion, EUR/01/5025372.

Warren CW, Jones NR, Chauvin J, Peruga A. (2008). Tobacco use

and cessation counseling: Crosscountry data from the Global Health Professions Student Survey (GHPSS), 2005-2007. Tobacco Control, published online May 12, 2008; doi:10.1136/tc.2007.023895.

World Health Organization. (2004). Code of practice on tobacco control for health professional organizations. http://www.who.int/tobacco/ communications/events/ codeofpractice/en/. Accessed August 2005.

Amara B et al. (2008). Attitudes and knowledge about smoking among Moroccan physicians looking after patients with tuberculosis [abstract]. Revue des maladies respiratoires, 25(5):

Borges A et al. (2008). Smoking habits of sixth year medical students and anti-smoking measures in Portugal. Revista Portuguesa de Pneumologia, 14(3): 379-390.

CDC. (2005). Tobacco use and cessation counselling: Global health professionals survey pilot study, 10 countries, 2005. Mortality and Morbidity Weekly Report, 54(20): 505-509.

Dumitrescu AL. (2007). Tobacco and alcohol use among Romanian dental and medical students: A cross-sectional questionnaire survey. Oral Health and Preventive Dentistry, 5(4):

Pokhrel BR, Thankappan KR, Mimi GK, Sarma PS. (2006). Tobacco use among health professionals and their role in tobacco cessation in Nepal. Prevention and Control, 2(3): 117-125.

Rapp K et al. (2006). A clusterrandomized trial on smoking cessation in German student nurses. Preventative Medicine, 42: 443-448

Rzenicki A et al. (2007). Frequency of smoking tobacco among the students of the last year of the Faculty of Health Sciences [abstract]. Przeglad Lekarski, 64(10): 786-790.

Sebo P, Gallacchi MB, Goehring C, Kunzi B, Bovier PA. (2007). Use of tobacco and alcohol by Swiss primary care physicians: A cross-sectional survey. BMC Public Health, 7: 5.

Siemiska A et al. (2006). Tobacco smoking among the first-year medical students [abstract] Pneumonologia i Alergologia Polska, 74(4): 377-382.

Smith DR. (2007). A systematic review of tobacco smoking among nursing students. Nurse Education in Practice, 7: 293-302.

Smith DR, Leggat PA. (2007a). An international review of tobacco smoking among dental students in 19 countries. International Dental Journal, 57: 452-458.

Smith DR, Leggat PA. (2007b). An international review of tobacco smoking among medical students. Journal of Postgraduate Medicine, 53(1): 55-62.

Smith DR, Leggat PA. (2007c). An international review of tobacco smoking in the medical profession: 1974–2004. *BMC* Public Health, 7: 115.

Smith DR, Leggat PA. (2007d). Tobacco smoking habits among a complete cross-section of Australian nursing students. Nursing and Health Sciences, 9: 82-89.

Tan YM, Goh KL, Muhidayah R, Ooi CL, Salem O. (2003). Prevalence of irritable bowel syndrome in young adult Malay sians: a survey among medical students. Journal of Gastroenterology and Hepatology, 18(12): 1412-1416.

Warren CW, Jones NR, Chauvin J, Peruga A. (2008). Tobacco use and cessation counseling: Crosscountry data from the Global Health Professions Student Survey (GHPSS), 2005-2007. Tobacco Control; doi:10.1136/ tc 2007 023895

Symbols

Albania, Argentina, Croatia, Egypt, Philippines, Uganda — CDC. (2005). Armenia, Bangladesh, Bolivia,

Bosnia and Herzegovina, Brazil, Czech Republic, Ghana, India, Indonesia, Iraq, Republic of Korea, Lebanon, Lithuania, Myanmar, Peru, Russian Federation, Saudi Arabia, Serbia, Slovakia, Sri Lanka, Syrian Arab Republic, Thailand, Tunisia, Vietnam — Warren, Jones, Chauvin, and Peruga. (2008).

Australia, Canada, Denmark, Iran, Israel, Italy, Japan — Smith. (2007).

Ireland, Pakistan, Spain — Smith and Leggat. (2007b). Estonia, Finland, Nigeria,

Turkey - Smith and Leggat.

China, Colombia, Greece,

France, Hungary, Jordan, Netherlands United Kingdom, United States of America — Smith and Leggat. (2007a).

(2007c)

Germany — Rapp. (2006).

Malaysia — Tan, Goh, Muhidayah, Ooi, and Salem. (2003)

Morocco — Amara et al.

Nepal — Pokhrel, Thankappan, Mimi, and Sarma. (2006).

Poland — Rzenicki et al. (2007) Portugal — Borges et al.

Romania — Dumitrescu.

Switzerland — Sebo, Gallacchi, Goehring, Kunzi, and Bovier.

(2007).Percent of Countries World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The

MPOWER package. Geneva:

Counseling Students Warren, Jones, Chauvin, and

Peruga. (2008). File Folder

Lorillard Tobacco. (1963, July 2). Kent and the physician: Confidential report. Bates No. 84420545/0583A. http://legacy. library.ucsf.edu/tid/trp54c00. Accessed August 12, 2008.

Albania

Warren, Jones, Chauvin, and Peruga. (2008).

Martinez et al. (2008). CHAPTER 5: **BOYS' TOBACCO USE**

Ouote McDonald P. (2004). Oxford Dictionary of Medical Quotations. Oxford: Oxford University Press.

Centers for Disease Control and Prevention. (2008). Global Youth Tobacco Survey (GYTS): Data results by country and year: India factsheet. http://www.cdc.gov/ tobacco/global/GYTS/ factsheets/searo/2006/India factsheet.htm. Accessed July 9.

Currie C et al. (Eds). (2008). Inequalities in young people's health: HBSC international report from the 2005/2006 Survey. Health Policy for Children and Adolescents, No 5. Copenhagen: World Health Organization Regional Office for Europe.

Heruti R, Shochat T, Tekes-Manova D, Ashkenazi I, Justo D. (2004). Prevalence of erectile dysfunction among young adults: Results of a large-scale

SOURCES

survey. Journal of Sexual Medicine, 1(3): 284-291.

Millett C, Wen LM, Rissel C, Smith A, Richters J, Grulich A, de Visser R. (2006). Smoking and erectile dysfunction: Findings from a representative sample of Australian men. Tobacco Control, 15(2): 136-139.

Natali A, Mondaini N, Lombardi G, Del Popolo G, Rizzo M. (2005). Heavy smoking is an important risk factor for erectile dysfunction in young men. International Journal of Impotence Research, 17(3): 227–230.

Warren CW, Eriksen MP, Asma S. (2006). Patterns of global tobacco use in young people and implications for future chronic disease burden in adults. Lancet, 367: 749-763.

Warren CW, Jones NR, Peruga A, et al. (2008). Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. (2008, January 25). Surveillance Summaries 57(1): 1–28. www .cdc.gov/mmwr/preview/ mmwrhtml/ss5701a1.htm. Accessed June 30, 2008.

Warren CW, Riley L, Asma S, et al. (2000). Tobacco use by youth: A surveillance report from the Global Youth Tobacco survey project. Bulletin of the World Health Organization, 78: 868-876

Centers for Disease Control and Prevention. (2008). Global youth tobacco survey (GYTS): Data results by country and vear. http://www.cdc.gov/ tobacco/global/GYTS/results. htm. Accessed July 1, 2008.

Hublet A, De Bacquer D, Valimaa R, Godeau E, Schmid H, Rahav G, Maes L. (2006). Smoking trends among adolescents from 1990 to 2002 in ten European countries and Canada BMC Public Health 6: 280.

Warren, Jones, Peruga, et al.

World Health Organization. (2008). European health for all database (HFA-DB). Country profiles. http://data.euro.who .int/Default.aspx?TabID=2404. Accessed July 1, 2008.

The Power of Branding

Centers for Disease Control and Prevention. (N.d.). Global youth tobacco survey (GYTS) data sets. http://www.cdc.gov/ tobacco/global/surveys.htm #gyts. Accessed August 6, 2008. Countries with the Highest Smoking Rates

Warren, Jones, Peruga, et al.

Wows **Unless Smoking Trends** Change

Warren, Riley, Asma, et al. (2000)

Eighty-six Percent of Youth Global Youth Tobacco Survey Collaborative Group. (2002). Tobacco use among youth: A cross-country comparison. Tobacco Control, 11: 252-270.

About 50 Million

World Health Organization Western Pacific Regional Office. (2008). Regional statistics. http://www.wpro.who .int/information sources/ databases/regional_statistics/ rstat_tobacco_use.htm. Accessed June 24, 2008.

CHAPTER 6: GIRLS' TOBACCO USE Text

Akbartabartoori M, Lean ME, Hankey CR. (2005). Relationships between cigarette smoking, body size and body shape. International Journal of Obesity, 29(2): 236-243.

Arora M, Reddy KS, Stigler MH, Perry CL. (2008). Associations between tobacco marketing and use among urban youth in India. American Journal of Health Behavior, 32(3): 283-294.

Global Youth Tobacco Survey Collaborative Group. (2003). Differences in worldwide tobacco use by gender: Findings from the Global Youth Tobacco Survey. Journal of School Health, 73(6):

Honjo K, Siegel M. (2003). Perceived importance of being thin and smoking initiation among young girls. Tobacco Control, 12: 289–295.

207 - 215.

Iauco DN. (1985, July 23). RJ Reynolds internal memorandum: Younger adult female smoker: New brand opportunity. (Bates No. 504103122/3124). http:// legacy.library.ucsf.edu/tid/ rux58d00. Accessed July 8, 2008.

Warren CW, Jones NR, Peruga A, et al. (2008). Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. (2008, January 25). Surveillance Summaries 57(1): 1-28. www .cdc.gov/mmwr/preview/ mmwrhtml/ss5701a1.htm. Accessed June 30, 2008.

Centers for Disease Control and Prevention. (2008). Global

vouth tobacco survey (GYTS): Data results by country and year. http://www.cdc.gov/ tobacco/global/GYTS/results. htm. Accessed July 1, 2008.

> Hublet A, De Bacquer D, Valimaa R, Godeau E, Schmid H, Rahav G, Maes L. (2006). Smoking trends among adolescents from 1990 to 2002 in ten European countries and Canada. BMC Public Health 6: 980

Warren, Jones, Peruga, et al.

World Health Organization. (2008). European health for all database (HFA-DB: Country profiles. http://data.euro.who .int/Default.aspx?TabID=2404. Accessed July 1, 2008.

Common Reasons

International Network of Women Against Tobacco. (2005). European women and smoking: INWAT factsheets. http://www.inwat.org/ inwatreports.htm. Accessed August 20, 2008

The Power of Branding

Centers for Disease Control and Prevention. (N.d.). Global youth tobacco survey (GYTS) datasets. http://www.cdc.gov/tobacco/ global/surveys.htm#gyts. Accessed August 6, 2008.

GYTS Surveyed Countries Warren, Jones, Peruga, et al.

Wows The Difference in Current Cigarette Smoking Rates

Warren CW, Eriksen MP, Asma S. (2006). Patterns of global tobacco use in young people and implications for future chronic disease burden in adults. Lancet. 367(9512): 749-753.

Ninety Percent of Youth Global Youth Tobacco Survey Collaborative Group. (2002). Tobacco use among youth: A cross-country comparison. Tobacco Control, 11: 252-270.

CHAPTER 7: CIGARETTE CONSUMPTION

robacco firms won't be stubbed out. (2006, September 27), BBC Online. http://news.bbc.co.uk/ 2/hi/business/5384038.stm. Accessed June 23, 2008.

ERC. (2007). World Cigarettes 1: The 2007 Report. Suffolk, England: ERC Statistics Intl Plc.

United Nations Department of Economic and Social Affairs Population Division. World population prospects: The 2006 revision and world urbanization prospects: The

2005 revision. http://esa.un.org/ unpp. Accessed August 20, 2008.

Central Intelligence Agency. (2007). The world factbook 2007. Washington, DC: Government Printing Office. https://www .cia.gov/library/publications/ the-world-factbook/. Accessed June 19, 2008.

ERC. (2007).

Symbols ERC. (2007).

> **Global Cigarette Consumption** 1880-1960

McGinn AP. (July/August 1997). The nicotine cartel. World Watch Magazine, 10(4): 18-27.

Proctor RN. (2001). Personal communication.

1970-2020 Guindon EG. Boisclair D. (2003). Past, present and future trends in tobacco use. HNP discussion paper: Economics of tobacco control paper No. 6. Geneva: World Health Organization Tobacco Free Initiative.

World Cigarette Consumption ERC. (2007).

File Folder

Why one smokes. (1969). First draft of annual report to Philip Morris board by VP for research and development. Bates No. 1003287836_7848. http://www .pmdocs.com/. Accessed June

Wows

ERC. (2007). Chapter 8: Health Risks

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO. http://www.who.int/ tobacco/mpower/mpower report_full_2008.pdf. Accessed April 4, 2008.

Text

Global Smokefree Partnership (2008). Global voices: Working for smokefree air, 2008 status report. Naples, Italy: Global Smokefree Partnership. http:// www.globalsmokefree.com/gsp/ ficheiro/report.pdf. Accessed May 1, 2008.

Rogers JM. (2008). Tobacco and pregnancy: Overview of exposures and effects. Birth Defects Research (Part C), 8: 1–15. http://www3.interscience.wiley. com/journal/117948112/. Accessed April 15, 2008.

United States Department of Health and Human Services. (2004). The health consequences of smoking: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. http://www.cdc.gov/tobacco/ data_statistics/sgr/sgr_ 2004/00_pdfs/insidecover .pdf. Accessed April 11, 2008.

United States Department of Health and Human Services. (2006). The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. http://www.surgeongeneral .gov/library/secondhandsmoke/ report/. Accessed April 16, 2008.

United States Department of Health and Human Services. (2008). Smoking and tobacco use: Health effects of cigarette smoking, fact sheet. Centers for Disease Control and Prevention, Office on Smoking and Health. http://www.cdc.gov/tobacco/ data statistics/fact sheets/ health_effects/health_effects .htm. Accessed August 20, 2008.

Woloshin S, Schwartz LM, Welch HG. (2008). The risk of death by age, sex, and smoking status in the United States: Putting health risks in context Journal of the National Cancer Institute, 100: 845-853. http:// inci.oxfordjournals.org/cgi/ content/abstract/djn124. Accessed June 10, 2008.

File Folder

Roe FJC, Pike MC, Smoking and lung cancer. Confidential report. (1965). British American Tobacco Co. Bates Number 105453524. http://legacy. library.ucsf.edu/tid/snc34a99 Accessed October 22, 2008.

The Risk of Dying

Centers for Disease Control and Prevention. (2008). Smoking and tobacco use: Health effects of cigarette smoking, fact sheet. http://www.cdc.gov/tobacco/ data_statistics/Factsheets/ health-effects.htm. Accessed April 15, 2008.

Pregnant Women's Tobacco Use Bloch M. Althabe F. Onvamboko M. Kaseba-Sata C. Castilla EE. Freire S, Garces AL, Parida S, Goudar SS, Kadir MM, Goco N, Thornberry J, Daniels M, Bartz J, Hartwell T, Moss N, Goldenberg R. (2008). Tobacco use and secondhand smoke exposure during pregnancy: An investigative survey of women in 9

developing nations. American Journal of Public Health, 98(4): published online ahead of print February 28, 2008.

Goudar SS, Kadir MM, Goco N, Thornberry J, Daniels M, Bartz J. Hartwell T. Moss N. Goldenberg R. (2008). Tobacco use and secondhand smoke exposure during pregnancy: An investigative survey of women in 9 developing nations. American Journal of Public Health 98(10):

Smoking Increases the Risk Bates MN, Khalakdina A, Pai M, Chang L, Lessa F, Smith KR. (2007). Risk of tuberculosis from exposure to smoke. Archives of Internal Medicine, 167(18): 335-342.

CHAPTER 9: SECONDHAND SMOKE **Ouote**

O'Neil J. (2006, June 28). A warning on hazards of secondhand smoke. New York Times. http://www.nytimes .com/2006/06/28/health/ 28smoke.html. Accessed April 25, 2008.

Global Smokefree Partnership. (N.d.). The benefits of smokefree policies. http://www .globalsmokefreepartnership. org/evidence.php?id=27. Accessed October 4, 2008.

Global Youth Tobacco Survey Collaborative Group. (2006). A cross-country comparison of exposure to secondhand smoke among youth. Tobacco Control, 15: 4-19. http://tobaccocontrol .bmj.com/cgi/content/full/15/ suppl_2/ii4#BIBL.Accessed April 25, 2008,.

National Cancer Institute. (2007) Cancer trends progress report — 2007 update. Bethesda, MD: National Ĉancer Institute. National Institute of Health, U.S. Department of Health and Human Services. http:// progressreport.cancer.gov/ doc_detail.asp?pid=1&did=200 7&chid=71&coid=712&mid=. Accessed April 25, 2008.

Centers for Disease Control and Prevention. (N.d.). Global Youth Tobacco Survey Country Fact Sheets. http://www.cdc.gov/ tobacco/global/GYTS/ factsheets/afro/factsheets.htm. Accessed April 24, 2008.

Global Youth Tobacco Survey Collaborative Group. (2006).

Symbols

Centers for Disease Control and Prevention. (2005–2007). Global Youth Tobacco Survey: Country Factsheets — African Region (AFRO). http://www.cdc .gov/tobacco/global/GYTS/ factsheets/afro/factsheets.htm. Accessed April 24, 2008.

Collaborative Group. (2006).

National Cancer Institute. (2007).

Health and Human Services. (2006). The health consequence es of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health, http://www .surgeongeneral.gov/library/ secondhandsmoke/report/. Accessed April 16, 2008.

Smoke Free Partnership. (2006). Lifting the smokescreen: 10 reasons for a smoke-free Europe. Belgium: European Respiratory Society, Cancer Research UK, Institute National du Cancer, European Heart Network, http://dev .ersnet.org/uploads/Document. 46/WEB_CHEMIN_1554 1173100608.pdf. Accessed April 25, 2008.

Harm Caused

United States Department of Health and Human Services.

Mathews J. (1996, April 18). Claps and a flap over RJR "learn to crawl" remark. Washington Post. D9.

Wows

Health and Human Services.

United States Department of Health and Human Services.

ing in the home and children's health. Tobacco Control, 17: 32-37. http://tobaccocontrol.bmj .com/cgi/content/full/17/1/32. Accessed August 20, 2008. After the Implementation

Fernando D et al. (2007).

Tobacco Control, 16: 235-238.

Global Youth Tobacco Survey

United States Department of

Number of Deaths

File Folder

Nonsmokers Exposed United States Department of

There Is No Risk-Free Level

Smoking in the Home

Hill SC, Liang L. (2008). Smok-

Legislation reduces exposure to second-hand tobacco smoke in New Zealand bars by about 90%

http://tobaccocontrol.bmi.com. cgi/content/full/16/4/235 Accessed August 20, 2008.

CHAPTER 10: DEATHS

The Bible, King James Version. (1611). Revelation 6:8.

Takala J. (2002). Introductory report: Decent work — safe work. XVIth World Congress on Safety and Health at Work. International Labour Office, Geneva. http://www.ilo.org/ public/english/protection/ safework/wdcongrs/ilo_rep.pdf. Accessed August 13, 2008.

United States Department of Health and Human Services. (2006). The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. http://www.surgeongeneral .gov/library/secondhandsmoke/ report/. Accessed April 16, 2008.

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO.

Ezzati M, Lopez AD. (2003). Estimates of global mortality attributable to smoking in 2000. Lancet, 362(9387): 847-852. http://www.thelancet.com/ journals/lancet/article/ PIIS0140673603143383. Accessed May 24, 2008.

Projected Global Tobacco-Attributable Deaths

Mathers C, Loncar D. (2006). Projections of global mortality and burden of disease from 2002 to 2030. PLoS Medicine, 13(11): 2011–2024. www.plosmedicine .org. Accessed April 24, 2008.

Cumulative Tobacco-Related Deaths

Fitzpatrick C, World Health Organization, Tobacco Free Initiative. (2008, May 13). Personal communication.

In the United States United States Department of Health and Human Services.

Wows

Tobacco Causes up to 90% of **Lung Cancers** WHO MPOWER Report. (2008).

PART TWO: THE COSTS OF TOBACCO

Russian public health chief accuses tobacco firms of USinspired "genocide." (2008, July 22). Interfax News Service. http://www.cdi.org/russia/

johnson/2008-136-5.cfm. Accessed December 8, 2008

CHAPTER 11: COSTS TO THE ECONOMY

Ouote Tobacco-Free Kids. Justice Department Civil Lawsuit http://www.tobaccofreekids. org/reports/doj. Accessed October 4, 2008)

Miller VP, Ernst C, Collin F. (1999). Smoking-attributable medical care costs in the USA. Social Science and Medicine, 48(3): 375-391.

Tobacco Free Initiative (TFI) (2001). Overview: The global crisis. Prepared for the International Policy Conference on Children & Tobacco, http:// www.tobaccofreekids.org/ campaign/global/crisis.shtml. Accessed May 20, 2008.

World Health Organization. (2005). WHO Framework Convention on Tobacco Control. http://www.who.int/tobacco/ framework/WHO_FCTC_ english.pdf. Accessed January 2, 2008.

Map

Argentina, Chile — Cevallos D. (2008, June 4). Health-Latin America: Tobacco regulations as solid as smoke. http://www .ipsnews.net/news.asp?idnews =42657. Accessed June 9, 2008.

Australia — Collins DJ, Lapsley HM. (2008). The costs of tobacco, alcohol and illicit drug abuse to Australian society in 2004/05: Macquarie University, University of Queens, University of New South Wales.

Bangladesh — World Health Organization. (2007, April). Tobacco-related illnesses: Impact of in Bangladesh. New Delhi: Regional Office for South East Asia.

Barbados — Lwegaba A. (2004 January). Excess health care cost associated with a low smoking prevalence, Barbados. West Indian Medical Journal, 53(1): 12-16. (Authors' calculation)

Bosnia and Herzegovina, Guinea, Kenya, Mongolia, Namibia, Nauru, Sao Tome and Principe, Serbia and Montenegro, Turkey, Yemen -Riper TV. The world's heaviestsmoking countries. (2007, December 4). http://www .forbes.com/business/2007/ 12/04/smoking-africa-asia-

biz-cx_tvr_1203smoking.html

Accessed December 12, 2008.

Brazil - Iglesias R, Jha P, Pinto M, da Costa e Silva V, Godinho

J. (2007, August). Tobacco control in Brazil. Washington, DC: World Bank.

Canada — Rehm J, Baliunas D, Brochu S, et al. (2006, March). The costs of substance abuse in Canada 2002: Canadian Centre on Substance Abuse.

China — Hu T-w, Mao Z, Shi J. (2007). Tobacco taxation and its potential economic impact in China: Bloomberg Global Initiative to Reduce Tobacco Use

Project. (Unpublished) Czech Republic — Ross H. (2004). Critique of the Philip Morris study of the cost of smoking in the Czech Republic Nicotine & Tobacco Research, 6(1): 181-189.

Denmark — Rasmussen SR, Prescott E. Sorensen TIA. Soraard J. (2004). The total lifetime costs of smoking. European Journal of Public Health, 14: 95–100. (Authors' calculation)

Egypt — Nassar H. (2003, March). The economics of tobacco in Egypt: A new analysis of demand. Washington, DC: International Bank for Reconstruction and Development/ World Bank

Estonia — Taal A, Kiivet R, Hu T-W. (2004, June). The economics of tobacco in Estonia. Washington, DC: International Bank for Reconstruction and Development/World Bank.

Finland — Pekurinen, M. (1999). The economic consequences of smoking in Finland, 1987-1995. Helsinki: Health Services Research.

France — Fenoglio P, Parel V, Kopp P. (2003, January). The social cost of alcohol, tobacco and illicit drugs in France, 1997. European Addiction Research, 9(1): 18-98

Germany — Neubauer S, Welte R, Beiche A, Koenig H-H, Buesch K, Leidl R. (2006). Mortality, morbidity and costs attributable to smoking in Germany: Update and a 10-year comparison. Tobacco Control, 15: 464-471.

Hong Kong — McGhee SM, Ho LM, Lapsley HM, et al. (2006). Cost of tobaccorelated diseases, including passive smoking, in Hong Kong. Tobacco Control, 15: 125-130

Hungary — Szilágyi T (2004). Economic impact of smoking and tobacco control in Hungary. Budapest: GKI Economic Research Institute.

SOURCES

Iceland — Sigillum Universitatis Islandiae. (2000). Cost of smoking in Icelandic society 2000: Report to Tobacco Control Task Force, Haskola Islands: Sigillum Universitatis Islandiae

India — Ministry of Health and Family Welfare, Government of India. (2004, November 25). Report on tobacco control in Índia. New Delhi, India: Ministry of Health and Family Welfare.

Indonesia — Barber S, Adioetomo SM, Ahsan A, Setyonaluri D. (2008). Tobacco economics in Indonesia. Paris: International Union against Tuberculosis and Lung Disease.

Ireland — Madden D. (2003, September). The cost of employee smoking in Ireland. Dublin: University College.

Japan — Aguinaga Bialous S, Hoang M-A, Iso H, et al. (2004). Recommendations for tobacco control policy: Tobacco-Free Japan. Tokyo and Baltimore: Institute for Global Tobacco Control, Department of Epidemiology and Johns Hopkins Bloomberg School of Public Health.

Korea, Republic of — Kang HY, Kim HJ, Park TK, Jee SH, Nam CM, Park HW. (2003). Economic burden of smoking in Korea. Tobacco Control, 12: 37 - 44

Mexico — Mexican Social Security Institute, (2007). The total annual cost of medical care attributed to tobacco use.

Myanmar — Kyaing NN. (2003). Tobacco economics in Myanmar. Washington DC: International Bank for Reconstruction and Development/ World Bank

Netherlands — Van Genugten MLL, Hoogenveen RT, Mulder I, Smit HA, Jansen J, de Hollander AEM. (2003). Future burden and costs of smoking-related disease in the Netherlands: A dynamic modeling approach. Value Health, 6: 494-499.

New Zealand — Cancer Society of New Zealand. (2004, September). What smoking costs. New Zealand: Cancer Society of New Zealand

Nigeria — Daramola Z. (2007, November 12). FG hailed over move against tobacco coys. Daily

Norway — Sanner T. (1991). What does cigarette smoking cost society? Tidskr Nor Laegerforen 11: 3420-3422. [Data taken from Abstract]

Philippines — Quimbo SLA, Casorla AA, Miguel-Baquilod M, Medalla FM. (2007). The economics of tobacco and tobacco taxation (Philippines). UPecon Foundation and Department of Health.

Poland — Krzyanowska A, Gogowski C. (2004, February). Nikotynizm na wiecie: Nastepstwa ekonomiczne (The global nicotine addiction and its economic consequences). Mened-Ser Zdrowia, 98-103 (in Polish).

Russian Federation — Ross H, Shariff S, Gilmore A. (In press). Economics of tobacco taxation in Russia. Baltimore. MD: Bloomberg Initiative to Reduce Tobacco Use.

Singapore — Quah E, Tan KC, Saw SLC, Yong JS. (2002). The social cost of smoking in singapore. Singapore Medical Journal, 43(7): 340-344.

South Africa — The economics of tobacco control project, School of Economics, University of Cape Town. (1998, June 30). The economics of tobacco control in Southern Africa. Cape Town: Research for International Tobacco Control (RITC).

Spain — Ahn N, Molina JA. (2001, February). Smoking in Spain: Analysis of initiation and cessation. Fundación de Estudios de Economía Aplicada (FEDEA), http://www.fedea.es/ pub/Papers/2001/dt2001-02.pdf. Accessed December 15, 2008.

Sweden — Bolin K, Lindgren B. (2007). Smoking, healthcare cost, and loss of productivity in Sweden, 2001, Scandinavian Journal of Public Health, 35(2): 187-196

Switzerland — The Age Australia. (2008, April 9). Switzerland remains smoking haven. http:// news.theage.com.au/world/ switzerland-remains-smokinghaven-20080409-24wg.html. Accessed December 13, 2008.

Thailand — Pongpanich S. (2006). A comparative analysis between present and future tobacco-related health care costs in Thailand: Submitted to Southeast Asia Tobacco Control Alliance (SEATCA). (Unpublished)

Ukraine — Ross H, Shariff S, Gilmore A. (In press). Economics of tobacco taxation in Ukraine. Baltimore, MD: Bloomberg Initiative to Reduce Tobacco Use.

United Kingdom — Parrott S, Godfrey Č. (2004, April 17).

United States of America — Centers for Disease Control and Prevention (CDC). (2005, July 1). Annual smoking-attributable mortality, years of potential life lost, and productivity losses — United States, 1997–2001. Morbidity and Mortality Weekly

Report, 54(25): 625-628.

Economics of smoking cessa-

tion. BMJ, 328(7445): 947-949.

Uruguay — Carbajales AR, Curti D. (2006). Economía del control del tabaco en los países del Mercosur y Estados Ásociados: Uruguay. Washington, D.C.: Pan American Health Organization, http://www.paho .org/Spanish/AD/SDE/RA/ tab_estudios_Mercosur.htm. Accessed December 15, 2008.

Venezuela — Pan American Sanitary Bureau (1998). Costbenefit analysis of smoking. Caracas: Pan American Health Organization

Vietnam — Ross H, Trung DV, Phu VX. (2007, December). The costs of smoking in Vietnam: The case of inpatient care. Tobacco Control, 16(6): 405-409.

Total Economic Cost of Tobacco

Aguinaga Bialous S, Hoang M-A, Iso H, et al. (2004). Recommendations for tobacco control policy: Tobacco-free Japan, Tokyo, Baltimore: Institute for Global Tobacco Control, Department of Epidemiology, and Johns Hopkins Bloomberg School of Public Health, http://www .tobaccofree.jp/E/Full .html. Accessed October 4,

Centers for Disease Control and Prevention (CDC). (2005, July 1). Morbidity and Mortality Weekly Report, Annual smoking-attributable mortality, years of potential life lost, and productivity losses: United States, 1997-2001. http://www.cdc.gov/ mmwr/preview/mmwrhtml/ mm5425a1.htm. Accessed Octo-

Collins DJ, Lapsley HM. (2008). The costs of tobacco, alcohol and illicit drug abuse to Australian society in 2004/05. Canberra: Macquarie University, University of Queens, University of New South Wales. http://www .nationaldrugstrategy.gov.au/ internet/drugstrategy/ publishing.nsf/Content/mono64. Accessed October 4, 2008.

The economics of tobacco control project, School of Economics, University of Cape Town. (1998,

Fenoglio P, Parel V, Kopp P. (2003, January). The social cost of alcohol, tobacco, and illicit drugs in France, 1997. European Addiction Research, 9(1): 18-28.

Hu, Mao, and Shi. (2007).

KrzySanowska and Glogowski. (2004, February).

Nassar H. (2003, March). The economics of tobacco in Egypt: A new analysis of demand. Washington, DC: World Bank

Average number of employee sick days per year for smokers and nonsmokers, Taiwan, 1999 Tsai SP, Wen CP, Hu SC, Cheng TY, Huang SJ. (2005). Workplace smoking related absenteeism and productivity costs in Taiwan. Tobacco Control, 14 (Supplemental I): i33-i37.

Cost of Fires Hall JR. (2007). The smoking material fire problem. National Fire Protection Association: Fire Analysis and Research Division. http://www.nfpa .org/assets/files//PDF/ OS.SmokingMaterials.pdf. Accessed September 2, 20008.

Leistikow BN, Martin DC. Milano CE. (2000). Fire injuries, disasters, and costs from cigarettes and cigarette lights: A global overview. Preventive Medicine, 31: 91.

File Folder

Arthur D. Little International/ Philip Morris. (2001). Public finance balance of smoking in the Czech Republic. http:// www.tobaccofreekids.org/ reports/philipmorris/#czech. Accessed December 3, 2008.

Wows China — Liu Y, Rao K, Hu T, Sun Q, Mao Z. (2006). Cigarette smoking and poverty in China. Social Science and Medicine. 63(11): 2784-2790.

CHAPTER 12: COSTS TO THE SMOKER

horeau HD. (1910). Walden: Or, life in the woods. Cambridge: Houghton Mifflin Co.

Semba RD, de Pee S, Sun K, Best CM, Sari M, Bloem MW. (2008, October). Paternal smoking and increased risk of infant and under-5 child mortality in Indonesia. American Journal of Public Health, 98(10): 1824-1826. http://www.ajph.org/cgi/ content/abstract/98/10/1824. Accessed October 4, 2008.

Algeria, Argentina, Australia, Austria, Bahrain, Bangladesh,

Belgium, Brazil, Brunei Darussalam, Bulgaria, Canada, Chile, China, Colombia, Costa Rica, Cote D'Ivoire, Czech Republic, Denmark, Ecuador, Egypt, Finland, France, Germany, Greece, Guatemala, Hong Kong, Hungary, Iceland, India, Indonesia, Iran, Islamic Republic of, Ireland, Israel, Italy, Japan, Jordan, Kazakhstan, Kenya, Korea, Democratic People's Republic of, Kuwait, Libyan Arab Jamahiriya, Luxembourg, Malaysia, Mexico, Montenegro, Morocco, Nepal, Netherlands, New Zealand, Nigeria, Norway, Oman, Pakistan, Paraguay, Peru, Philippines, Poland, Portugal, Qatar, Romania, Russian Federation, Saudi Arabia, Senegal, Serbia, Singapore, South Africa, Spain, Šri Lanka, Sweden, Switzerland, Syrian Arab Republic, Thailand, Turkey, Ukraine, United Arab Emirates, United Kingdom, United States of America, Uruguay, Uzbekistan, Venezuela, Vietnam, Zambia — Economist Intelligence Unit. (2007, December). Worldwide cost of living survey. http://eiu.enumerate .com/asp/wcol_WCOLHome .asp. Accessed March 3, 2008.

Albania, Armenia, Bolivia, Cameroon, Croatia, Cuba, Cyprus, Dominican Republic, El Salvador, Estonia, Ethiopia, Honduras, Iraq, Jamaica, Lao People's Democratic Republic, Latvia, Lebanon, Lithuania, Macedonia, Former Yugoslav Republic of, Madagascar, Moldova, Republic of, Nicaragua, Panama, Slovakia, Slovenia, Sudan, Tanzania, United Republic of, Togo, Trinidad and Tobago – ERC. (2007). World cigarettes 1: The 2007 report. Suffolk, England: ERC Statistics Intl Plc.

Afghanistan, Barbados, Belarus, Belize, Benin, Bosnia and Herzegovina, Burkina Faso, Burundi, Chad, Congo, Congo, Democratic Republic of the, Fiji, Guinea, Guyana, Haiti, Kyrgyzstan, Liberia, Malawi, Mauritius, Mozambique, Myanmar, Niger, Sierra Leone, Suriname, Tajikistan, Turkmenistan, Uganda, Yemen — TMA world cigarette guide, 2008. Revised September , 2008. Tobacco Merchants Association. http://www.tma .org/tmalive/Html/ CompendiumsAll.htm. Accessed december 15, 2008.

Angola, Azerbaijan, Cambodia, Georgia, Ghana, Korea, Republic of, Malta, Papua,

New Guinea, Tunisia, Zimba**bwe** — White A. (2004). *A pack* of Marlboros costs... Global Partnerships for Tobacco Control, Essential Action, http://lists .essential.org/pipermail/gptc/ 2004q2/000130.html Accessed December 15, 2008.

Economist Intelligence Unit. (2008). Worldwide cost of living survey. http://eiu .enumerate.com/asp/wcol WCOLHome.asp. Accessed March 3, 2008.

World Bank. (2008). World development indicators 2008. Washington DC: World Bank.

Hourly wage estimates were derived by dividing World Bank GNI per capita (Atlas method) by 2,080 hours (40-hour workweek, 52 weeks per year).

Average Price Economist Intelligence Unit.

Price of 20 Marlboro Cigarettes Economist Intelligence Unit. (2008).

Matlick D. (2008, January). An upbeat future. Tobacco Reporter.

Wows

Albania — Ross H, Zaloshnja E, Levy D, Tole D. (In review). Results from the Albanian Adult Tobacco Survey. Central European Journal of Public Health.

Bangladesh — World Health Organization. (2004). Tobacco and poverty: A vicious circle. http://www.who.int/tobacco communications/events/ wntd/2004/en/wntd2004_ brochure_en.pdf. Accessed March 29, 2008.

Indonesia — Best CM, Sun K, de Pee S. Sari M. Bloem MW. Semba RD. (2008). Paternal smoking and increased risk of child malnutrition among families in rural Indonesia. *Tobacco* Control, 17: 38-45, doi:10.1136/ tc.2007.020875.

PART THREE: THE TOBACCO TRADE

du Plessis J. (2008, August 1). Who's in the addiction business: Tobacco industry profits from old habits. Electronic Telegraph (UK).

CHAPTER 13: GROWING TOBACCO Quote

Smoke gets in your eyes. (2004. July). New Internationalist. http://www.newint.org/ features/2004/07/01/keynote/ Accessed August 14, 2008.

Campaign for Tobacco Free

Kids (2005). Global leaf, barren harvest. http://www.tobaccofreekids.org/campaign/global/ FCTCreport1.pdf. Accessed August 19, 2008.

Christian Aid. (2004). Hooked on tobacco: BAT in Kenya. Behind the mask: The real face of corporate social responsibility. London: Christian Aid. http://212.2.6.41/indepth/ 0201bat/0401update.htm. Accessed June 11, 2008.

nization. (N.d.a). FAOSTAT data, tobacco unmanufactured harvested, 2005; Agricultural area, 2005; Global tobacco production, 2005-2007. http:// faostat.fao.org/site/567/ DesktopDefault.aspx? PageID=567#ancor.

World Bank. (2008). Data and statistics: Country classification. http://web.worldbank .org/WBSITE/EXTERNAL/ DATASTATISTICS/ 0,,contentMDK:20420458~ $menuPK:64133156{\sim}pagePK:$ 64133150~piPK:64133175~ theSitePK:239419.00.html Accessed October 4, 2008.

Food and Agricultural Organization. (N.d.b). FAOSTAT data, tobacco unmanufactured: Area harvested. http://faostat.fao .org/site/567/DesktopDefault .aspx?PageID=567#ancor. Accessed August 15, 2008.

Food and Agricultural Organi zation. (N.d.b).

Food and Agricultural Organization. (N.d.c). FAOSTAT data, agricultural area, 2005. http:// faostat.fao.org/site/377/ DesktopDefault.aspx?PageID =377. Accessed April 16, 2008.

Global Tobacco Leaf Production Food and Agricultural Organization. (N.d.b).

Leading Producers Food and Agricultural Organization. (N.d.b).

Wows China Produced Food and Agricultural Organization. (N.d.b).

Four Countries Food and Agricultural Organization. (N.d.b). CHAPTER 14:

TOBACCO COMPANIES

Rothmans, BAT announce

merger. (1999, January 12).

Turkish Daily News, Economy

.com.tr/arsivnews.aspx?id=-

section, http://arama.hurrivet

511184. Accessed November 25,

The 2007 report. ERC Statistics

World Bank. (2008). World devel-

opment indicators 2008. Washing-

Altria Group. (2008). About

Altria. http://www.altria.com/

ton DC: World Bank.

Intl. Plc.

ERC. (2007).

Symbols

Christian Aid. (2002). Hooked on tobacco. Report by Christian Aid/DESER on British American Tobacco subsidiary, Souza Cruz. London: Christian Aid. http://212.2.6.41/indepth/ 0201bat/index.htm. Accessed June 11, 2008.

CNTC: Euromonitor International. (2007). The world market for tobacco. Dublin: Euromonitor International ERC. (2007). World cigarettes 1:

Food and Agricultural Orga-Production quantity, 2007; Area

Accessed August 14, 2008. about_altria/1_1_altriagroup .asp. Accessed October 15, British American Tobacco. (N.d.). http://www.bat.com/ group/sites/uk__3mnfen.nsf/ vwPagesWebLive/DO52AD6H? opendocument&SKN=1 Accessed November 25, 2008.

> Imperial Tobacco. (2008). Contact us. http://www.imperialtobacco.com/index.asp?page =46. Accessed October 15, 2008.

Japan Tobacco Inc. (2008). Company profile. http://www .jti.co.jp/JTI_E/outline/gaiyou html. Accessed October 15,

Phillip Morris International. (2008). Where to find us. http:// www.philipmorrisinternational .com/PMINTL/pages/eng/ ourbus/Where_to_find_us.asp. Accessed October 15, 2008

Global Cigarette Market Share CNTC: Euromonitor International. (2007).

All others: Connect-World. (N.d.). http://www .connect-world.net/Global Themes/Health/Tobacco.html. Accessed August 20, 2008.

Tobacco Company Profits Altadis Group. (2006). Annual report: Consolidated balance sheets. http://www.imperialtobacco.com/files/altadis/ reports/2006AR-En.pdf. Accessed November 25, 2008.

Altria/Philip Morris. (2006). Annual report: Financial review, consolidated statement of earnings. http://www.altria.com/

AnnualReport/ar2006/2006ar_ 07_0500_01.aspx. Accessed October 15, 2008. World's No. 2, 4 cigarette firms

> British American Tobacco. (2006). Annual review: Group income statement. http://www .bat.com/group/sites/uk___ 3mnfen.nsf/vwPagesWebLive/ DO52AK34/\$FILE/ medMD6ZPK25.pdf? openelement. Accessed November 25, 2008.

Imperial Tobacco. (2006). Annual report: Financial highlights. http:// www.imperial-tobacco.com/files/ financial/reports/ar2006/files/ IMT_2006_Report.pdf. Accessed October 15, 2008.

Japan Tobacco. (2006). Annual report: Consolidated statements of operations, Japan Tobacco Inc. and consolidated subsidiaries. http://www.jti.co.jp/ JTI_E/IR/06/annual2006/ annual2006_E_all.pdf. Accessed October 15, 2008.

File Folder

Brown & Williamson, RJR merger approved. (2004, July 29). All-Business.com. http:// www.allbusiness.com/ retail-trade/food-stores/ 4482805-1.html. Accessed September 3, 2008.

CHAPTER 15: TOBACCO TRADE

Boriss H, Kreith M. (2007). Commodity profile: Tobacco. University of California, Davis: Agricultural Issues Center. http://www.agmrc.org/NR/ rdonlyres/7414D6C1-5DF1-46E2-AA78-B057E3259358/ 0/Tobacco2007.pdf. Accessed May 2008.

Hu, T. (2006, September 20). Balancing interests: The economics of tobacco control in China. China Brief, 6(19). http:// www.jamestown.org. Accessed May 2008.

Otañez MG, Mamudu H, Glantz SA. (2007). Global leaf companies control the tobacco market in Malawi. Tobacco Control, 16: 261-269. http:// tobaccocontrol.bmj.com/cgi/ content/abstract/16/4/261 Accessed June 27, 2008.

Philip Morris. (1996). Trade. PM2047623773/3778. http://www.pmdocs.com/ PDF/2047623773 377. Accessed May 22, 2008.

United Nations Statistics Division. (2008). United Nations Commodity Trade Statistics Database (COMTRADE). http://comtrade.un.org/db/ dqBasicQueryResults.aspx?cc= 240220&px=H2&r=ALL&y=20 04,2005,2006,2007&p=0&rg=1 &so=9999&qt=n. Accessed July

27, 2008. United States Department of Agriculture, Economic Research Service. (2007). Tobacco outlook. http://usda.mannlib. cornell.edu/usda/ers/TBS// 2000s/2007/TBS-04-24-2007. pdf. Accessed May 9, 2008.

World Health Organization. (2004). The millennium development goals and tobacco control. http://www.who.int/tobacco/ publications/mdg final for_ web.pdf. Accessed May 2008.

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008 The MPOWER package. Geneva: WHO. http://www .who.int/tobacco/mpower/ mpower_report_full_2008.pdf. Accessed April 4, 2008.

Yach D, Wipfli H. (2006). A century of smoke. Annals of Tropical Medicine & Parasitology, 100(5): 465-479.

United Nations Statistics Division. (2008a). Commodity Trade Statistics Dátabase (COM-TRADE). http://comtrade .un.org/db/dqBasicQuery Results.aspx?cc=240220&px=H 2&r=ALL&v=2004,2005,2006. 2007&p=0&rg=1&so=9999& qt=n. Accessed July 27, 2008.

Symbols

Top 5 Importing Countries United Nations Statistics Division. (2008b). Commodity Trade Statistics Database, (COM-TRADE), http://comtrade .un.org/db/dqBasicQuery Results.aspx. Accessed July 21, 2008.

Top 5 Exporting Countries United Nations Statistics Division. (2008b).

Top 10 Exporters

United Nations Statistics Division. (2008c). Commodity Trade Statistics Database, (COM-TRADE). http://comtrade .un.org/db/ce/ceSearch.aspx. Accessed May 27, 2008.

Top 10 Importers United Nations Statistics Division. (2008c).

Cigarette Export Trade Guindon GE, Boisclair D. (2005, August). Cigarette consumption dataset 1970-2004.

119

SOURCES

Prepared for the American Cancer Society.

United Nations Statistics Division. (2008e). Commodity Trade Statistics Database, (COM-TRADE). http://comtrade .un.org/db/dqQuickQuery.aspx. Accessed July 29, 2008.

Tobacco Leaf Export Volume Guindon GE, Boisclair D. (2005, August). Cigarette consumption dataset 1970–2004. Prepared for the American Cancer Society.

United Nations Statistics Division. (2008e).

File folder

Gilmore AB, McKee M. (2004). Moving east: How the transnational tobacco industry gained entry to the emerging markets of the former Soviet Union. Part 1: Establishing cigarette imports. Tobacco Control, 13: 143-150.

United States Department of Agriculture, Economic Research Service. (2007). Tobacco Outlook. http://usda.mannlib.cornell .edu/usda/current/TBS/TBS-10-24-2007.pdf. Accessed May 9, 2008.

CHAPTER 16: ILLEGAL CIGARETTES

Action on Smoking and Health, UK. (2007). Essential information on tobacco smuggling .http://www.ash.org.uk/files/ documents/ASH_122.pdf. Accessed October 2, 2008.

Colling J, LeGresley E, MacKenzie R, Lawrence S, Lee K. (2004). Complicity in contraband: British American Tobacco and cigarette smuggling in Asia. Tobacco Control, 13(Supplement II): ii104-ii111.

Framework Convention Alliance for Tobacco Control. (2007). COP-2 recommendations: A protocol on illicit trade in tobacco products. http://fctc .org/dmdocuments/fca-2007cop-illicit-trade-cop2recommendations-en.pdf. Accessed September 2, 2008.

Framework Convention Alliance for Tobacco Control. (2008). Glossary of terms in the illicit trade in tobacco products. http:// www.fctc.org/dmdocuments/ glossary_fact_sheet2.pdf. Accessed November 25, 2008.

Kohl. Hatch introduce bill to halt contraband cigarette trafficking linked to terrorist funding. (2003, June 6). http://www .tobacco.org/quotes.php?mode= listing&pattern=&records_per_ page=200&starting_at=1800. Accessed March 3, 2008.

Tobacco News and Information. (N.d.). http://www.tobacco .org/quotes.php?starting_at=75. Accessed March 3, 2008.

Barber S, Adioetomo SM, Ahsan A, Setyonaluri, D. (2008). Tobacco economics in Indonesia. Paris: International Union against Tuberculosis and Lung

Brazilian Ministry of Finance. (2007). Facts and figures on illicit trade in tobacco products. Unpublished data.

Ciecierski C, Weresa M, Jarczewska-Romaniuk A, Nakonieczna J, Filus L, Stoklosa M. (2008). The economics of tobacco and tobacco taxation in Poland. Paris: International Union Against Tuberculosis and Lung

ERC. (2006). World cigarettes: The 2006 report. ERC Statistics Intl. Plc.

ERC. (2007). World cigarettes 1: The 2007 report. ERC Statistics

Euromonitor International. (2005). The world market for tobacco. Euromonitor International Inc.

Euromonitor International. (2006). The world market for tobacco. Euromonitor International Inc.

Euromonitor International. (2007). The world market for tobacco. Euromonitor Interna-

Framework Convention Alliance (2007). How big was the global illicit tobacco trade problem in 2006? Presented at the Conference of the Parties to the WHO Framework Convention on Tobacco Control, Bangkok. Thailand. http://www.fctc.org/ dmdocuments/fca-2007-copillicit-trade-how-big-in-2006en.pdf. Accessed November 25,

Gary G. (2008, January). Sine qua non. Tobacco Reporter Magazine. http://www .tobaccoreporter.com/home .php?id=119&cid=4&article id=10719. Accessed September

Kelly J. (2008, April). Tackling tobacco smuggling in the UK. PowerPoint presentation. Personal communication.

Lakhdar BC. (2008). Quantitative and qualitative estimates of cross-border tobacco shopping and tobacco smuggling in France. Tobacco Control, 17: 12-16.

Merriman D, Yurekli A, Chaloupka, F. (2000). How big is the worldwide cigarette smuggling problem? Pages 365-392 in Tobacco control in developing countries. P. Jha and F. Chaloupka. (Eds.). Oxford: Oxford Univer-

Paruyr A. (2006). Tobacco smuggling in Armenia. Unpublished manuscript.

Ross H, Shariff S, Gilmore A. (In press). Economics of tobacco taxation in Russia. Baltimore: Bloomberg Initiative to Reduce Tobacco Use.

Subuctageen A. (2006, September). Illegal tobacco trade in Pakistan. Presented at the first meeting of the WHO expert committee on the illicit tobacco trade, Geneva.

World Health Organization. (2007). The European tobacco control report 2007. WHO Regional Office for Europe. http://www.euro.who.int/ Document/E89842.pdf. Retrieved July 30, 2008.

Seizures of Illicit Shipments World Customs Organization. (2006). Customs and tobacco report 2006. Brussels.

Seizures of Cigarettes

HM Revenue and Customs. (2007. December). Annual performance report 2007 presented to Parliament by the financial secretary to the treasury by command of Her Majesty.

Evading Duty Framework Convention Alliance (2007).

Recommendations

World Health Organization. (2007). Intergovernmental Negotiating Body on a Protocol on Illicit Trade in Tobacco Products, Conference of the Parties to the WHO Framework Convention on Tobacco Control. http://www.who.int/gb/fctc/ PDF/it1/FCTC COP INB IT1_4-en.pdf. Accessed September 16, 2008.

Schneider J. (2008, July). Imperial, Rothmans agree to pay C\$1.15 billion over smuggling. http://www.bloomberg.com/ apps/news?pid=20601082&sid= aypl.NwNN6rM&refer=canada. Accessed September 17, 2008.

PART FOUR: PROMOTION

Exhibit on cigarette advertising opens in NYC, "makes you want to smoke." (2008, October 9). Canadian Press. Quoting Dr. Robert Jackler, an associate dean of continuing medical education at Stanford University and curator of the tobacco ad exhibit at the NY Public Library.

CHAPTER 17: MARKETING

Ouote American Legacy Foundation. (2008). New research indicates cigarette makers manipulate menthol levels to attract young smokers. http://www .americanlegacy.org/2592.aspx. Accessed August 30, 2008.

Text

Big tobacco, lawless as ever. (2006, September 5). Washington Post. http://www .washingtonpost.com/wp-dyn/ content/article/2006/09/04/ AR2006090400947.html Accessed September 30, 2008.

Charlesworth A, Glantz SA. (2005). Smoking in the movies increases adolescent smoking: A review. Pediatrics, 116(6): 1516-1528.

Polansky JR, Glantz S. (2007). First-run smoking presentations in U.S. movies, 1999–2006. San Francisco: Center for Tobacco Control Research and Education.

Smoke Free Movies. http://www. smokefreemovies.ucsf.edu/index .html. Accessed July 10, 2008.

Tobacco: Global industry guide. (2008). London: Datamonitor.

U.S. Federal Trade Commission cigarette report for 2004 and 2005. (2007). Washington, DC: U.S. Federal Trade Commission.

ERC. (2007). World cigarettes 1: The 2007 report. ERC Statistics Intl. Plc.

Marketing Expenditures Frank Chaloupka. (2008, June 17). Personal communication.

Top-Selling Cigarette Brands Japan Tobacco Inc. (2007). Annual report, http://www .jti.co.jp/JTI_E/IR/07/ annual2007/annual2007_E_all .pdf. Accessed June 16, 2008.

Marketing Expenditures by Category Chaloupka. (2008).

Silver Screen Polansky & Glantz. (2007).

Of Hollywood's Top-Grossing Brand identification: Wink, wink, nudge, nudge. (2008). http://www.smokefreemovies .ucsf.edu/problem/brand_

id.html. Accessed July 14, 2008.

Big Tobacco's Marketing Experts

Big tobacco companies know the power of movies. (2008). http://www.smokefreemovies .ucsf.edu/problem/moviessell .html. Accessed July 10, 2008.

Today's 18-Year-Olds

Written direct examination of Michael Eriksen, ScD. (2005). United States of America vs. Philip Morris USA, Inc. Civil Action No. 99-CV-02496 (GK). www.usdoj.gov/civil/cases/ tobacco2/01_Eriksen% 20FINAL%20Written% 20Direct%20Testimony.pdf Accessed August 30, 2008.

CHAPTER 18: BUYING INFLUENCE Quotes Dr. Brawley

Harris G. (2008, March 26). Cigarette company paid for lung cancer study. New York Times. http://www.nytimes .com/2008/03/26/health/ research/26lung.html. Accessed September 2, 2008.

Dr. Koop

Pekkanen J. (2007, December 1). Thank you for smoking. Washingtonian. http://www .washingtonian.com/articles/ people/5856.html. Accessed September 2, 2008.

Bero LA, Glantz S, Hong M-K. (2005). The limits of competing nterest disclosures. Tobacco Control, 14: 118-126.

Sylvester K. (1989, May). The tobacco industry will walk a mile to stop an anti-smoking law. Governing. http://www governing.com/archive/1989/ may/tobacco.txt. Accessed September 25, 2008.

Tobacco-Free Kids and Common Cause. (2007). Campaign contributions by tobacco interests: Annual report: September 2007. http://tobaccofreeaction .org/contributions/Report_ 2007 09/Contributions 2007 09.pdf. Accessed May 19, 2008. Tobacco-Free Kids and Common Cause. (2007).

Buying Favors Tobacco-Free Kids and Common Cause. (2007).

Buying Influence Tobacco-Free Kids and Common Cause. (2007).

File Folders

Asia — Philip Morris Asia Corporate Affairs Plan, 1990–1992. (1989, December). Bates Number 2500084000/4042 http://legacy.library.ucsf.edu/ tid/lil19e00. Accessed September 2, 2008.

Kenya (top) — Agriconsult. (1991, March). The economic mpact of the tobacco industry in Kenya. Cited in Kweyuh P.

(1994). Tobacco expansion in Kenya — the socio-ecological losses. Tobacco Control, 3: 248-251. http://tobaccocontrol.bmj. com. Accessed September 25,

Kenya (bottom) — Davis N. (1994, November 17). Meeting with President Moi. British American Tobacco internal memorandum. Bates Range 202201128-202201131, http:/ legacy.library.ucsf.edu/tid/ cnh31a99. Accessed September

Philippines — Dollisson J. (1989, June 15). Second revised forecast presentation. Philip Morris corporate affairs. Bates Number 2500101311/1323. http://legacy.library.ucsf. edu/tid/fml19e00. Accessed September 2, 2008.

United Kingdom — Langley A. (2003, May 20). Anti-tobacco pact gains despite firms' lobbying. New York Times. www .tobacco.org/quotes.php?mode= listing&pattern=betteridge& records_per_page=25. Accessed May 23, 2008.

United States — Report: Tobacco industry woos Connecticut lawmakers. (2003, August 23). Associated Press. www.tobacco.org/quotes .php?mode=listing&pattern=si ngleton&records_per_page=25. Accessed May 23, 2008.

The Tobacco Institute Sylvester. (1989).

CHAPTER 19: TOBACCO INDUSTRY Quote

Victory for BAT in Australian cancer case. (2002, December 6). Financial Times (UK). http:// www.tobacco.org/quotes .php?mode=listing&pattern= harper&records_per_page=25. Accessed May 30, 2008.

Legacy Library. (N.d.). http:// legacy.library.ucsf.edu. Accessed June 3, 2008.

Legacy Foundation. (N.d.). http://www.americanlegacy .org/awards/about.html. Accessed May 30, 2008.

Tobacco Archives. (N.d.). http:// www.tobaccoarchives.com/ maininfosettle.html. Accessed August 18, 2008.

Map

Legacy Library. (2008). http:// legacy.library.ucsf.edu/ Accessed August 3, 2008.

Top 5 Countries Legacy. (2008). Number of tobacco industry documents by country. http://legacy.library .ucsf.edu/. Accessed June 3,

File Folders Altria

New push grows for FDA regulation of tobacco. (2007, February 17). Washington Post. http://www.tobacco.org/quotes .php?mode=listing&pattern= parrish&records_per_page=25. Accessed May 30, 2008.

BAT Malawi

Illegal imports affect cigarette sales in Malawi. (2000, September 3). All-Africa.com/Pan African News Agency, http:// www.tobacco.org/quotes.php? mode=listing&pattern=faga& records_per_page=25. Accessed June 3, 2008.

BAT Nigeria

Tobacco giants "targeted African children to boost flagging profits." (2007, July 4). Times London (UK). http://www tobacco.org/quotes.php?mode= listing&pattern=Nigeria& records_per_page=25. Accessed May 29, 2008.

Philip Morris U.S.

U.S. trial against tobacco industry opens. (2004, September 22). Washington Post. http://www .tobacco.org/quotes.php?mode= listing&pattern=Ohlemeyer& records_per_page=25. Accessed May 29, 2008.

R.J. Reynolds

Russian financial woes take a toll in cigarettes. (1998, December 31). New York Times. http://www.tobacco.org/quotes .php?mode=listing&pattern= russia&records_per_page=25. Accessed June 3, 2008.

Philip Morris International Philip Morris International. (29 March 1985). The perspective of PM International on smoking and health issue. Internal presentation. Bates Number 2023268329/8337. http:// legacy.library.ucsf.edu/tid/ nkv74e00. Accessed December 15, 2008.

Taketa R. (2008, May 21). Personal communication

PART FIVE: TAKING ACTION

WHO wants total ban on

tobacco advertising, (2008, May 30). World Health Organization quoting Dr. Douglas Bettcher, director of WHO's Tobacco Free Initiative, which has issued a call for a worldwide ban on all tobacco advertising, promotion, and sponsorship.

CHAPTER 20: RESEARCH Warner KE. (2007, December).

Charting the science of the future where tobacco-control research must go. American Journal of Preventive Medicine,

33(6 Suppl): S314–S317.

Baris E et al. (2000). Research priorities for tobacco control in developing countries: A regiona approach to a global consultative process. Tobacco Control, 9:

Bero LA, Glantz S, Hong M-K. (2005). The limits of competing interest disclosures. Tobacco Control, 14: 118-126.

Cohen JE. (2001). Universities and tobacco money. BMJ, 323(7303): 1-2.

Grimm D. (2005). Is tobacco research turning over a new leaf? Science, 307(5706): 36-37.

Rose JE. (2005). Ethics of tobacco

company funding [letter]. Science,

308(5772): 632.

Europe — Schaap MM et al. (2008). Effect of nation-wide tobacco control policies on smoking cessation in high and low educated groups in 18 European countries. Tobacco Control, 17: 248–255. Published online May 15, 2008.

Hong Kong — Kwok MK et al. (2008, August). Early life secondhand smoke exposure and serious infectious morbidity during the first eight years: Evidence from Hong Kong's "Children of 1997" birth cohort. Tobacco Control, 17(4): 263-270. http:// tobaccocontrol.bmj.com/cgi/ content/abstract/tc.2007 .023887v1. Accessed October 4,

Indonesia — Semba RD et al. (2008). Paternal smoking and increased risk of infant and under-5 child mortality in Indonesia. American Journal of Public Health. Published online February 28, 2008.

Italy — Valente P et al. (2007). Exposure to fine and ultrafine particles from secondhand smoke in public places before and after the smoking ban, Italy 2005. Tobacco Control, 16(5):

Latin America, Asia, and Africa — Bloch M et al. (2008) Tobacco use and secondhand smoke exposure during pregnancy: An investigative survey of women in 9 developing nations. American Journal of

Public Health. Published online February 28, 2008.

Russia — Perlman F, Bobak M, Gilmore A, McKee M. (2007). Trends in the prevalence of smoking in Russia during the transition to a market economy. *Tobacco Control*; 16: 299–305.

United States — Thomas S et al. (2008). Population tobacco control interventions and their effects on social inequalities in smoking: Systematic review. Tobacco Control. Published online May 19, 2008.

How Much Research?

US National Library of Medicine, PubMed database. (N.d.). http://www.ncbi.nlm.nih.gov/ pubmed. Accessed July 14, 2008.

Comparative Research

Centers for Disease Control and Prevention. (2006). Tobacco related mortality. http://www .cdc.gov/tobacco/data_statistics/ fact sheets/health effects/ tobacco_related_mortality.htm. Accessed August 20, 2008.

Centers for Disease Control and Prevention. (2008a). Deaths: Preliminary data for 2006. National Vital Statistics Report, 56(16): 17–20. http://www .cdc.gov/nchs/pressroom/ 08newsreleases/mortality2006. htm. Accessed October 4, 2008.

Centers for Disease Control and Prevention. (2008b). National Center for Health Statistics: Stroke/cerebrovascular disease. http://www.cdc.gov/nchs/ fastats/stroke.htm. Accessed August 20, 2008.

Flegal KM et al. (2005). Excess deaths associated with underweight, overweight, and obesity. Journal of the American Medical Association, 293(15): 1861-1867.

U.S. National Institutes of Health. (2008, February 5). Estimates of funding for various diseases, conditions, research areas, actual expenditures for 2007. http://www.nih.gov/ news/fundingresearchareas.htm. Accessed October 4, 2008.

CHAPTER 21: CAPACITY BUILDING Ouote Confucius. (N.d.). The analects

attributed to Confucius [Kongfuzi], 551-479 BCE by Lao-Tse Lao Zi7. Translated by James Legge. UCLA Center for East Asian Studies, East Asian Studies Documents. http://www .international.ucla.edu/eas/ documents/lunyuCh2.htm. Accessed December 15, 2008

Damast A. (2008, July 24). Bloomberg, Gates team up to fight smoking. Business Week. http://www.businessweek .com/bwdaily/dnflash/content/ jul2008/db20080723_845410 .htm. Accessed September 2,

Gates, Bloomberg launch \$375M anti-smoking campaign. (2008, July 23), USA Today http://www.usatoday.com/ news/health/2008-07-23smoking_N.htm. Accessed September 2, 2008.

Gates and Bloomberg unite in global fight against tobacco. (2008, July 24). Medical News Today. http://www .medicalnewstoday.com/ articles/116039.php. Accessed September 2, 2008.

World Health Organization. (2008). Report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO.

Thailand — Vateesatokit P. (2008, August 27). Personal communication

United States — Tobacco Free Kids. (2005). A broken promise to our children. The 1998 state tobacco settlement seven years later. http://www tobaccofreekids.org/reports/ settlements/2006/fullreport. pdf. Accessed August 27, 2008.

All Other Countries — WHO MPOWER Report. (2008)

Low-Income Countries Spend Thailand — Vateesatokit

United States — Tobacco Free Kids. (2005). All Other Countries — WHO MPOWER Report. (2008).

CHAPTER 22: WHO FRAMEWORK Convention on Tobacco Control

Cicero. (N.d.) De Legibus 3.3.8. The Latin Library. http://www thelatinlibrary.com/cicero/leg3 shtml. Accessed September 3,

Guindon E, Boisclair D. (2003).

Past, current and future trends in tobacco use. HNP discussion paper: Economics of tobacco control paper no. 6, Tobacco Free Initiative, Geneva: World Health Organization. http:// www1.worldbank.org/tobacco/ pdf/Guindon-Past.% 20current-%20whole.pdf. Accessed June 26, 2008

SOURCES

pdf. Accessed November 26,

Economy and Finance. (2006)

Taxes on domestic goods and

services. http://www.ocm.gov

Cambodia — Ministry of

World Health Organization. (2008). Full list of signatories and parties to the WHO Framework Convention on Tobacco Control. http://www .who.int/fctc/signatories_ parties/en/index.html. Accessed January 22, 2009.

Anticipated Tobacco Industry Responses to the FCTC

American Cancer Society International Union for Cancer Control. (2006). The advocate's guide to legislative strategies. Tobacco Control Strategy Planning Guide #3. http://www .strategyguides.globalink.org/ pdfs/Legislative_Strategies.pdf. Accessed October 9, 2008.

Framework Convention Alliance. (2007). COP-2 Briefing paper: Implementing Article 5.3 - Protection of Tobacco Control Measures from Interference by the Tobacco Industry. http:// www.fctc.org/index.php? option=com_content&view =article&id=172:cop-2briefing-paper-implementingarticle-53-protection-oftobacco-control-measuresfrom-interference-by-thetobacco-industry-&catid=138: industry-interference&Itemid =162. Åccessed October 9, 2008.

File Folder

We Need to Move Away British American Tobacco. (2003, May 21). Response to adoption of WHO tobacco treaty. http://www.bat.com/ group/sites/uk_3mnfen.nsf/ vwPagesWebLive/DO796KYI/ \$FILE/medMD726LGS.pdf? openelement. Accessed September 3, 2008.

CHAPTER 23: SMOKE-FREE AREAS

World Bank, (2002), Smokefree workplaces at a glance. www1 .worldbank.org/tobacco/AAG% 20SmokeFree%20Workplaces .pdf. Accessed October 5, 2008.

Americans for Nonsmokers' Rights. (2005, August). Ventilation and air filtration: What air filtration companies and the tobacco industry are saying. http://www.no-smoke.org/ document.php?id=267. Accessed January 2009.

Americans for Nonsmokers' Rights. (2006, August). Patron surveys and consumer behavior. http://www.no-smoke.org/pdf/ patronsurveys.pdf. Accessed January 2009.

Quinet M, Orban M, Philippet Č, Riffon A, Andrien M. (2003).

Nonsmokers protection in restaurants and bars in Europe: A survey in five European countries. European Network for Smoking Prevention, Europe Against Cancer. http://www .fares.be/tabagisme/news/ surveyHorecaFinalReport.pdf. Accessed June 2005.

Raaijmakers T, van den Borne I. (2001). Cost-benefits of workplace smoking policies. In Fleitman S (ed.). Smoke free workplaces: Improving the health and well-being of people at work. European Status Report, European Network for Smoking Prevention. http:// www.ensp.org/reports.cfm. Accessed July 2005.

MapWorld Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package, 25-28. Geneva: WHO.

Symbol WHO MPOWER Report. (2008), 25-28.

Smoking Ban in Restaurants,

WHO MPOWER Report. (2008), 25-28.

No Loss of Restaurant and Bar Sales

California Board of Equalization. (1997-2004). http://www .boe.ca.gov/news/t11q97f.htm, http://www.boe.ca.gov/news/ t11q98f.htm, http://www.boe .ca.gov/news/t1q99f.htm, http://www.boe.ca.gov/news/ t11q00f.htm, http://www.boe .ca.gov/news/pdf/T11q01.pdf, http://www.boe.ca.gov/news/ pdf/10t11q02.pdf, http://www .boe.ca.gov/news/pdf/t1 1003 .pdf, http://www.boe.ca.gov/ news/pdf/t1_1q04.pdf. Accessed July 2005.

Repace J. (2000, June). Can ventilation control secondhand smoke in the hospitality

industry? Figure 3:34. Citing California Department of Health, California Board of Equalization. Before and after smoke-free laws first quarter taxable sales figures for restaurants and bars, state of California 1992-1999. http://www.repace.com. Accessed October 5, 2008.

Reduction in Nicotine Levels (median serum cotinine levels) Third National Report on Human Exposure to Environmental Chemicals, 2005. Median Serum Cotinine Levels in Nonsmokers, by Age Group—National Health and Nutrition Examination Survey (NHANES), United

States, 1988-1991 through 2001-2002. http://www.cdc .gov/exposurereport/pdf/ factsheet_general.pdf.

File Folder

Hieronimus J. (1992, October 22). Memorandum: Impact of workplace restrictions on consumption and incidence, Philip Morris, USA. Bates No.: 2023914280/4284. http://www .pmdocs.com/getallimg.asp?if= avpidx&DOCID=2023914280/ 4284. Accessed July 2005.

China — Ministry of Health, People's Republic of China. (2007, May). China Tobacco Control Report. Beijing. Cited in WHO MPOWER Report. (2008), 26.

Ireland — Mulcahy M et al. (2005). Secondhand smoke exposure and risk following the Irish smoking ban: An assessment of salivary cotinine concentrations in hotel workers and air nicotine levels in bars. Tobacco Control, 14(6): 384-388.

United States, 2007 — Stark MJ et al. (2007). The impact of clean indoor air exemptions and preemption policies on the prevalence of a tobaccospecific lung carcinogen among nonsmoking bar and restaurant workers. American Journal of Public Health, 97(8): 1457-1463.

CHAPTER 24: MARKETING BANS

Saffer H. (2000). Tobacco advertising and promotion. In Jha P, Chaloupka FJ (eds.), Tobacco control in developing countries. Oxford: Oxford University Press.

Assunta M, Chapman S. (2004a). The tobacco industry's accounts of refining indirect tobacco advertising in Malaysia. Tobacco Control, 13(Suppl 2): ii63-ii70.

Assunta M, Chapman S. (2004b). The world's most hostile environment: How the tobacco industry circumvented Singapore's advertising ban. Tobacco Control, 13(Suppl 2):

Carter SM. (2003). New frontier, new power: The retail environment in Australia's dark market. Tobacco Control, 12(Suppl 3):

Saffer H, Chaloupka F. (2000). The effect of tobacco advertising bans on tobacco consumption. Journal of Health Economics, 19:

Sargent JD, Beach ML, Dalton MA, et al. (2004). Effect of

parental R-rated movie restriction on adolescent smoking initiation: A prospective study. Pediatrics, 114: 149-156.

Wakefield M, Letcher T. (2002). My pack is cuter than your pack. Tobacco Control, 11: 154-156.

Wakefield M, Morley C, Horan JK, Cummings KM. (2002). The cigarette pack as image: New evidence from tobacco industry documents. Tobacco Control, 11(Suppl 1): I73-I80.

World Bank. (1999). Curbing the epidemic: Governments and the economics of tobacco control. Washington, DC: World Bank

MapWorld Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva:

Symbol WHO MPOWER Report.

(2008)Point-of-Sale Advertising

WHO MPOWER Report. (2008).

Decline in Brand Recognition Fielding R, Chee YY, Choi KM, Chu TK, Kato K, Lam SK, Sin KL, Tang KT, Wong HM, Wong KM. (2004). Declines in tobacco brand recognition and eversmoking rates among young children following restrictions on tobacco advertisements in Hong Kong. Journal of Public Health, 26(1): 24-30. DOI: 10.1093/pubmed/fdh118.

Wows

Advertising Bans Blecher E. (2008). The impact of advertising bans on consumption in developing countries. Journal of Health Economics, 27: 930-942.

Upon Ratification

WHO Framework Convention on Tobacco Control. (2006). Tobacco advertising, promotion and sponsorship. Article 13/2: 8.

Comprehensive Advertising Saffer and Chaloupka. (2000).

CHAPTER 25: PRODUCT LABELING

Simpson, D. (2004). Uganda: Official's "shock" over warning size. Tobacco Control, 13: 324.

Borland R, Fong GT, Yong HH, Cummings KM, Hammond D, King B, Siahpush M, McNeill A. Hastings G. O'Connor RJ. Elton-Marshall T, Zanna MP. (2008). What happened to smokers' beliefs about light cigarettes when "light/mild" brand descriptors were banned in the UK? Findings from the International Tobacco Control (ITC) four-country survey. *Tobacco* Control. Published online first: April 21, 2008. doi:10.1136/ tc.2007.023812

Cunningham R. (2007). Package warnings: Overview of international developments. Canadian Cancer Society. http://www .smoke-free.ca/warnings/ WarningsResearch/Release_ WarningLabels_20070320.pdf. Accessed October 5, 2008.

Freeman B, Chapman S, Rimmer M. (2008). The case for the plain packaging of tobacco products. Addiction, 103(4): 580–590. http://tobacco.health.usyd.edu .au/site/futuretc/pdfs/generic .pdf. Accessed January 2009.

World Health Organization. (2005). Framework convention on tobacco control. Geneva: WHO/Tobacco-Free Initiative. http://www.who.int/fctc/en/ index.html Accessed October 5,

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO, 35.

WHO MPOWER Report. (2008), Q13.

WHO MPOWER Report. (2008), O14i.

Physicians for a Smoke-Free Canada. (N.d.). Health warnings with pictures are a very effective way to reduce smoking. http:// www.smoke-free.ca/warnings. Accessed May 2, 2008.

Tobacco Labelling Resource Centre. (N.d.). Romania. http:// www.igloo.org/community .igloo?r0=community&r0_ script=/scripts/folder/view. script&r0 pathinfo=%2F% 7Bf0ce20c6-7a3c-409a-a5c9-15e2b251a129%7D% 2Fcurrentl%2Fromania&r0_ output=xml. Accessed August 2008.

Misleading Lights

Physicians for a Smoke-Free Canada (2005), Canadian Tobacco Use Monitoring Survey (CTUMS): A comprehensive plan to end the "light" and "mild" deception. http://www .smoke-free.ca/pdf 1/ Endingthedeception-2005.pdf. Accessed October 5, 2008.

Bans on Terms Such as "Low Tar," "Light," "Ultra-Light,"

WHO MPOWER Report. (2008), Q11.

File Folder

mer. (2008).

(2008), 35.

Chapman S, Carter SM. (2003). "Avoid health warnings on all tobacco products for just as long as we can": A history of Australian tobacco industry efforts to avoid, delay and dilute health warnings on cigarettes. *Tobacco* Control, 12(Suppl 3): iii13-iii22.

Plain Packaging Freeman, Chapman, and Rim-

Health Warnings on Tobacco WHO MPOWER Report.

CHAPTER 26: PUBLIC HEALTH CAMPAIGNS Quote

Saloojee, Y. (2007). Presentation, 38th World Conference on Lung Health. Cape Town, South Africa.

Asbridge M. (2004). Public place restrictions on smoking in Canada: assessing the role of the state, media, science and public health advocacy. Social Science and Medicine 58(1): 13-24.

Christakis NA, Fowler JH. (2008). The collective dynamics of smoking in a large social network. New England Journal of Medicine, 358(21): 2249-2258.

Annual Themes of World No Tobacco Day: May 31, 1988-2008

World Health Organization. (N.d.). Tobacco Free Initiative (TFI). World No Tobacco Day. http://www.who.int/tobacco resources/publications/wntd/ en/. Accessed October 12, 2008.

Youth Prevention Programs

World Health Organization. (2002). Seeing beneath the surface: The truth about the tobacco industry's youth smoking prevention programmes. Tobacco Free Initiative: WHO Western Pacific Region Pamphlet. http://www.wpro.who.int/NR/ rdonlyres/11EAD35E-741D-4736-B32D-300E85C29425/0/ Seeingbeneaththesurface.pdf. Accessed October 12, 2008.

File Folder

Tobacco Institute. (1991, January 29). Discussion Paper. Bates No. TIMN0164422/4424 (see also TIFL0526381/6383). http://www.tobaccoinstitute .com/PDF/TIMN0164422 4424.PDF. Accessed October 18, 2008.

No Sensible, Ethical Person

World Health Organization Western Pacific Regional Office, Tobacco Free Initiative. (2002).

A Hallmark of All

Tobacco Free Kids. (2005). A long history of empty promises. The cigarette companies' ineffective youth anti-smoking programs. www.tobaccofreekids.org/ research/factsheets/pdf/0010.pdf. Accessed October 12, 2008.

In the First Six Months Graphic anti-smoking campaigns work. (2007, June 4). ABC News citing S. Stillman (acting director, OUIT, Australia). http:// www.abc.net.au/news/stories/ 2007/06/04/1941268.htm. Accessed November 25, 2008

CHAPTER 27: QUITTING SMOKING

Squires, S. (2002, February 19). The butt stops here. Washington Post. http://www .oralcancerfoundation.org/ tobacco/butt_stops_here.htm. Accessed October 20, 2008.

Anderson CM, Zhu S-H. (2007) Tobacco quitlines: Looking back and looking ahead. Tobacco Control, 16(Supplement 1): i81-i86. http://tobaccocontrol.bmj .com/cgi/content/full/16/ Suppl_1/i81. Accessed September 1, 2008.

Peto R, Lopez AD. (2001). The future worldwide health effects. of current smoking patterns. Pages 154-161 in Critical Issues in Global Health, Koop EC, Pearson CE, Schwarz MR (eds.). New York: Jossey-Bass.

World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO.

WHO MPOWER Report. (2008)

Tobacco Deaths

Why People Quit Smoking Taylor T, Lader D, Bryant A, Keyse L, Joloza MT. (2005). attitudes, 2005. http://www .statistics.gov.uk/downloads/ theme_health/Smoking2005 .pdf. Accessed June 4, 2008.

File Folder

companies. (2007, September 26). WAWS Fox 30 News (Jacksonville, FL, USA). http://www

tobacco.org/news/252875.html Accessed September 1, 2008.

Hirayama T. (1995). Personal communication.

Japan Tobacco. (1960-2005). Annual reports.

Mochizuki-Kobayashi Y. (2008).

CHAPTER 28: TOBACCO PRICES AND TAXES

. Pobacco Free Initiative (TFI). (2005). Article 6: Price and tax measures to reduce the demand for tobacco. World Health Organization Framework Convention on Tobacco Control (WHO FCTC). http://www.who.int/ tobacco/framework/final_text/ en/index5.html. Accessed

Text Jha P, Chaloupka F (eds.). (2000). Tobacco control in develop-University Press.

Economic policies for tobacco 48(3): 113-120.

Symbols WHO MPOWER Report. (2008)

Peto and Lopez. (2001).

Smoking-related behaviour and

Floridians to sue tobacco

Wows

China Yang GH, Ma JM, Liu N, Zhou LN. (2005). Smoking and passive smoking in Chinese, 2002. Zhonghua Liu Xing Bing Xue Za Zhi (Chinese Journal of Epidemiology), 26(2): 77–83.

Personal communication.

March 2, 2008.

ing countries. New York: Oxford

Ross H, Chaloupka F. (2006). control in developing countries. Journal Salud Publica de Mexico

World Bank. (1999). Curbing the epidemic: Governments and the economics of tobacco control. Washington DČ: World Bank Group.

Albania, Bosnia and Herzegovina, Croatia. Moldova, Republic of, Montenegro, Norway, Serbia, Switzerland, Uzbekistan

— World Health Organization. (2007). The European tobacco control report: 2007. Copenhagen World Health Organization. http://www.euro.who.int/ document/e89842.pdf.

Angola, Bahrain, Cuba, Djibouti, Egypt, Iran, Islamic Republic of, Korea, Republic of, Kuwait, Liberia, Libyan Arab Jamahiriya, Myanmar, Oatar, Sri Lanka, Syrian Arab **Republic, Yemen** — World Health Organization. (2008). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO.

Argentina, Bolivia, Brazil, Chile, Colombia, Lao People's Democratic Republic, Nepal

— WHO MPOWER Report. (2008); VAT calculated from ERC (2007). World cigarette survey 2007. London: ERC Group Plc.

Armenia, Algeria, Botswana,

Uruguay, Venezuela, Zambia,

Report. (2008); VAT calculated

Indirect Tax Rates. http://www

.html. Accessed May 30, 2008.

Australia — WHO MPOWER

Report. (2008); VAT calculated

tional. (2006). The World Market

for Tobacco. Éuromonitor Inter-

Austria, Belgium, Bulgaria,

Denmark, Estonia, Finland,

Hungary, Ireland, Italy, Lat-

via, Lithuania, Luxembourg,

Malta, Netherlands, Poland,

Taxation and Customs Union.

taxation customs/index en.htm.

Bangladesh, Maldives, Oman,

Accessed December 13, 2008.

Saudi Arabia, United Arab

Emirates — Guindon GE &

Boisclair D. Tobacco Taxation

dataset 1999-2005. Prepared for

Aug 2005. Perucic AM. Tobacco

pared for the American Cancer

Barbados, Belarus, Dominican

Republic, Kyrgyzstan, Namibia

- Becker L. (2007, February).

Financing: Reverse the Decline

Financing Task Force: Policy Brief.

http://resultsfordevelopment

.org/_docs/febpolicybriefweb

Developing Country Health

of Tobacco Taxes; Health

the American Cancer Society,

Tax Earmarking dataset. Pre-

Society; Aug 2005.

Slovenia, Spain, Sweden,

United Kingdom — EU

http://ec.europa.eu/

Portugal, Romania, Slovakia,

France, Germany, Greece,

Cyprus, Czech Republic,

from Euromonitor Interna-

national Inc.

from Deloitte. (2008). Global

.deloitte.com/dtt/article/

0,1002,cid%253D5028,00

Zimbabwe — WHO MPOWER

Burundi, Benin, Burkina Faso,

Cape Verde, Central African .kh/c_tax2.htm. Accessed Republic, Chad, Comoros, December 15, 2008. Congo, DRT Congo, Costa Canada — Physicians for a Rica, Cote D'ivoire, Dominica, smoke-free Canada. (2008). Ecuador, El Salvador, Equatohttp://www.smoke-free rial Guinea, Eritrea, Ethiopia, .ca/factsheets/pdf/Tobacco% Gabon, Guatemala, Guinea, 20Tax%20Rates.pdf. Accessed Guyana, Honduras, Jamaica, May 30, 2008. Jordan, Kenya, Lebanon, Lesotho, Malawi, Mali, Mauritania, China — Hu T, Mao Z, Shi J. Mauritius, Mozambique, (2007). Tobacco taxation and Morocco, Nicaragua, Niger, its potential economic impact in Nigeria, Panama, Paraguay, China. A paper prepared for the Bloomberg Global Initiative to Peru, Rwanda, Sao Tome And Reduce Tobacco Use Project. Principe, Senegal, Seychelles, Unpublished manuscript. Sierra Leone, South Africa. Suriname, Swaziland, Georgia — USAID. (2004). Tanzania, United Republic of, http://georgia.usaid.gov/ Trinidad and Tobago, Togo, pdf/18.pdf. Accessed May 30, Turkmenistan, Uganda,

Ghana — ERC. (2007). World cigarette survey 2007. London: ERC Group Plc.

India — WHO MPOWER Report. (2008); VAT calculated from Sharma S. (July 21, 2007) ITC's cigarette sales are "under pressure" from value-added tax. Bloomberg.com. http://www .bloomberg.com/apps/news? pid=newsarchive&sid= aNDJY3KKh9.8. Accessed May 30, 2008.

Indonesia, Malaysia, Philippines, Thailand, Vietnam - ACS calculation by Hana Ross. (2008).

Israel — WHO MPOWER Report. (2008); VAT calculated from Worldwide Tax. (2008). Israel Tax News 2008, http:// /www.worldwide-tax.com/israel isr_econonews.asp. Accessed May 30, 2008.

Japan — Kato T. (2008). Japan Tobacco falls on higher cigarette tax proposal. http://tobacco .cleartheair.org.hk/2008/06/06/ japan-tobacco-falls-on-highercigarette-tax-proposal/. Accessed December 5, 2008.

Kazakhstan — Khakimzhanov, S. (2007). Estimation and simulation of tobacco excise increase in Kazakhstan. Unpublished

Macedonia, Former Yugoslav Republic of — WHO MPOW-ER Report. (2008); VAT calculated from United States Council for International Business. (2008). Duties and Value-Added Taxes. http://www.uscib.org/ index.asp?documentID=1676. Accessed May 30, 2008.

SOURCES

Mexico — Jimenez-Ruiz, J., Saenz de Miera, B., Reynales-Shigematsu, L., Waters, H., Hernandez-Avila, M. The Impact of Taxation on Tobacco Consumption in Mexico. Tobacco Control, 2008. 17 (2): p. 105-110.

Mongolia — WHO MPOWER Report. (2008); VAT calculated from International Publishers Association. (2006). http:// www.ipa-uie.org/statistics/ vat%20march%2006.htm. Accessed May 30, 2008.

New Zealand, Madagascar, Singapore, Cameroon — WHO MPOWER Report. (2008); VAT calculated from ERC, (2006). World cigarette survey 2006. London: ERC Group Plc.

Pakistan — Economics of tobacco for the South Asia (SA) region. 2001. http:// siteresources.worldbank.org/ INTETC/Resources/375990-1089913200558/SouthAsia.pdf. Accessed December 5, 2008.

Russian Federation — Ross H, Shariff S, Gilmore A. (In press). Economics of tobacco taxation in Russia. Baltimore: Bloomberg Initiative to Reduce Tobacco Use.

Turkey — Meric AB, Mulier T. (2008, February 22). BAT bids \$1.72 billion to win Turkey's Tekel auction (Update 4). Bloomberg News. http://www.gab-ibn .com/IMG/pdf/Tr8-_BAT_ Bids_1.72_Billion_to_Win_ Turkey_s_Tekel_Auction.pdf. Accessed November 26, 2008.

Tunisia — World Bank: Country Profiles. (2000). http://www1. worldbank.org/tobacco/pdf/ country%20briefs/Tunisia.pdf. Accessed December 13, 2008.

Ukraine — Ross H, Shariff S, Gilmore A. (In press). Economics of tobacco taxation in Ukraine. Baltimore: Bloomberg Initiative to Reduce Tobacco Use.

United States of America

— Campaign for Tobacco-Free Kids. (2008). State cigarette excise tax rates & rankings http://www.tobaccofreekids .org/research/factsheets/ pdf/0097.pdf. Accessed December 5, 2008.

Symbols

Economist Intelligence Unit. (N.d.). Worldwide cost of living survéy. http://eiu.enumerate .com/asp/wcol_WCOLHome asp. Accessed March 3, 2008.

World Bank. (2008). World Development Indicators. Washington DC: World Bank.

Smoking Goes Down Aloui O. (2003). Analysis of the economics of tobacco in Morocco. Economics of Tobacco Control Paper No. 7. HNP Discussion Paper 2003. http:// www1.worldbank.org/tobacco/ pdf/Aloui-Analysis%20of% 20-%20whole.pdf. Accessed March 1, 2008.

Tax Revenues Go Up

Walbeek C. (2003). Tobacco excise taxation in South Africa. WHO Tobacco Control Papers 2003. http://repositories.cdlib .org/tc/whotcp/SAfrica2003/. Accessed March 2, 2008.

Walbeek C. (2008). Personal communication.

Chaloupka F. (2002). The role of tax increases in reducing consumption. http://www .impacteen.org/generalarea_ PDFs/APHA2002_ fjctobaccotax.pdf. Accessed March 1, 2008.

Hu T, Mao Z. (2002). Effects of cigarette tax on cigarette consumption and the Chinese economy. Tobacco Control, 11:

CHAPTER 29: LITIGATION Quote

United States vs. Philip Morris. (2006). Final opinion. http:// www.usdoj.gov/civil/cases/ tobacco2/amended%20opinion .pdf. Accessed October 13, 2008.

Blanke DD. (2008). Towards health with justice: Litigation and public inquiries as tools for tobacco control. World Health Organization. http://www .who.int/tobacco/media/en/ final_jordan_report.pdf. Accessed July 10, 2008.

Philip Morris International. (2008). Tobacco lawsuits outside the United States. http://www .philipmorrisinternational.com/ PMINTL/pages/eng/busenv/ Int_litigation.asp. Accessed August 5, 2008.

United States vs. Philip Morris.

World Health Organization. (2003). Framework Convention on Tobacco Control, World Health Organization. Geneva:

Map Altadis Annual Report 2006. http://www.altadis.com/en/ shareholders/pdf/meeting2007/ 2006AR-En.pdf. Accessed on June 16, 2008.

Altria Group, Inc. 2007 Annual Report. http://www.altria.com/ AnnualReport/ar2007/2007ar_ 01_0100.aspx. Accessed on June 16, 2008.

British American Tobacco Annual Report and Accounts 2007. http://www.bat.com/ annualreport2007. Accessed on August 22, 2008.

Gallaher Group Plc Interim Report 2006. http://ir.gallahergroup.com/downloads/ir/ publications/2006 interim.pdf. Accessed June 16, 2008.

Imperial Tobacco Group PLC Annual Report and Accounts 2007. http://www.imperialtobacco.com/files/financial/ reports/ar2007/files/pdfs/ itgar07_fullreport.pdf. Accessed June 16, 2008.

Japan Tobacco Inc. Annual Report 2007. http://www .jti.co.jp/JTI_E/IR/07/ annual2007/annual2007_E_all pdf. Accessed June 16, 2008.

A Range of Lawsuits Altria Group Inc. (2007).

Cases Pending Altria Group Inc. (2007).

British American Tobacco.

Gallaher Group Plc. (2006). Imperial Tobacco Group Plc

Japan Tobacco Inc. (2007).

Cases Pending Against Philip Morris

Altria Group Inc. (2007).

File Folder Japan Tobacco Inc. (2007).

CHAPTER 30: RELIGION BrainyQuote: Buddha Quotes. (N.d.). http://www.brainyquote .com/quotes/authors/b/ buddha.html. Accessed December 4, 2008.

Text

American Heart Association (2008). American Indians/ Alaska Natives and cardiovascular diseases. Statistical fact sheet: 2008 update. http://www.americanheart .org/downloadable/heart/ 1199481493031FS02AM08.pdf. Accessed August 6, 2008.

American Lung Association. (2007, June). Smoking and American Indians/Alaska Natives Fact Sheet, http:// www.lungusa.org/site/ c.dvLUK9O0E/b.35999/ k.EBAD/Smoking_and_ American Indians Alaska Natives_Fact_Sheet.htm. Accessed August 6, 2008.

Australian Broadcasting Corporation. (2002, May 8). Buddhist

monks meet to tackle the issue of smoking. http://www .tobacco.org/news/93056.html. Accessed October 20, 2008.

Centers for Disease Control and Prevention. (1998). 1998 Surgeon General's report: Tobacco use among U.S. racial/ethnic minority groups: American Indians and Alaska Natives and Tobacco, http://www.cdc .gov/tobacco/data statistics/ sgr/sgr_1998/sgr-min-nat.htm. Accessed August 6, 2008.

U.S. Department of Health and Human Services. (2008). Indian Health Service. Division of Epidemiology and Disease Prevention. http://www.ihs .gov/medicalprograms/epi/ index.cfm?module=health issues&option=tobacco&cat= sub_0. Accessed October 17,

Winter JC. (2000). Tobacco use by Native North Americans: Sacred smoke and silent killer. Oklahoma City: University of Oklahoma

World Council of Churches. (2000). Tobacco: A global problem requires a global response! http://www.oikoumene.org/ fileadmin/files/wcc-main/ documents/p4/contact/con-168 .pdf. Accessed July 30, 2008.

World Health Organization. (1999). Meeting report: Meeting on tobacco and religion. www .who.int/entity/tobacco/media/ en/religioneng.pdf. Accessed October 20, 2008.

Central Intelligence Agency. (2008, October 9). The World Factbook: Field listing religions. https://www.cia.gov/ library/publications/the-worldfactbook/fields/2122.html. Accessed October 17, 2008.

Foreign and Commonwealth Office. (2007). About the FCO: Country profiles. http://www .fco.gov.uk/en/about-the-fco/ country-profiles/. Accessed October 17, 2008.

NationMaster. (2008). Nations of the world. http://www .nationmaster.com/index.php. Accessed July 30, 2008.

Religions

Central Intelligence Agency. (2008, October 9). The world factbook: World. https://www .cia.gov/library/publications/ the-world-factbook/geos/ xx.html#People. Accessed August 4, 2008.

Bahá'i Faith

The Bahá'i Faith, Substance Abuse and Addiction Treatment.

(N.d.). Bahá'i scriptures on alconol, tobacco and other drugs. http://bahaisofplainview.tripod .com/Bahais_and_Addictive_ Illness/id3.html. Accessed August 4, 2008.

Bahá'i World Faith. (N.d.). Tablet on purity. http://www .bcca.org/ref/books/bwf/ 0717tabletonpurity.html. Accessed August 5, 2008.

Buddhism

Introduction to Buddhism. (2008). http://www.buddhanet net/e-learning/intro_bud.htm. Accessed July 22, 2008.

World Health Organization.

World Health Organization. (2002). International workshop on Buddhism and tobacco control, May 7-9, 2002, http:// www.who.int/tobacco/national capacity/religion/en. Accessed October 17, 2008.

Yel D, Hallen GK, Sinclair RG, Mom K, Srey CT. (2005). Biochemical validation of self-reported quit rates among Buddhist monks in Cambodia Tobacco Control, 14: 359.

Christianity World Council of Churches. (2000).

Church of Jesus Christ of Latter-Day Saints (Mormons)

The Church of Jesus Christ of Latter-Day Saints. (2008). Country profiles: USA-Utah http://www.newsroom.lds .org/ldsnewsroom/eng/ contact-us/usa-utah. Accessed August 4, 2008.

The Doctrine and Covenants of the Church of Jesus Christ of Latter-Day Saints, Section 89. (N.d.). http://scriptures.lds.org/ dc/89. Accessed July 22, 2008.

Kaiser Family. (2008). State health facts: Utah. http://www .statehealthfacts.org/profileind jsp?ind=80&cat=2&rgn=46. Accessed August 4, 2008.

Merrill RM, Lyon JL. (2005). Cancer incidence among Mormons and non-Mormons in Utah (United States), 1995-1999. Preventive Medicine. 40(5): 535-541.

Hinduism World Health Organization.

Islam

Contemporary legal rulings in Shiëi law. (N.d.). Muëamalat (part 4) — Medical students. http://www.sistani.org/local .php?modules=nav&nid=2& bid=61&pid=3216&hl= smoking. Accessed July 22, 2008. Khayat MH (ed.). (2000). Islamic ruling on smoking. Alexandria: World Health Organization, Regional Office of the Eastern Mediterranean

World Health Organization.

World Health Organization Regional Office for the Eastern Mediterranean. (2006). Religion and tobacco: Together for tobacco free hajj. http://www.emro.who .int/TFI/TobaccofreeMecca Medina.htm. Accessed August 5, 2008.

Judaism

Rabbinical Council of America. (2006, July 3). "RCA's Vaad Halacha bans use of tobacco products." http://www.rabbis.org/ news/article.cfm?id=100808. Accessed August 5, 2008.

Siegel-Itzkovich J. (2008, July 7). Halachic ruling forbids smoking, calls for preventive health checkups. Jerusalem Post http://www.jpost.com/servlet/ Satellite?pagename=JPost/ JPArticle/ShowFull&cid= 1215330889024. Accessed August 5, 2008.

World Health Organization. (1999).

Roman Catholicism

Proceedings of the Papal Meetings. (2002). http://www.emro .who.int/TFI/vaticaneng.pdf. Accessed August 4, 2008.

World Health Organization. (1999).

Sikhism

Dhillon BS. (1998). Sikhism and smoking. http://www.sikhs .org/art9.htm. Accessed August 4, 2008

Offering Cigarettes to Monks Vateesatokit P. (2003). Tailoring tobacco control efforts to the country: The example of Thailand. Pages 154–178 in Tobacco control policy: Strategies, successes, and setbacks. J. de Beyer and L. V. Brigden (eds.). Washington, DC: World Bank

Since the Damage Caused Excerpts from the opinions of Muslim scholars concerning the Islamic ruling on smoking. (N.d.). World Health Organization: Tobacco and religion. http:// www.emro.who.int/Publications/ HealthEdReligion/Smoking/ Excerpts.htm. Accessed October 17, 2008).

If Smoking Causes Contemporary legal rulings in Shiëi law. (N.d.).

CHAPTER 31: THE FUTURE

World Health Organization. (2008a). WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO. http://www.who.int/ tobacco/mpower/mpower_ report_full_2008.pdf. Accessed April 4, 2008.

Text

WHO MPOWER Report (2008a). Executive summary, 2.

Numbers of Smokers

Future Scenarios Plenary. (2000). Tobacco control 2015: Where, why and with what outcomes? 11th World Conference on Tobacco or Health. Chicago, Illinois, August 6–11, 2000.

Guindon E. (2002, June 3), WHO/EIP. Personal commu-

Mackay J. (1997). Lessons from the conference: The next 25 years. 10th World Conference on Tobacco or Health. Beijing, China, August 24–28, 1997.

Health, 2000-2010

World Health Organization. (2002). The world health report 2002: Reducing risks, promoting healthy life. Geneva: WHO, 65.

World Health Organization. (2008b). Tobacco-Free Initiative. www.who.int/entity/tobacco/ en/. Accessed February 9, 2008.

World Health Organization. (2008c). Fact sheet: 10 facts about tobacco and second-hand smoke. http://www.who.int/ features/factfiles/tobacco/en/ index.html. Accessed February 9, 2008.

Health, 2010-2020

Mathers CD, Loncar D. (2006, November). Projections of global mortality and burden of disease from 2002 to 2030. PLoS Medicine 3(11): e442.

World Health Organization. Health, 2020-2030

World Health Organization.

Health, 2030-2040 World Health Organization. Tobacco Free Initiative. http:// www.who.int/tobacco/en/ Accessed December 15, 2008.

World Health Organization. (2002). The World Health Report 2002: Reducing risks, promoting healthy life. Geneva: WHO, 65.

Health, 2040-2050

Lopez A. (2002, April 12). Personal communication, citing Peto R, Lopez A. (2001). The future

worldwide health effects of current smoking patterns. Pages 154–161 in Koop EC, Pearson C, Schwarz P (eds.). Global health in the 21st century. New York: Jossey-Bass.

CHAPTER 32: THE HISTORY OF TOBACCO

Borio G. (N.d.). Tobacco timeline. http://www.tobacco .org/resources/history/ Tobacco History.html Accessed December 15, 2008.

Cochran S. (1980). Big business in China: Sino-foreign rivalry in the cigarette industry, 1890–1930. Cambridge, MA: Harvard University Press.

Framingham Heart Study. (N.d.). A timeline of milestones. http://www.framingham.com/ heart/timeline.htm. Accessed December 15, 2008

Globalink. Tobaccopedia. (N.d.). http://tobaccopedia.org. Accessed July 16, 2005.

Kluger R. (1996). Ashes to ashes: America's hundred-year war, the public health, and the unabashed triumph of Philip Morris, New York: Alfred A Knopf.

Hong-Gwan S. (2005, August 1). Personal communication with chairman of Smoking Cessation Clinic, National Cancer Center, Republic of Korea.

Lyons AS, Petrucelli RJ. (1978). Medicine An illustrated history New York: Harry N. Abrams Inc., 508.

Moyer D. (1998). The tobacco almanac: À reference book of fact, figures, quotations about tobacco. (Self-published).

Routh HB, Bhowmik KR, Parish JL, Parish LC. (1998). Historical aspects of tobacco use and smoking. Clinics in Dermatology 16(5): 539-544.

James Walton (ed.). (2000). The Faber book of smoking. London: Faber

Tobacco milestones: A brief history of tobacco. (1996). Adapted from a chronology by the National Clearinghouse on Tobacco and Health, Ottawa, Canada.

Tobacco Facts. (N.d.). Tobacco truth: From first drag to slavery: tobacco's beginnings. http://www.tobaccofacts.org/ tob_truth/timeline1492.html. Accessed December 15, 2008.

PART SIX: WORLD TABLES "No more hookah parlours in city." (July 5, 2008). The Times

of India. Mumbai.