





# Ministry of Health and Social Services Republic of Namibia

NAMIBIA COVID-19 SITUATION REPORT NO. 102				
Outbreak Name	COVID-19 outbreak	Country affected	Namibia	
Date & Time of this report	28.06.2020 21:30 hrs	Investigation start Date	13 March 2020	
Prepared by	Surveillance Team	•		

## **HIGHLIGHTS/SITUATION UPDATE (28/06/2020)**

- The country (with exception of Walvis Bay, Swakopmund, and Arandis in Erongo region) will migrate to stage 4 of the lockdown (effective from 23h59, 29 June 2020 -17 September 2020).
- Erongo region is in Stage 3 with restrictions in Walvis Bay, Swakopmund, and Arandis Local Authority Areas (effective from 23h59 of 22 June 2020 until 23h59 of 06 July 2020).





- Cumulatively, forty-nine (49) cases were identified during active case search.
- ⊙ Seven of the 14 regions have reported confirmed cases with Erongo region reporting the highest number of cases; 145 (79.2%).
- ⊙ More female cases 105 (57.4%) were recorded compared to male cases 78 (42.6%).
- Of the 33 cases reported today, 13 are symptomatic, while 20 are asymptomatic.




Figure 1. Distribution of suspected and confirmed COVID-19 cases in Namibia by District, 28 June 2020

Dashboard information can be accessed at: <a href="https://cutt.ly/Covid-19-situation-Namibia">https://cutt.ly/Covid-19-situation-Namibia</a>

## **EPIDEMIOLOGICAL SITUATION IN NAMIBIA**

Namibia has recorded a total of 183 confirmed cases since 13 March 2020. Most, 92 (50.3%) of the cases were recorded during week 26 (Figure 2).




Figure 2. Epi-curve for confirmed COVID-19 cases as, 28 June 2020

- To date, 7822 tests have been conducted by NIP & PathCare laboratories. The highest number of tests were from Khomas (3364) and the lowest from Kavango-West region (12).
- Seven (7) regions have reported confirmed cases; with Erongo reporting the highest 138 (75.4%) followed by Khomas 25 (68.3%).
- O Zambezi and Ohangwena have each reported one confirmed case (0.55%).




Figure 3: Age and sex distribution of COVID-19 confirmed cases, 28 June 2020

- A high number of cases were recorded in the past two weeks as a result of:
  - -Spread of local transmission in Walvis Bay district
  - -Increased active case search and testing, averaging 300 daily in the past few days.
- A total of 864 people are currently in quarantine with 18 new admissions. Since March 2020, 41 people who were in quarantine have tested positive for COVID-19.
- O Call centre continues operation for 24 hours daily; 1579 calls were answered with 8 alerts investigated over the past 24hrs.

Table 1: Distribution of confirmed COVID-19 cases by region, 28 June 2020

Region	Total No of cases	Active cases	Recovered
Khomas	25	11	14
//Karas	6	4	2
Erongo	145	138	7
Hardap	3	2	1
Zambezi	1	1	0
Otjozondjupa	2	2	0
Ohangwena	1	1	0
Total	183	159	24

- The most affected ages are within 20 and 39 years 114 (62.3%). Those aged 60 and above constitute 10 (6.7%) of those affected.
- In Namibia, more female 105 (57.4%) are affected.

- Since the beginning of the outbreak, 1498 contacts of confirmed cases have been identified of which 2 were added within the last 24 hours. Cumulatively, 628 contacts have completed their 14 days of follow up, while 120 out of 831 active contacts were monitored today.
- Since March 2020, 3791 people have been placed into supervised quarantine facilities around the country.
- A total of 243 trucks entered the country through various ground crossing points in the last 24 hours, of which
   46.9% were heading to Khomas region, while 29.6% were heading to Erongo region.

## **PUBLIC HEALTH ACTION**

- Integrated teams sent to Kavango and Zambezi regions to give technical support for a period of 7 days.
- Regions have intensified surveillance on travellers from Erongo region for early case detection.
- Targeted testing in Walvis Bay is ongoing.
- Stage 4 State of Emergency COVID-19 Regulations were gazeted today (28/06/2020)

#### CHALLENGES

- Inadequate isolation units, at health facilities in the regions.
- O Inadequate PPE
- Inadequate nasopharyngeal swabs and apropriate transport media.
- Prolonged turn-around time of results at NIP.

#### RECOMMENDATIONS

- Establish fully equipped isolation units at health facilities in the regions.
- O Logistics pillar to continue with the procurement and distribution of sufficient PPE to the regions to ensure that response is not interrupted.
- NIP to continue sourcing for swabs and appropriate transport media.
- Enhance laboratory testing capacity through out the country

Approved:

Incident Manager Date: 28 June 2020 Secretariat

For enquiries, please contact

Namibia Public Health Emergency Operations Centre;



PHEOC@mhss.gov.na



0800 100 100



0851 100 100