



Ministry of Health and Social Services Republic of Namibia

Outbreak Name	COVID-19 outbreak	Country affected	Namibia			
Date & Time of	03.07.2020	Investigation start	13 March 2020			
this report	22:00 hrs	Date				
Prepared by	Surveillance Team					

HIGHLIGHTS/SITUATION UPDATE (03/07/2020)

- The country is in Stage 4 of the State of Emergency (29 June 2020 -17 September 2020)
- Erongo region is in Stage 3 with restrictions in Walvis Bay, Swakopmund, and Arandis Local Authority Areas (from 22 June 2020 until 23h59 of 06 July 2020).



- ⊙ Three-hundred-and-thirty-two 332 (88.5%) cases are local transmissions while forty-three 43 (11.5%) are imported.
- ⊙ Cumulatively, ninety-one (91) cases were identified during active case search.
- Eight of the 14 regions have reported confirmed cases with Erongo region reporting the highest number of cases; 327 (87.2%).
- ⊙ More female cases 230 (61.3%) were recorded compared to male cases 145 (38.7%).




Figure 1: Distribution of suspected and confirmed COVID-19
cases in Namibia by District, 03 July 2020

Dashboard information can be accessed at:


https://cutt.ly/Covid-19-situation-Namibia

STAGE 4 COVID-19 RESTRICTIONS:

- Public gatherings shall not exceed 250 persons (including weddings, funerals, and religious gatherings)
- All persons traveling from abroad including tourists must provide a 72-hours valid COVID-19 negative results certificate, and will be subjected to mandatory supervised quarantine at their own cost.

EPIDEMIOLOGICAL SITUATION IN NAMIBIA

Namibia has recorded a total of 375 confirmed cases since 13 March 2020. Most, 210 (58.3%) of the cases were recorded during week 27 (Figure 2).



recorded in the past three weeks as a result of:

O A high number of cases were

- -Spread of local transmission in Walvis Bay district
- -Increased Active Case Search and testing, averaging 300 daily in the past few days.
- Call centre continues operation for 24 hours daily; 1665 calls were answered with 7 alerts investigated over the past 24hrs.

Figure 2: Epi-curve for confirmed COVID-19 cases as, 03 July 2020

- Eight (8) regions have reported confirmed cases;
 with Erongo reporting the highest 327 (87.2%)
 followed by Khomas 27 (7.2%).
- Ohangwena have reported the least confirmed cases (0.27%).
- Since the beginning of the outbreak, 1890 contacts of confirmed cases have been identified, 14 new contacts were identified within the last 24 hours. Cumulatively, 719 contacts have completed their 14 days of follow up, while 198 out of 1164 active contacts were monitored today.

Table 1: Distribution of confirmed COVID-19 cases
by region 03 July 2020

Region	Total No. of cases	Active cases	Recovered
Khomas	27	13	14
//Karas	7	5	2
Erongo	327	319	8
Hardap	6	5	1
Zambezi	2	2	0
Otjozondjupa	3	3	0
Ohangwena	1	1	0
Oshana	2	2	0
Total	375	350	25

Table 2: COVID-19 specimen recorded at NIP & Path care Laboratories 03 July 2020

Variables	Laboratory					
The Lates	NIP	Path care	South Africa	Total		
Total sample received by the Laboratory	8922	1651	-	10573		
Total sample tested	7676	1516	-	9192		
Total sample re-tested	774	70	-	844		
Total positive results	340	34	1	375		
Total negative results	7336	1482		8818		
Total sample discarded	68	8	-	76		
Invalid results	2	0	-	2		
Total pending results	43	3	-	46		
Suspected cases i 24 hours	34	8		42		

Note: negative results and re-test not updated (busy updating the linelist)

To date, 10573 tests have been conducted by NIP & PathCare laboratories (including 844 retests).




Figure 3: Age and sex distribution of COVID-19 confirmed cases, 03 July 2020

- The most affected ages are within 20 and 39 years 229 (61.1%).
 Those aged 60 and above constitute 11 (2.9%) of those affected.
- In Namibia, more female 230 (61.3%) are affected.

Table 3: Number of people in mandatory quarantine facilities, 03 July 2020

Region	Newly quarantined 24 hours	Cumulative number	Number discharged	Number in quarantine now	
Kunene	1	88	71	17	
Omaheke	0	118	96	22	
Kavango	0	92	71	21	
Omusati	0	118	104	14	
Oshana	0	113	40	73	
Ohangwena	9	295	211	84	
Hardap	2	243	175	68	
Otjozondjupa	0	412	345	67	
Khomas	0	1174	900	274	
Zambezi	4	424	376	48	
//Kharas	0	491	393	98	
Erongo	0	287	204	83	
Oshikoto	2	80	60	20	
Total	18	3935	3046	889	

- Since March 2020, 3935 people have been placed into supervised quarantine facilities around the country.
- A total of 889 people are currently in quarantine with 18 new admissions.
- Since March 2020, 45 people who were in quarantine have tested positive for COVID-19.

Table 4. Distribution of truck drivers coming into Namibia from neighboring countries and destination regions on 03 July 2020

A total of 162 trucks entered the country through various ground crossing points in the last 24 hours, of which 43.2% were heading to Khomas region, while 25.3% were heading to Erongo region.

Destination	Country of departure						Total
	RSA	Zambia	Botswana	DRC	Angola	Tanzania	
//Kharas	15	0	0	0	0	0	15
Khomas	63	0	7	0	0	0	70
Omusati	0	0	0	0	0	0	0
Oshana	15	0	0	0	0	2	17
Otjozondjupa	4	0	1	0	0	0	5
Kavango	0	0	0	0	0	0	0
Ohangwena	2	0	0	0	0	0	2
Hardap	4	0	0	0	0	0	4
Kunene	0	0	0	0	0	0	0
Omaheke	4	0	0	0	0	0	4
Oshikoto	1	0	0	0	0	0	1
Zambezi	1	0	2	0	0	0	3
Erongo	6	27	8	0	0	0	41
Total	115	27	18	0	0	2	162

PUBLIC HEALTH ACTION

- Thirty-two (32) Community-Based Health Workers were trained at Swakopmund District, Erongo Region
- IPC Protocol for assessing the Health Care Worker's Risk for COVID-19 were developed.
- Assessing and supervising PPE procurement capacity is ongoing
- IPC Standard Operating Procedures for the Aviation Industry and Correctional Facilities under development.
- Integrated teams sent to Kavango and Zambezi regions to give technical support for a period of 7 days.
- Regions have intensified surveillance on travellers from Erongo region for early case detection.
- Targeted testing in Walvis Bay is ongoing.
- O Stage 4 State of Emergency COVID-19 Regulations were gazeted on 28 June 2020

CHALLENGES

- Inadequate isolation units, at health facilities in the regions.
- Inadequate PPE
- Inadequate nasopharyngeal swabs and apropriate transport media.
- Prolonged turn-around time of results at NIP.

RECOMMENDATIONS

- Establish fully equipped isolation units at health facilities in the regions.
- O Logistics pillar to continue with the procurement and distribution of sufficient PPE to the regions to ensure that response is not interrupted.
- NIP to continue sourcing for swabs and appropriate transport media.

Approved:

Incident Manager Date: 03 July 2020 Secretariat

For enquiries, please contact
Namibia Public Health Emergency Operations Centre;



PHEOC@mhss.gov.na



0800 100 100



0851 100 100