




Ministry of Health and Social Services Republic of Namibia

NAMIBIA COVID-19 SITUATION REPORT NO. 104						
Outbreak Name	COVID-19 outbreak	Country affected	Namibia			
Date & Time of	30.06.2020	Investigation start	13 March 2020			
this report	21:30 hrs	Date				
Prepared by	Surveillance Team					

HIGHLIGHTS/SITUATION UPDATE (30/06/2020)

- The country has entered into Stage 4 of the State of Emergency (29 June 2020 -17 September 2020)
- Erongo region is in Stage 3 with restrictions in Walvis Bay, Swakopmund, and Arandis Local Authority Areas (from 22 June 2020 until 23h59 of 06 July 2020).





- Cumulatively, eighty-one (81) cases were identified during active case search.
- Eight of the 14 regions have reported confirmed cases with Erongo region reporting the highest number of cases; 212 (82.5%).
- More female cases 154 (60.0%) were recorded compared to male cases 103 (40.1%).
- Of the 54 cases reported today, 29 are symptomatic, while 25 are asymptomatic.




Figure 1: Distribution of suspected and confirmed COVID-19 cases in Namibia by District, 30 June 2020

Dashboard information can be accessed at: https://cutt.ly/Covid-19-situation-Namibia

STAGE 4 COVID-19 RESTRICTIONS:

- Public gatherings shall not exceed 250 persons (including weddings, funerals, and religious gatherings)
- All persons traveling from abroad including tourists must provide a 72-hours valid COVID-19 negative results certificate, and will be subjected to mandatory supervised quarantine at their own cost.

EPIDEMIOLOGICAL SITUATION IN NAMIBIA

Namibia has recorded a total of 257 confirmed cases since 13 March 2020. Most, 107 (41.6%) of the cases were recorded during week 27 (Figure 2).




Figure 2: Epi-curve for confirmed COVID-19 cases as, 30 June 2020

- Eight (8) regions have reported confirmed cases;
 with Erongo reporting the highest 212 (82.5%)
 followed by Khomas 25 (9.7%).
- Ohangwena have reported the least confirmed cases (0.3%).
- Since the beginning of the outbreak, 1756 contacts of confirmed cases have been identified, no new contacts were identified within the last 24 hours. Cumulatively, 689 contacts have completed their 14 days of follow up, while 99 out of 1060 active contacts were monitored today.

- A high number of cases were recorded in the past two weeks as a result of:
 - -Spread of local transmission in Walvis Bay district
 - -Increased active case search and testing, averaging 300 daily in the past few days.
- Call centre continues operation for 24 hours daily; 1979 calls were answered with 22 alerts investigated over the past 24hrs.

Table 1: Distribution of confirmed COVID-19 cases by region, 30 June 2020

Region	Total No. of cases	Active	Recovered
Khomas	25	11	14
//Karas	7	5	2
Erongo	212	205	7
Hardap	6	5	1
Zambezi	2	2	0
Otjozondjupa	2	2	0
Ohangwena	1	1	0
Oshana	2	2	0
Total	257	233	24

Table 2: COVID-19 specimen recorded at NIP & Path care Laboratories 30 June 2020

Variables	Laboratory			
	NIP	Path care	South Africa	Total
Total sample received by the Laboratory	8239	1580	-	9819
Total sample tested	7370	1502	-	8872
Total sample re-tested	757	70	-	827
Total positive results	239	17	1	257
Total negative results	7131	1485	-	8616
Total sample discarded	68	8	-	76
Invalid results	2	0	-	2
Total pending results	42	0		42
Total new suspected cases in last 24 hours	412	130	•	542

- To date, 9700 tests have been conducted by NIP & PathCare laboratories (including 827 retests).
- The highest number of tests were from Khomas (3408) and the lowest from Kavango-West region (13).




Figure 3: Age and sex distribution of COVID-19 confirmed cases, 30 June 2020

- The most affected ages are within 20 and 39 years 161 (62.6%).
 Those aged 60 and above constitute 10 (3.9%) of those affected.
- In Namibia, more female 154 (60.0%) are affected.

Table 3: Number of people in mandatory quarantine facilities, 30 June 2020

Region	Newly quarantined 24 hours	Cumulative number	Number discharged	Number in quarantine now	
Kunene	0	86	67	19	
Omaheke	4	116	95	21	
Kavango	0	91	71	20	
Omusati	0	116	102	14	
Oshana	9	112	40	72	
Ohangwena	2	286	211	75	
Hardap	0	222	170	52	
Otjozondjupa	0	412	333	79	
Khomas	11	1174	900	274	
Zambezi	2	414	374	40	
//Kharas	0	475	362	113	
Erongo	0	287	204	83	
Oshikoto	1	76	59	17	
Total	29	3867	2988	879	

- Since March 2020, 3867 people have been placed into supervised quarantine facilities around the country.
- A total of 879 people are currently in quarantine with 29 new admissions.
- Since March 2020, 44 people who were in quarantine have tested positive for COVID-19.

Table 4. Distribution of truck drivers coming into Namibia from neighboring countries and destination regions on 30 June 2020

A total of 196 trucks entered the country through various ground crossing points in the last 24 hours, of which 33.7% were heading to Khomas region, while 32.1% were heading to Erongo region.

Destination	Country of departure					Total	
	RSA	Zambia	Botswana	DRC	Angola	Zimbabwe	
//Kharas	36	0	0	0	0	0	36
Khomas	60	2	2	0	2	0	66
Omusati	1	0	0	0	0	0	1
Oshana	3	0	0	0	1	0	4
Otjozondjupa	8	0	3	0	0	0	11
Kavango	1	0	0	0	0	0	1
Ohangwena	3	0	0	0	2	0	5
Hardap	2	0	0	0	0	0	2
Kunene	1	0	0	0	0	0	1
Omaheke	3	0	0	0	0	0	3
Oshikoto	2	0	0	0	1	0	3
Zambezi	0	0	0	0	0	0	0
Erongo	11	44	6	1	0	1	63
Total	131	46	11	1	6	1	196

PUBLIC HEALTH ACTION

- Thirty-two (32) Community-Based Health Workers were trained at Swakopmund District, Erongo Region
- IPC Protocol for assessing the Health Care Worker's Risk for COVID-19 were developed.
- Assessing and supervising PPE procurement capacity is ongoing
- IPC Standard Operating Procedures for the Aviation Industry and Correctional Facilities under development.
- Integrated teams sent to Kavango and Zambezi regions to give technical support for a period of 7 days.
- Regions have intensified surveillance on travellers from Erongo region for early case detection.
- Targeted testing in Walvis Bay is ongoing.
- Stage 4 State of Emergency COVID-19 Regulations were gazeted on 28 June 2020

CHALLENGES

- Inadequate isolation units, at health facilities in the regions.
- O Inadequate PPE
- Inadequate nasopharyngeal swabs and apropriate transport media.
- Prolonged turn-around time of results at NIP.

RECOMMENDATIONS

- Establish fully equipped isolation units at health facilities in the regions.
- O Logistics pillar to continue with the procurement and distribution of sufficient PPE to the regions to ensure that response is not interrupted.
- NIP to continue sourcing for swabs and appropriate transport media.

Approved:

Incident Manager Date: 30 June 2020

Mil

Secretariat

For enquiries, please contact
Namibia Public Health Emergency Operations Centre;



PHEOC@mhss.gov.na



0800 100 100



0851 100 100