



| | NAMIBIA COVID- | 19 SITUATION REPORT NO. 682 | |
|---------------|----------------------|-----------------------------|---------------|
| Outbreak Name | COVID-19 outbreak | Country affected | Namibia |
| Date & Time | 30.01. 2022 17h00 | Investigation start Date | 13 March 2020 |
| Prepared by | | Surveillance Team | |

HIGHLIGHTS/SITUATION UPDATE (30/01/2022)

CUMULATIVE Tested 921 467

Confirmed 155 899

Active 6 133

Recovered 145 784

Vaccinated
1st doses 421 467 2nd doses 245 460 3nd doses 16 047

Deaths 3 967

TOTAL TODAY

Tested 1 214

Confirmed 59

Active 6 133

Recovered 99

Vaccinated

1st doses 256 2nd doses 75 3rd doses 162

Deaths 0

- A total of 155 899 cases have been recorded to-date, representing 6% of the total population (2 550 226).
- More female cases 82 720 (53%) have been recorded.
- Of the total confirmed cases, 5 280 (3%) are Health Workers, with 1 new confirmation today.
 - 4 469 (85%) State; 803 (15%) Private, 8 (0.2%) Non-Governmental Organizations.
 - 5 261 (99%) recoveries and 25 (0.5%) deaths.
- The recovery rate now stands at 93.5%.
- Khomas and Erongo regions reported the highest number of cases with 50 805 (33%) and 22 486 (14%) respectively.
- Of the total fatalities, 3 643 (92%) are COVID-19 deaths while 324 (8%) are COVID-19 related deaths.
- The case fatality rate now stands at 2.5%.

Table 1: Distribution of confirmed COVID-19 cases by region, 30 January 2022

| Region | Total cases daily | New reported re- infections | Total No. of cases | Active cases | Recoveries | Cumulative Deaths | Cumulative deaths with co-morbidities | Non- COVID deaths | Health Workers |
|--------------|-------------------------|--------------------------------|--------------------|--------------|------------|----------------------|---|-------------------------|-------------------|
| Erongo | 7 | 0 | 22 486 | 3 628 | 18 427 | 426 | 353 | 5 | 491 |
| Hardap | 1 | 0 | 8 370 | 8 | 8 098 | 264 | 166 | 0 | 160 |
| Kharas | 3 | 0 | 9 892 | 134 | 9 599 | 159 | 136 | 0 | 295 |
| Kavango East | 0 | 0 | 6 235 | 390 | 5 618 | 225 | 130 | 2 | 265 |
| Kavango West | 0 | 0 | 838 | 20 | 795 | 23 | 21 | 0 | 48 |
| Khomas | 8 | 0 | 50 805 | 1 368 | 48 539 | 897 | 703 | 1 | 1811 |
| Kunene | 3 | 0 | 4 968 | 32 | 4 788 | 148 | 106 | 0 | 150 |
| Ohangwena | 2 | 0 | 5 953 | 74 | 5 684 | 193 | 118 | 2 | 219 |
| Omaheke | 21 | 0 | 4 846 | 53 | 4 503 | 289 | 204 | 1 | 142 |
| Omusati | 3 | 0 | 7 501 | 107 | 7 064 | 330 | 202 | 0 | 265 |
| Oshana | 5 | 0 | 10 565 | 62 | 10 112 | 390 | 239 | 1 | 606 |
| Oshikoto | 2 | 0 | 7 843 | 9 | 7 625 | 207 | 159 | 2 | 365 |
| Otjozondjupa | 4 | 0 | 12 087 | 91 | 11 711 | 284 | 194 | 1 | 339 |
| Zambezi | 0 | 0 | 3 510 | 157 | 3 221 | 132 | 76 | 0 | 124 |
| Total | 59 | 0 | 155 899 | 6 133 | 145 784 | 3 967 | 2 806 | 15 | 5 280 |

EPIDEMIOLOGICAL SITUATION IN NAMIBA

Table 2: The current distribution for hospitalization of confirmed cases by region, 30 January 2022

| Region | The same of the sa | ed confirmed ases | Vaccinated | | Intensive Care Unit | | Vaccinated | |
|--------------|--|----------------------|------------|----------------------|---------------------|----------|------------|----------------------|
| | Current | Previous | 1st dose | 2 nd dose | Current | Previous | 1st dose | 2 nd dose |
| Erongo | 14 | 14 | 1 | 4 | 2 | 2 | 0 | 0 |
| Hardap | 4 | 4 | 0 | 0 | 0 | | 0 | 0 |
| Kharas | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kavango East | 8 | 11 | 0 | 0 | 0 | 0 | 0 | 0 |
| Kavango West | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Khomas | 29 | 27 | 0 | 0 | 8 | 0 | 0 | 0 |
| Kunene | 10 | 10 | 0 | 6 | 0 | | 0 | 1 |
| Ohangwena | 15 | 15 | 1 | 1 | 0 | 0 | 0 | 0 |
| Omaheke | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Omusati | 17 | 17 | 0 | 0 | | 0 | 0 | 0 |
| Oshana | 13 | 12 | 0 | 0 | 0 | 0 | 0 | 0 |
| Oshikoto | 6 | 5 | 0 | 0 | 1 | 4 | 0 | 0 |
| Otjozondjupa | 2 | 2 | 0 | | 4 | 3 | 0 | 0 |
| Zambezi | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 125 | 124 | 2 | 12 | 0 15 | 16 | 0 | 0 |

- Of the total confirmed cases, 94 183 (60%) are in the 20-49 years age-brackets which constitutes the majority of the recorded cases.
- A total of 24 342 (16%) of the confirmed cases are among the 5-19 years category.
- A total of 17 998 (12%) of the confirmed cases are among the 50 59 years group.
- The under 5 years age group make up 3 416 (2%) of the total cases whereas, 15 946 (10%) are above 60 years of age.
- The laboratory testing capacity has been enhanced; with a total of twenty-one (21) laboratories carrying out the testing of samples: NIP, Path-Care, UNAM Molecular, Central Veterinary Laboratory, Namib Poultry, NAMDEB, NamPath, Namibia Central Pathology, DiagnoLab, High Care, Alpha Medical Laboratory, Des-Jo Medical Test Centre, ProQuest Diagnostic Laboratory, MAXI, Medlink Laboratory Services, Biotech Medical, Covisure, Star Care, Soweto Medical Center, Hosea Kutako International Airport & Oshana Med Laboratory.
- To date, 921 467 tests (including 17 985 re-tests) have been conducted by authorized laboratories.
- Since the beginning of the outbreak, 165 602 contacts of confirmed cases have been identified, 60 new contacts were identified within the last 24 hours from 5 regions.
- Cumulatively, 162 070 contacts have completed their monitoring period, while 299 contacts are lost to followup and a total of 28 197 (18%) contacts of confirmed cases have tested positive.
- Today, 214 (12%) out of 1 769 active contacts were monitored.




Figure 1: Age and Sex distribution of COVID-19 confirmed cases, 30 January 2022

Table 3: COVID-19 specimen recorded at the Laboratories 30 January 2022

| VARIABLES | TOTAL |
|--|---------|
| Total samples received by the Laboratory | 921 581 |
| Total samples tested | 903 479 |
| Total samples re-tested | 17 985 |
| Total positive results | 155 899 |
| Total negative results | 747 548 |
| Total samples discarded | 117 |
| Invalid results | 0 |
| Total pending results | 0 |
| Indeterminant/Inconclusive | 32 |
| Suspected cases in 24 hours (excluding re-tests) | 1 210 |





Figure 2: The 7 days moving average line chart for confirmed COVID-19 cases, 30 January 2022



- The country has started seeing a gradual reduction in the average number of confirmed cases from 383 to 117 in epi-week 3.
- The number of cases have decreased in the last four weeks as seen in the graph.
- The National Call Center continues operations for 24 hours daily.
- Today (30/01/2022), 270 calls were answered.




Figure 3: Epi-curve for confirmed COVID-19 cases, 30 January 2022

Table 4: Number of people in quarantine 30 January 2022

| Region | Newly quarantined 24 hours | Cumulative number | Number discharged | Number in quarantine now |
|-------------------------|----------------------------|----------------------|----------------------|--------------------------|
| Erongo | 0 | 6 949 | 6 949 | 0 |
| Hardap | 0 | 3 263 | 3 263 | 0 |
| Kavango (East and West) | 0 | 1 673 | 1 673 | 0 |
| Khomas | 1 | 3 754 | 3 753 | 1 |
| Kharas | 0 | 10 000 | 10 000 | 0 |
| Kunene | 0 | 6 493 | 6 493 | 0 |
| Ohangwena | 0 | 924 | 924 | 0 |
| Omaheke | 0 | 18 598 | 18 509 | 89 |
| Omusati | 4 | 3 880 | 3 859 | 21 |
| Oshana | 0 | 400 | 400 | 0 |
| Oshikoto | 0 | 26 972 | 26 919 | 53 |
| Otjozondjupa | 0 | 1 932 | 1 927 | 5 |
| Zambezi | 0 | 2 107 | 2 107 | 0 |
| Total | 5 | 86 945 | 86 776 | 169 |

- Since March 2020, 86 945 people have been placed into quarantine around the country.
- A total of 169 people are currently in quarantine, with 5 new admissions.

Table 5: Summary of COVID-19 vaccine doses administered, 30 January 2022

| Region | Cumulative no. of persons vaccinated with doses of Sinopharm, AstraZeneca, Sputnik V, Pfizer and Jassen & Johnson | | Targeted Population | Vaccination Coverage (%) | Cumulative no. of Healthcare Workers vaccinated with doses of Sinopharm, AstraZeneca, Sputnik V Pfizer and Jassen & Johnson | |
|--------------|--|------------------|---|-----------------------------|---|------------------|
| | 1 st doses | Fully vaccinated | | | 1st doses | Fully vaccinated |
| Erongo | 40 294 | 35 553 | 161 966 | 22% | 1 415 | 1 077 |
| Hardap | 26 444 | 22 701 | 69 121 | 33% | 525 | 432 |
| Kharas | 21 475 | 17 968 | 69 786 | 26% | 803 | 474 |
| Kavango East | 31 276 | 23 131 | 105 223 | 22% | 1 237 | 979 |
| Kavango West | 21 368 | 17 658 | 57 210 | 31% | 426 | |
| Khomas | 97 442 | 84 752 | 362 620 | 23% | 4 035 | 381 |
| Kunene | 25 739 | 21 028 | 72 991 | 29% | 200000000000000000000000000000000000000 | 3 013 |
| Ohangwena | 27 487 | 23 424 | 174 546 | USW STREET | 658 | 514 |
| Omaheke | 19 066 | 14 664 | 53 002 | 13% | 834 | 661 |
| Omusati | 26 852 | 23 557 | 179 370 | 28% | 374 | 270 |
| Oshana | 22 360 | 19 858 | 2000 0000000000000000000000000000000000 | 13% | 993 | 782 |
| Oshikoto | 22 262 | | 143 395 | 14% | 1 565 | 1 284 |
| Otjozondjupa | | 19 965 | 144 912 | 14% | 863 | 740 |
| | 31 688 | 27 930 | 112 119 | 25% | 879 | 646 |
| Zambezi | 7 600 | 6 898 | 73 010 | 9% | 638 | 593 |
| Total | 421 353 | 359 087 | 1779271 | 20% | 15 245 | 11 846 |

Table 6: Summary of COVID-19 vaccine 3rd doses administered, 30 January 2022

| Region | Cumulative no. of persons vaccinated | | | | | | |
|--------------|--------------------------------------|-------------|--------|--|--|--|--|
| | Sinopharm | AstraZeneca | Pfizer | | | | |
| Erongo | 864 | 80 | 1 959 | | | | |
| Hardap | 727 | 0 | 719 | | | | |
| Kharas | 325 | 24 | 174 | | | | |
| Kavango East | 212 | 2 | 138 | | | | |
| Kavango West | 96 | 0 | 112 | | | | |
| Khomas | 1611 | 383 | 3 638 | | | | |
| Kunene | 601 | 17 | 319 | | | | |
| Ohangwena | 110 | 2 | 2 | | | | |
| Omaheke | 67 | 3 | 24 | | | | |
| Omusati | 398 | 23 | 251 | | | | |
| Oshana | 619 | 57 | 373 | | | | |
| Oshikoto | 446 | 39 | 156 | | | | |
| Otjozondjupa | 659 | 61 | 583 | | | | |
| Zambezi | 109 | 5 | 59 | | | | |
| Total | 6 844 | 696 | 8 507 | | | | |

PUBLIC HEALTH ACTION (S)

- The COVID-19 vaccination programme is ongoing throughout the country.
- Public Health measures continue to be enforced as the situation is closely monitored.
- The government and development partners continue to prioritize the continuation of essential health services.

CHALLENGES

Slow vaccine uptake among members of the public, and circulation of anti-vaccination information. RECOMMENDATIONS

Encourage the public to get vaccinated and strengthen community health awareness to counteract anti-vaccination information in circulation.

APPROVED

INCIDENT MANAGER 30 JANUARY 2022 SECRETARIAT

For enquiries, please contact
Namibia Public Health Emergency Operations Centre;



PHEOC@mhss.gov.na



0800 100 100



0851 100 100