






Public Health Situation Analysis (PHSA)

Typologies of emergency	Main health threats	WHO grade	Security level (UNDSS)	INFORM risk (rank)
 Conflict  Food security  Displacement  Epidemics  Drought and floods	Malnutrition Maternal, neo-natal & child conditions Malaria Measles Diarrheal disease (cholera and acute watery diarrhoea) Vaccine-preventable diseases (VPD) Gender-based Violence (GBV)	Grade 3	Substantial: Central, North West, South, South East and West Moderate: Addis Ababa, East, North, North East.	INFORM Risk (0-10): 7 (Very High) Global Ranking 2024 (1-191 countries): 12

SUMMARY OF CRISIS AND KEY FINDINGS

The government of Ethiopia's most recent assessment of food security needs projected that 15.8 million people will face hunger and need food assistance in 2024.¹ This includes over 4 million people who are internally displaced and 7.2 million who have high levels of acute food insecurity and need emergency assistance.²

According to the same government assessment, 51% of the 15.8 million in need of food assistance (8 million) are in Tigray and Amhara regions; with 4.5 million and 3.5 million in need of food assistance in 2024 in the two regions respectively.³ The areas worst impacted by food insecurity are where communities have yet to recover from the 2020-2022 conflict, where the recent harvest was severely disrupted leaving households with no, or limited, food stocks.⁴ Just like in northern Ethiopia, food insecurity and high rates of malnutrition are adding to protracted needs for water, health, protection, agriculture, and livelihood support in pockets of Oromia, Somali, South Ethiopia, and South West Ethiopia regions.⁵

Moreover, increasing outbreaks of diseases such as malaria, cholera and measles are worsening the situation in different parts of the country. Limited access to health services, medical supplies, water, sanitation and hygiene (WASH) services, and trained health workers remain to be gaps in responding to the different disease outbreaks that affect the country.⁶ Roughly 60% of those living in cholera-affected woredas do not have access to safe drinking water, leaving people dependent on untreated water from rivers and ponds.⁷ A total of 60% to 80% of communicable diseases are attributed to limited access to safe water and inadequate sanitation and hygiene services.⁸

According to the Humanitarian Response Plan for 2024, 21.4 million people need humanitarian assistance with 15.5 million people targeted for assistance.⁹ The El-Nino driven drought has impacted Ethiopia's summer rains, resulting in severe water shortages, dried pastures and reduced harvests in many areas.¹⁰ A Flood Alert was issued in January 2024 by the Federal Government calling for preparedness and early response for the March-May rainy season. Over two million people are expected to be affected and one million people to be displaced in areas at risk.¹¹

Operationally, the humanitarian response in Ethiopia is hampered by low funding levels. The 2023 Humanitarian Response Plan was funded at just 34%, indicating a significant gap in resources required for effective response. Additionally, the Productive Safety Net Program (PSNP) is grappling with acute funding shortfalls, further exacerbating the challenges faced in addressing humanitarian needs.¹² Notably the Health Clusters requirements for

2023 were only 24% funded, while WFP were only able to assist with 60% of the standard monthly entitlement in February 2024 due to a lack of funds.¹³

According to the 2024 Humanitarian Needs Overview, the current multifaceted humanitarian crises are unfolding amidst a backdrop of severely weakened and overwhelmed national disaster and social protection response capacity. Since 2020, access to basic social services across Ethiopia has been in decline, attributed to a combination of natural and man-made crises.¹⁴ The second most populous country in Africa, Ethiopia's 123 million people are affected by a multitude of complex issues.¹⁵ Conflict, internal displacement, socio-economic hardships, persistently limited access to safe water and sanitation, collapse of public services and natural hazards, including disease outbreaks, recurrent floods, locust outbreaks, loss of livestock and consecutive droughts, have increased the humanitarian needs in Ethiopia in 2024.¹⁶




Figure 1 – Current Food Security Outcomes, February 2024 (FEWS NET)¹⁷

HUMANITARIAN PROFILE



PEOPLE IN NEED (PiN) 2024

PiN: 21.4 million¹⁸

Target: 15.5 million¹⁹



PERSONS WITH DISABILITIES (PWD)

PWD: 7.8 million²⁰



HEALTH NEEDS 2024

PiN: 16.4 million²¹

Target: 6.7 million²²



DISPLACEMENT

National Displacement
Caseload: 4.6 million²³

IDPs: 3 459 881²⁴

Refugees and asylum seekers:
972 835²⁵

Humanitarian Response Plan (HRP) 2024: While the people in need (PiN) in Ethiopia is estimated to be 20.1 million, the 2024 Humanitarian Response Plan (HRP) targets some 15 million people, with funding requirements of US\$3.237 billion.²⁶ For the Health Cluster, 16.4 million people have been identified as in need of health services, while 6.7 million people will be targeted with US\$187.3M in funding required. However, the Health Cluster expects a 50% decrease in donor funding for 2024 compared to 2023.²⁷ As of February 2024, the Cluster was only 24% funded.²⁸

Furthermore, an additional Priority Humanitarian Needs Appeal was released in March 2024.²⁹ Under the leadership of the Humanitarian Country Team (HCT), the Inter-Cluster Coordination Group (ICCG) carried out a critical funding gaps analysis and prioritization exercise, to identify the immediate funding requirements to prevent a worsening of the humanitarian situation, including in areas newly affected by the El Nino driven drought. This document identifies priority activities for the coming three months to enable the response in both drought and non-drought affected areas.³⁰

Humanitarian Response Plan (HRP) 2023: The HRP for 2023 required US\$ 4.16 billion to target 20.1 million people under the plan (the highest PiN per strategic objective in 2023 was 22.6 million). The 2023 plan is focusing on the urgent and lifesaving needs of the most vulnerable people in Ethiopia, including food, nutrition, water, healthcare, and protection services. In terms of humanitarian response capacity, in 2023 the number of organizations active in the humanitarian response has reached 203, including 16 government agencies, 88 INGOs, 90 NNGOs and 9 UN agencies.³¹

As of February 16th, 2024, the HRP for 2023 was only 32% funded. This is a significant decrease from 2022, when the HRP was 52% funded.³² Historically, between 2017 and 2022, the Ethiopia HRP was 55% funded on average each year.³³ By February 2024, 14.9 million people had been reached by through the 2023 HRP (food and non-food).³⁴ To address urgent health needs, the Health Cluster required US\$ 303 million to target 9.8 million people in 2023. The total number of people in need of health services in 2023 was 17.4 million. This was a sharp increase from 2022 when the Health Cluster targeted 9 million people from 13.1 million people in need.³⁵ The Health Cluster reached over 4.7 million people (approximately 50% of the target) in 2023.³⁶

Drought: The ongoing El Niño induced drought has impacted more than 254 200 individuals, with nearly 4 400 individuals affected by the drought and over 18 000 conflict affected IDPs facing dire humanitarian conditions in three recently assessed woredas.³⁷ Furthermore, around 450 000 people require provision of emergency water intervention.³⁸

The El-Nino driven drought has impacted Ethiopia's summer rains, resulting in severe water shortages, dried pastures and reduced harvests in many areas.³⁹ The ongoing drought has impacted communities across Afar, Amhara, Tigray, and parts of Oromia, Somali, and Southern regions.⁴⁰ Millions of lives and livestock are affected,

with reports of alarming food insecurity and rising malnutrition.⁴¹ The drought scorched farms, dried up rivers and water sources, and parched pastures; putting millions of people and livestock into a worsened humanitarian situation with exacerbated food, water, and fodder shortages, malnutrition, and health risks.⁴² Due to these conditions, families are being compelled to relocate to areas near boreholes or valleys where they can access water including for their livestock, resulting in the displacement of approximately 400 individuals within the community and from other areas.⁴³

Food Insecurity: Ethiopia remains one of FEWS NET's countries of highest concern as it faces a third consecutive year of rising food assistance needs. Crisis (IPC Phase 3) and Emergency (IPC Phase 4) outcomes are expected in northern, central, southern, and eastern Ethiopia. The areas of highest concern are in Tigray and north eastern Amhara, followed by western Afar, where populations are increasingly dependent on food assistance and social support mechanisms amid a dearth of other food and income sources.⁴⁴

The government of Ethiopia's most recent assessment of food security needs projected that 15.8 million people will face hunger and need food assistance in 2024.⁴⁵ This includes over 4 million people who are internally displaced and 7.2 million who have high levels of acute food insecurity and need emergency assistance.⁴⁶ According to the same government assessment, 51% of the 15.8 million in need of food assistance (8 million) are in Tigray and Amhara regions; with 4.5 million and 3.5 million in need of food assistance in 2024 in the two regions respectively.⁴⁷

WFP aims to provide food assistance to 40% of the 7.2 million, if resources are available, while the government and other partners will support the rest.⁴⁸ An estimated of 260 000 people are currently facing a food deficit, leading to an urgent need for immediate food assistance to address the critical food shortage.⁴⁹ The areas worst impacted by food insecurity are in northern Ethiopia where communities have yet to recover from the 2020-2022 conflict, particularly in parts of Amhara, Tigray and Afar where the recent harvest was severely disrupted leaving households with no, or limited, food stocks.⁵⁰ Over half of those needing food assistance are in Amhara and Tigray regions (51 percent).⁵¹

WFP report that 9.4 million people across the 3 regions of Tigray, Afar and Amhara regions need food assistance due to the impacts of conflict.⁵² The government's assessment indicates that 2.3 million people in the Amhara Region and 2.1 million in Tigray require immediate food assistance. The need for food assistance remains high as climate change, conflict and economic shocks all continue to slow the recovery of livelihoods.⁵³ WFP is targeting over 3.3 million people across all three regions, with unconditional emergency food and nutrition assistance.⁵⁴ This includes 2.13 million in Tigray, 650 000 in Amhara, and up to 626 000 in Afar.⁵⁵ The Government and partners are providing assistance to the rest.⁵⁶ In Amhara, Recent reports by local authorities revealed that some 452 850 people across the six districts in the zone require emergency food assistance.⁵⁷

According to FEWS NET, in late 2023, limited field reports suggested some occurrences of hunger-related deaths in Tigray.⁵⁸ These reports could not be reasonably corroborated; however, concern for such outcomes does exist – not only in Tigray, but also in Amhara and Afar - as an increased risk for elevated mortality is expected when Emergency (IPC Phase 4) outcomes are sustained.⁵⁹ This is compounded by significantly below-average to failed *meher* crop production in 2023 due to El Niño-related drought, coupled with very high food prices.⁶⁰ In Tigray and Amhara, many poor households have already exhausted their food stocks from the 2023 harvest and migratory labour remains restricted by insecurity; in pastoral areas of Afar, livestock holdings are low to negligible.⁶¹

Just like in northern Ethiopia, food insecurity and high rates of malnutrition are adding to protracted needs for water, health, protection, agriculture, and livelihood support in pockets of Oromia, Somali, South Ethiopia, and South West Ethiopia regions.⁶² A protracted food insecurity situation in the Oromia Region is prevalent due to multiple factors including a failed kiremt season with erratic and insufficient rains, affecting the meher season harvest/ crop production.⁶³

Conflict: According to the 2024 HNO, in addition to drought and flood emergencies, millions of people across Ethiopia have been displaced by the conflict in northern Ethiopia and hostilities and violence in Amhara, Oromia, Somali, Afar, Benishangul Gumuz and Gambela regions.⁶⁴ The security situation in Amhara remains highly volatile,

with armed clashes involving security forces and non-state armed elements ongoing since April 2023.⁶⁵ Despite the ceasefire between Ethiopian government and the Tigray forces in November 2022, the ongoing conflict in parts of the Amhara region have forced over 1.55 million people to flee their homes.⁶⁶ Furthermore, hospitals were often overwhelmed by an influx of wounded and sick patients requiring urgent medical attention. As a result, the hospitals faced shortages of medical supplies and equipment thus making it difficult for healthcare workers to provide adequate care to patients.⁶⁷

Displacement: As of October 2023, the national displacement caseload was estimated to be around 4.6 million (2024 Ethiopia - Humanitarian Needs Overview) in both accessible and inaccessible locations across the twelve regions. As previously reported from IOM-DTM site assessments, 51 per cent of IDPs had been displaced for more than 5 years.⁶⁸

Somali region hosts the highest number of Internally Displaced Persons (IDPs) primarily due to drought, while Tigray region hosts the highest number of IDPs primarily displaced due to conflict.⁶⁹ An estimated 2.53 million returning IDPs were identified in over 2 000 villages across 11 regions.⁷⁰

The highest returning IDP caseloads nationwide were in the regions of Tigray (59%), Amhara (15%), and Afar (8%).⁷¹ In Tigray, while some have been able to return after the end of the conflict, many are still displaced and living with family, in schools, and in some cases, camp-like settlements.⁷² Most of these locations are crowded, unsanitary, and unsafe. Yet damaged infrastructure, a lack of services, and ongoing insecurity make returning unlikely anytime soon.⁷³

Ethiopia is the third largest refugee-hosting country in Africa, mainly from South Sudan, Somalia, and Eritrea. According to the 2024 HNO, the ongoing drought has also severely impacted refugees, particularly in the Somali and Oromia regions, with over 16 000 Somalis crossing into Dollo Ado, in the Somali region, from Somalia due to the drought, further straining limited resources available to support these vulnerable populations.⁷⁴

Humanitarian Access: Current levels of violence and armed conflict are unprecedented in Ethiopia's recent history. They constitute a major impediment to relief operations, preventing millions of people from accessing assistance and further eroding their resilience, while at the same time increasing the need for humanitarian support.⁷⁵ Humanitarian partners are not targeted by weapon bearers, however, the volatility of the security situation and the multiplicity of armed actors involved, including local militias and armed civilians, pose a high risk for aid personnel and relief operations.⁷⁶

OCHA recorded a total of 93 incidents which impacted aid workers in 2023.⁷⁷ Since the beginning of 2024, four aid workers (all Ethiopian nationals) have lost their lives, two in Amhara region, one in Afar and one in Gambela.⁷⁸ Since 2019, 46 aid workers have lost their lives in Ethiopia, 36 of whom are related to the conflicts in northern Ethiopia.⁷⁹ In Oromia Region, in addition to armed clashes between security forces and non-state armed elements, since 2019, there has been a rise in temporary arrests of aid workers and abductions.⁸⁰

Other challenges to humanitarian access include physical barriers such as inadequate, damaged, and poorly maintained infrastructure, compounded by the impact of floods. There are also bureaucratic hurdles and obstacles in the delivery of principled humanitarian aid. Movement restrictions and roadblocks, prevalent in conflict zones and urban areas, characterized by road closures, heightened threats from improvised explosive devices (IEDs), checkpoints, and increased screening measures, will continue to impede the delivery of assistance.⁸¹

Security issues in Amhara, parts of Benishangul Gumuz, and Western Oromia are preventing the delivery of basic health services, as reported by the Health Cluster in February.⁸² The security situation in Amhara remains highly volatile, with armed clashes involving security forces and non-state armed elements ongoing since April 2023, with an escalation of hostilities and proclamation of a six-month state of emergency for the region.⁸³ The region has also seen an increase in criminality and looting of aid consignments.⁸⁴

Inadequate internet connectivity, in Amhara, is also delaying investigation of potential disease outbreaks, allowing infectious diseases to linger undetected, causing unnecessary high morbidity and mortality.⁸⁵ Epidemiological data shared by SMS.⁸⁶ Looting and damage of health facilities, and gender-based violence (GBV) in conflict-affected areas,

including against health workers are consistently being reported.⁸⁷ In other conflict-affected areas in recent years such as Tigray or Afar, the main threat reported has been a spike in criminality.⁸⁸ In 2023, humanitarian supplies and convoys have been subject to looting.⁸⁹

Floods: Ethiopia is among seven countries globally considered to be at the highest risk of severe humanitarian impacts caused or worsened by El Niño.⁹⁰ Heavy rains, flash, and river floods in October- December 2023 have caused flood emergency affecting more than 56 woredas in five regions affecting over 1 431 347 people and displaced over 682 197 people and resulted in the deaths of 44 people, mostly from Somali region.⁹¹ Repeated shocks have eroded the coping capacities of households, this may reduce how communities can respond to the potential impacts of El Niño.⁹² A Flood Alert was issued in January 2024 by the Federal Government calling for preparedness and early response for the March-May rainy season. Over two million people are expected to be affected and one million people to be displaced in areas at risk.⁹³

Vulnerable Groups: According to the 2024 HNO, among the most severely impacted will be vulnerable groups such as women, children, youth, IDPs, refugees, older people, and persons with disabilities.⁹⁴ Other groups at a high risk of hunger are the people with chronic/mental illnesses, children-headed households, and survivors of gender-based violence.⁹⁵ To date there is little to no reliable and up-to-date data is available on persons with disabilities in the country, both for displaced and non-displaced populations. The most recent data is from 2016 UNICEF research and suggests that the country has 7.8 million persons with disabilities (9.3% of the total population).⁹⁶

Impact of Conflict in Sudan: Ethiopia is the third largest refugee hosting country in Africa, home to over 933 000 refugees and asylum seekers—mainly from South Sudan, Somalia and Eritrea.⁹⁷ The escalation of clashes in Sudan has led to an influx of refugees, returnees, and third country nationals into Ethiopia. The primary entry point is the Metema border post in Amhara region.⁹⁸ As of 14 November 2023, over 91 500 people entered Ethiopia since the onset of the ongoing crisis in neighbouring Sudan in April.⁹⁹ Ethiopian returnees, so far, represent the greater percentage of arrivals currently standing at 43 per cent, followed by Sudanese nationals at 39 per cent, and third country nationals at 18 per cent.¹⁰⁰

HEALTH STATUS AND THREATS

Population mortality: Maternal mortality fell significantly in 2020, from 871 in 2000 to 401 maternal deaths per 100 000 live births.¹⁰¹ Between 1990 and 2015, child deaths declined by two thirds.¹⁰² Ethiopia has also achieved significant improvement in life expectancy, reaching 63/67 years (m/f) in 2015—up from just 49 years in 1990.¹⁰³ Yet there remain lagging health outcome indicators such as stunting rates and neonatal mortality, which have either stagnated or showed only minor improvement.

MORTALITY INDICATORS	ETHIOPIA	YEAR	SOURCE
Life expectancy at birth	63/67 years of age (m/f)	2015	WHO
Crude mortality	6 per 1,000 people	2020	World Bank
Infant mortality rate (deaths < 1 year per 1000 births)	37 per 1000 people	2019	GAVI
Child mortality rate (deaths < 5 years per 1000 births)	51 per 1000 people	2019	GAVI

The leading causes of premature mortality for all sexes in Ethiopia in 2019 were neonatal disorders, diarrhoeal diseases, lower respiratory infections, tuberculosis, stroke, HIV/AIDS, ischaemic heart disease, cirrhosis, congenital defects, and diabetes.¹⁰⁴ With high Socio-demographic Index (SDI) and life expectancy for all sexes, Addis Ababa, Dire Dawa, and Harari regions had low rates of premature mortality from the five leading causes. This contrasts with regions with low SDIs and life expectancy for all sexes (Afar and Somali), which had high rates of premature mortality from the leading causes.¹⁰⁵

The major causes of under-five mortality in Ethiopia are acute respiratory tract infection (ARTI) (18%), diarrhoea (13%), prematurity (12%), new-born infection (10%), asphyxia (9%), meningitis (6%), injury (6%), measles (4%), malaria (2%), TB (3%), congenital anomalies (2%), HIV (2%), pertussis (1%) and others (17%).¹⁰⁶ Malnutrition is a major contributor to child mortality in Ethiopia as underlying cause for nearly 50% of under-five deaths.¹⁰⁷

Vaccination coverage: Despite making considerable progress in routine immunisation (RI) programming over the past few decades, Ethiopia still has high numbers of zero-dose children, ranking among the top five countries globally.¹⁰⁸ Only 44 % (age 12-23 months) have received all the basic vaccinations.¹⁰⁹ A 2020 study found full vaccination coverage among children in urban and rural areas were 60.9% and 29.7% respectively, while it was highest in the capital Addis Ababa at 81.6% and lowest in the Afar region at 12.4%.¹¹⁰ According to the 2024 HNO, over 50% of children diagnosed with measles had not received any vaccination, highlighting a critical gap in immunization coverage.¹¹¹

In 2022, the Tigray Health Bureau reported that the percentage of children in the region receiving routine vaccines had fallen below 10%.¹¹² According to the Tigray Emergency Recovery Plan (June 2021), only 37% of the region's health facilities provided some basic health services and only 16 %of the health facilities in the region provided immunization services.¹¹³

To address this pressing issue and the lack of existing guidance in the national immunisation strategy on missed or late vaccination, the Ethiopian Ministry of Health (MoH) took action to develop national catch-up guidelines in 2021, which received approval for roll-out in 2022.¹¹⁴ More broadly, since the COVID-19 pandemic, DTP3 coverage among countries in Africa began to recover in 2022, up 1 percentage point (from 72% in 2021 to 73% in 2022). However, there is still work to be done to recover to 2019 / pre-pandemic levels, when DTP3 coverage stood at 77%.¹¹⁵

Regarding COVID-19 vaccination, as of November 2023, 38% of the total population were vaccinated with a total of 68 856 793 vaccine doses have been administered.¹¹⁶

ETHIOPIA VACCINATION DATA (GAVI)	
DTP3 - WHO/UNICEF estimates (2019)	69%
DTP3 - Official country estimates (2020)	99%
Household survey: Last DTP3 survey (2017)	61%
% Districts achieving > 80% DTP3 coverage (2020)	77%
% Districts achieving < 50% DTP3 coverage (2020)	4%
MCV WHO/UNICEF estimates (2020)	60%

DISEASE RISK ANALYSIS

KEY HEALTH RISKS IN COMING MONTHS		
Public health risk	Level of risk***	Rationale
Malnutrition and child health		For the HRP 2024, its estimated 4.9 million individuals require nutrition assistance including 1 million children across Ethiopia with severe acute malnutrition in need of treatment and 1.5 with moderate acute malnutrition. In 2024, an estimated 2.4 million children under 5 and 1.3 million undernourished pregnant and lactating mothers will require treatment of moderate acute malnutrition, and an additional 942 000 children under 5 require treatment of severe acute malnutrition. ¹¹⁷
Maternal and Neo-natal conditions		Extremely high maternal and perinatal mortality rates occur throughout Ethiopia. The number of maternal deaths between 1 January and 21 May 2023 were significantly higher than in 2022 and 2021. ¹¹⁸
Malaria		Number of malaria cases is already higher than reported during the same period in 2023, as of February 2024. ¹¹⁹ A total of 81 080 malaria cases and 9 deaths were reported from 18-24 March 2024 (3.6% increase from previous week). ¹²⁰ Disruption of malaria elimination activities mainly due to conflict, climate change contributed to the massive outbreak. ¹²¹
Measles		A total of 14 562 cases were reported in 2024, as of EPI week 11. ¹²² With 91 current outbreaks, the cumulative deaths for the outbreak in 2024 was 91 (CFR: 0.68%). ¹²³ As of February 25, 2024, active measles outbreaks have been reported in multiple regions of Ethiopia, including Amhara, Oromia, SWEPR, Sidama, Gambela, Harari, Somali, South Ethiopia, Central Ethiopia, and Benishangul Gumuz. ¹²⁴ Over 50 % of children diagnosed with measles had not received any vaccination, highlighting a critical gap in immunization coverage. ¹²⁵
Diarrheal diseases (including cholera, acute watery diarrhea)		Lack of access to safe water and poor sanitation, resulting in poor hygiene in the vulnerable groups; overcrowding at displacement sites are additional risk factors. Since August 2022, a cholera epidemic has been ongoing in Ethiopia and there is increased risk because of cross border transmission with neighbouring countries which also have active outbreaks. ¹²⁶ As of EPI week 11, the cumulative case load between 2022-24 was 38 683. ¹²⁷
Poliomyelitis (cVDPV2)		As of week 50, 2023, there have been a total of 69 reported cases of circulating vaccine-derived poliovirus type 2 (cVDPV2). There was one case reported in 2022, one case in 2021, 10 cases in 2020, and 43 cases in 2019. It's important to highlight that no cases have been reported in 2023. ¹²⁸
Trauma and Injuries		With conflict on-going in Amhara and the recent conflict in Tigray, there are high numbers of many reports of casualties requiring long term care and rehabilitation. ¹²⁹
Gender Based Violence (GBV) related health risks		GBV is a critical humanitarian issue in Ethiopia, with stigma preventing survivors of sexual violence from accessing life-saving care and leading to re-victimization and other protection risks. ¹³⁰ Between 40 and 50% of women in Tigray experienced GBV, with about 10% subjected to sexual violence. Among those who are subjected to sexual violence, 82% have been raped, and nearly 70% of

		those having been gang raped. ¹³¹ Researchers have reported post-traumatic stress disorder, depression, reproductive organ injuries and disorders including urinary incontinence, faecal incontinence, abnormal uterine bleeding, uterine prolapse, chronic pelvic pain, and fistulas. ¹³²
Acute Respiratory Tract Infection (including COVID-19)		Since the inception of the COVID-19 pandemic response until February 25, 2024, a total of 5 585 272 COVID-19 tests were conducted. ¹³³ Among these tests, 501 373 confirmed cases and 7,574 total deaths were reported, resulting in a Case Fatality Rate (CFR) of 1.5%. The positivity rate (PR) was calculated to be 9%. ¹³⁴ In epidemiological week 08 of 2024, 543 laboratory tests were conducted, indicating a >100% increase compared to epidemiological week 07 of 2023. During this week, 21 new cases were detected, resulting in a positivity rate of 3.87%. Notably, 14 of these new cases (66.67%) were from the Addis Ababa City Administration. ¹³⁵
Meningitis		In epidemiological week 7, a total of 196 suspected cases of meningitis were reported. Nationally, there was a 3% decrease in suspected meningitis cases compared to the previous epidemiological week. ¹³⁶ Notably, 59% of these suspected meningitis cases were reported from regions most affected by drought. ¹³⁷ Cases of meningitis were last reported in Ethiopia in 2022, across 11 or the 12 regions having surpassed the epidemic threshold. ¹³⁸ However, the key challenge is low in-country laboratory and technical capacity to ensure quality reporting. ¹³⁹ Weakened immune systems in malnourished children, low vaccination coverage rates, and crowded living conditions abound.
Dengue Fever		The El-Nino driven drought has impacted Ethiopia's summer rains, resulting in conditions for increased transmission. ¹⁴⁰ As of EPI week 11, the cumulative cases in 2023/2024 were reported at 23 552. With 6 reported outbreaks, the cumulative deaths for 2023/2024 was 17. ¹⁴¹ Nearly 98% of the cases and all deaths reported from Dire Dawa(58.9% cases) and Afar (38.3% cases). ¹⁴²
Tuberculosis (TB)		Among the top 30 high TB burden countries, Ethiopia ranked seventh in the world in 2021. ¹⁴³ TB is a major public health problem. Disruptions to health systems are impacting services to existing patients.
Mental health		Population displacement, high mortality, living in combat areas and exposure to violence are risk factors for mental health issues. Mental health and psychosocial needs of survivors of gender-based violence is a major gap. Following the signing of the peace agreement, mental health and psychosocial needs of demobilized armed forces is a new area requiring interventions, along with drug abuse among young people.
Non-Communicable Diseases (NCD)		Access to essential health services has been disrupted in many conflict-affected and floor-affected areas, which means crucial medications for the treatment of NCDs (such as diabetes and hypertension) have been severely impacted.
Anthrax		In Ethiopia, anthrax is assumed to be endemic, although laboratory confirmation has not been previously routinely performed. ¹⁴⁴ In epidemiological week 7 of 2024, a total of 55 suspected cases of Anthrax were reported, with 27 cases from the Amhara region and 28 cases from the Tigray region. ¹⁴⁵
HIV/AIDS		Low prevalence of HIV in northern Ethiopia but there are currently severe medication shortages and limited diagnostic testing. This leaves patients exposed to the risk of opportunistic infections. ¹⁴⁶

Scabies		During epidemiological week 7 of 2024, a total of 2652 cases of scabies were reported. ¹⁴⁷ Nationally, there was an 8% increase in scabies cases compared to the previous epidemiological week. Of these cases, 48% were reported from regions most affected by drought during epidemiological week 7. ¹⁴⁸
Visceral Leishmaniasis		Since June 28, 2022, cases of leishmaniasis have persisted in the Gamo and South Omo zones of the South Ethiopia region, as well as in six woredas of the Somali region. ¹⁴⁹ In the Gamo and South Omo zones of the South Ethiopia region, a total of 528 suspected cases of Leishmaniasis, resulting in 23 deaths, have been reported. Most cases were reported from Salamago woreda (152 cases), Daramalo (140 cases), and Ditta (96 cases). Additionally, two new cases were reported during the week from South Omo Zone. ¹⁵⁰
Rift Valley Fever		The viral disease, which affects both animals and humans, was first identified in 1931 during an outbreak of sudden deaths and abortions among sheep along the shores of Lake Naivasha in Kenya's Rift Valley, and had caused sporadic outbreaks in other parts of Africa since then. ¹⁵¹ Potential for cross border transmission.
Mpox		Since May 2022, cases of mpox have been reported from countries where the disease is not endemic and continue to be reported in several endemic countries. Suspected cases have been reported in Amhara but are not confirmed. ¹⁵²
<p>***[Select cell and fill with the colour]</p> <p>Red: Very high risk. Could result in high levels of excess mortality/morbidity in the upcoming month.</p> <p>Orange: High risk. Could result in considerable levels of excess mortality/morbidity in the upcoming months.</p> <p>Yellow: Moderate risk. Could make a minor contribution to excess mortality/morbidity in the upcoming months. Green: Low risk. Will probably not result in excess mortality/morbidity in the upcoming months.</p>		

Malnutrition and child health: High and persistently increasing levels of acute malnutrition continue to be reported across the country, particularly in the conflict and drought-stricken north, and the flood and recurrent drought-affected pastoral south and southeast. According to FEWS NET, the data point to very alarming malnutrition outcomes ranging from Serious (Global Acute Malnutrition (GAM), Mid-Upper Arm Circumference (MUAC) 5-9.9 percent or GAM WHZ 10-14.9 percent) to Extremely Critical (GAM MUAC \geq 15 percent or GAM WHZ \geq 30 percent) levels.¹⁵³

For the HRP 2024, its estimated 4.9 million individuals require nutrition assistance including 1 million children across Ethiopia with severe acute malnutrition in need of treatment and 1.5 with moderate acute malnutrition. In 2024, an estimated 2.4 million children under 5 and 1.3 million undernourished pregnant and lactating mothers will require treatment of moderate acute malnutrition, and an additional 942 000 children under 5 require treatment of severe acute malnutrition. Malnourished children face a higher risk of morbidity and mortality from preventable diseases such as diarrhoea, pneumonia, and malaria due to weakened immunity. Nutrition-related factors contribute to about 45% of deaths in children under five.¹⁵⁴ There is a clear correlation between Severe Acute Malnutrition (SAM) and cholera and measles cases.¹⁵⁵

An assessment in Afar in January 2024 revealed the GAM rate of 26.1%. GAM rates 15.9% Tigray –Aug 2023 SMART + survey, 22% in Amhara, and 35% in Afar, all at very high classification levels.¹⁵⁶ As of March 25th, 2024 (EPI week 11), there were 820 884 SAM cases with medical complications, and 151 049 without.¹⁵⁷ The total SAM admissions were 12 052 which increased by 26% compared to 8921 in EPI week 10, of which 11% was SAM with medical

complications. A total of 1284 SAM cases with medical complications were reported during week 11; the inpatient SAM cases increased by 1% compared to EPI week 10 (1277).¹⁵⁸

SAM admission in the month of Jan 2024 is showing high caseload in drought affected zones of Tigray, Afar, Eastern and parts of Amhara bordering with Tigray, eastern parts of Oromia and some parts of SER. In January the number of SAM cases admitted in Ethiopia had increased comparing with December 2023. The high increase is reported in Tigray (lower in the past as screening was not regularly conducted), then Sidama, Afar and Adama. The locations of Wag Himbraand North Wolloin Amhara are showing an increase in the number of children with SAM. East and West Haraguein Oromia show an increased SAM cases as well as Shebelle in Somali region. The proportion of SAM cases with medical complications has reached 11.5% in January 2024 (last year in January was 9.27%). Defaulter rates in Amhara and Tigray are the highest: children don't finalize treatment and therefore remain exposed to the highest risk of death.¹⁵⁹

The overall recovery rate is above the threshold and stands at 91%.¹⁶⁰ Gambela region has reported cure rate of less than 75%. Defaulter rate: 3.5% with Amhara reporting a higher proportion of defaulter cases (14%), followed by Gambela (11.2%), Tigray (7.6%), Afar (3.5%), SWER (3.2%), Somali (2.5%).¹⁶¹ In stabilization centres, death rate is 2%. The nationwide death rate (case fatality) based on the Jan 2024 therapeutic Feeding Program (TFP) data is 2%. Except for Afar (12.2%) and that of SWER (6.7%) the rest of the regions had death rate below 2%.¹⁶²

A Find and Treat (F&T) campaign (by Tigray Nutrition Cluster) was conducted in 5 woredas in Tigray in January 2024 (MUAC screening for acute malnutrition targeting children 6-59 Mo and PLWs).¹⁶³ The campaign found very high levels of proxy GAM among children under 5, including alarming prevalence of associated SAM in one woreda (Wajirat). All children with SAM received a week's supply of ready-to-use therapeutic **food** and were referred to the nearest health facility for follow-up, however mild acute malnutrition (MAM) children and PLW did not receive supplementary food in most of the woredas.¹⁶⁴ More details of the campaign can be found below:

Date	Woreda	Children aged 6-59 months			PLW
		% SAM	Proxy GAM (%)	Prevalence (proxy - GAM)	% wasting
Jan 2024	Atsbi	3.6	28.0	Very High	92
	Wajirat	8.0	29.2	Very High	78
	Arbegele Yechilla	1.2	12	High	72
	Endaba Tsahma	0.94	18.4	Very High	77.3
	Maykinetal	1.4	30	Very High	74.3

According to the 2024 HNO, some areas in Afar, Amhara, and Tigray regions where SMART surveys have been conducted in 2023 were found to face very high Global Acute Malnutrition (GAM) rates (measured through weight-for-height) beyond the emergency threshold (>15%).¹⁶⁵

In 2023 in Tigray, the stunting levels were at 43%, and malnourished pregnant and lactating women had rates as high as 70% in some parts of the region. Some parents are feeding their families cattle roots, and others are forcing their children to sleep longer to avoid hunger pains.¹⁶⁶ The Tigray Bureau of Health indicated that 60% of households have moderate or severe hunger, compared to just 3% before the war.¹⁶⁷

Furthermore, a recent rapid assessment carried out in Dasenech woreda, in South Ethiopia (SE) region, revealed high levels of malnutrition, with proxy Severe Acute Malnutrition (SAM) at eight per cent and Global Acute Malnutrition (GAM) at 34 per cent, despite the ongoing response with multiple partners.¹⁶⁸ The Mid-Upper Arm Circumference (MUAC) assessment results indicate that the ongoing interventions have prevented the deterioration of the nutritional status of under-five children.¹⁶⁹

Nationally, in 2023, over 650 000 severely acutely malnourished children were admitted to therapeutic feeding programs (TFP), a figure that is 5.8 percent lower than the same period last year and 41.7 percent higher than the five-year average (Figure 17). It is likely that TFP admissions would have been higher in 2023 if all health facilities in the conflict-affected areas of Amhara, Oromia, and Tigray were functioning. According to FEWS NET, many health facilities in Amhara and Tigray are not currently providing services due to the impacts of conflict and/or are non-functional; some health facilities are partially or totally damaged, lack supplies, and/or are inaccessible.¹⁷⁰

Children from the lowest wealth quintiles were twice as likely to be stunted compared to their counterparts from higher quintiles.¹⁷¹ Inappropriate infant and young child feeding practices also contribute to malnutrition.¹⁷² While 97% of children are breastfed, only 58% are exclusively breastfed during the first six months.¹⁷³ While early initiation of breastfeeding is 77%, only 61% are exclusively breastfed during the first six months. Only 8% of children aged 6-23 months consumed minimum recommended number of five out of eight food groups.¹⁷⁴ Only 45% of children are fed at least three times a day.¹⁷⁵

Micronutrient deficiencies in iron, vitamin A, folic acid, iodine and zinc remain the most common. Anaemia prevalence among under-five children remains high at 57%. Among women aged 15–49 years, 26% are undernourished and 24% have anaemia.¹⁷⁶ In 2023, the prevalence of anaemia among children aged 6-59 months was 16% and there are no urban and rural differences.¹⁷⁷

Maternal and neo-natal conditions: Since 2000, Ethiopia has reduced maternal and child mortality by half.¹⁷⁸ The maternal mortality ratio (deaths per 100,000 live births) in 2017 was 401, while the percentage of births attended by skilled health personnel (2004-2020) was just 50%.¹⁷⁹ However, with the onset of the conflict, the maternal mortality rate has increased fivefold in Tigray.¹⁸⁰ Health professionals explain this level is comparable to those of 22 years back.¹⁸¹ As a result, the number of maternal deaths between 1 January and 21 May 2023 were significantly higher than in 2022 and 2021. The largest number of maternal deaths reported from Tigray, Amhara, Afar and Oromia.¹⁸² Since November 2023, safety and security has improved significantly across northern Ethiopia, allowing the mobility and access to health services. However, despite some improvements, health facilities are largely overstretched in resources, capacity and staff to provide comprehensive health services as prior to the conflict.¹⁸³

Malaria: A total of 1 031 614 malaria cases were reported in 2024, as of EPI week 11.¹⁸⁴ A total of 81 080 malaria cases and 9 deaths were reported from 18-24 March 2024 (3.6% increase from previous week).¹⁸⁵ About 75% of the malaria cases in epi-week 11 were from four regions: Oromia (33.7%), Amhara (19.8%), SWEPRS (13.1%), South Ethiopia. Oromia (8.9%).¹⁸⁶ Number of malaria cases so far this year is already higher than reported during the same period in 2023, as of February 2024.¹⁸⁷

The current malaria response is challenged with inadequate bed net utilization among communities at risk, suboptimal environmental or vector control activities, lack of insecticide residual spraying at mosquito breeding grounds. Generally, limited partner involvement, poor data quality from affected areas, and weak community-level malaria prevention and control interventions hinder a more effective response.¹⁸⁸

More broadly, prior to 2020, mortality and morbidity associated with malaria has declined dramatically. Between 2015 and 2019, the number of malaria-related deaths dropped from 3.6 to 0.3 per 100,000 population at risk, and malaria case incidence dropped from 5.2 million in 2015 to less than 1 million in 2019.¹⁸⁹

During 2023, over 4.1 million malaria cases including 527 deaths were reported, with 328 881 new cases including 84 deaths between 1 and 28 January 2024.¹⁹⁰ Most new malaria cases are reported from Oromia (35%), followed by Amhara (21%), and Southwest (12%).¹⁹¹ Malaria is endemic in Ethiopia, with higher prevalence in areas below 2000m

of altitude (which cover three quarters of the country's land mass, with an estimated population of 52 million).¹⁹² Changes in climate are also likely to lengthen the transmission period of major vector-borne diseases and alter their geographic range.¹⁹³ Currently, approximately 70% of the population resides in malaria-endemic regions, where periodic outbreaks contribute to as much as 20% of deaths among children under the age of 5. The escalating temperatures provide conducive environments for the proliferation of disease-carrying vectors, amplifying the transmission of malaria and heightening the vulnerability of affected communities.¹⁹⁴

Measles: A total of 14 562 cases were reported in 2024, as of EPI week 11.¹⁹⁵ With 91 current outbreaks, the cumulative deaths for the outbreak in 2024 was 91 (CFR: 0.68%).¹⁹⁶ As of February 25, 2024, active measles outbreaks have been reported in multiple regions of Ethiopia, including Amhara, Oromia, SWEPR, Sidama, Gambela, Harari, Somali, South Ethiopia, Central Ethiopia, and Benishangul Gumuz.¹⁹⁷

Measles remains endemic in Ethiopia, with cases consistently reported on an annual basis. However, the outbreak has experienced a concerning exponential increase, with reported cases surging five-fold between 2021 and 2022. This surge can be attributed to several factors, including low population immunity compounded by concurrent epidemics, ongoing conflict, forced displacement, and other humanitarian crises that disrupt childhood vaccination efforts.¹⁹⁸

The measles vaccination rate is sub-optimal across Ethiopia. A total of 53% of measles cases are children under the age of 5.¹⁹⁹ The Health Cluster reported in February 2024 that 2.1 million children aged 6 months to 10 years were vaccinated against measles between 29 December 2023 and 7 January 2024, combating an increasing number of woredas affected by measles outbreaks.²⁰⁰

Serious delays in laboratory confirmation of measles cases in many regions, as samples are sent to Addis Ababa, because laboratory testing in the regions is not available (i.e., lack of spare parts, reagents, and other laboratory supplies).²⁰¹ Many regions report mortality due to measles because of late health seeking behaviour and fear of vaccines, indicating the urgent need to strengthen risk communication to disseminate appropriate messaging.²⁰²

Diarrheal disease (including cholera and acute watery diarrhoea): As of EPI week 11, the cumulative case load between 2022-24 was 38 683.²⁰³ With 329 outbreak episodes, the cumulative number of deaths for the outbreak is reported to be 528 (CFR: 1.36%).²⁰⁴ With 65 woredas experiencing an outbreak, during EPI week 11 there were 687 new cases and 2 deaths. Of the cases, 392 (57%) of the new cases are from Somali, 203 (29.5%) of new cases and 2 deaths reported from Oromia, Dire Dawa (57), Afar (26), Sidama (7) and CER(2).²⁰⁵

Seventy-five per cent of cholera cases report drinking untreated water from rivers, streams, and lakes. The outbreak is controlled in 269 districts following continued efforts in preventative and treatment of patients. The districts, however, remain at high risk due to their adjacency to affected areas. Seven rounds of cholera oral vaccination campaigns (OCV) have been rolled out in affected regions since December 2022, with the eighth campaign having started early March. A national eight-weeks Stop Cholera Together plan is expected to contain the cholera outbreak across affected regions.²⁰⁶

Currently, all doses of the oral cholera vaccine in production until mid-March have already been allocated to affected countries, and demand for doses keeps growing, with current world reserves at zero. MSF has been desperately raising the alarm about the grave consequences of this shortage in supply, calling on manufacturers to urgently produce more vaccines, and provide more technical support for new manufacturers to speed up regulatory processes to enable the drastic scale up in production needed to save lives.²⁰⁷

Efforts are ongoing through the humanitarian-development nexus to strengthen advocacy for urgently needed durable investments in water supply and sanitation systems.²⁰⁸ Poor WASH facilities contribute to cholera outbreaks (poor access to good quality drinking water, low latrine coverage, open defecation, and breeding sites for mosquitoes).²⁰⁹ A total of 60% to 80% of communicable diseases are attributed to limited access to safe water and inadequate sanitation and hygiene services.²¹⁰

Poliomyelitis (cVDPV2): As of week 50, 2023, there have been a total of 69 reported cases of circulating vaccine-derived poliovirus type 2 (cVDPV2). There was one case reported in 2022, one case in 2021, 10 cases in 2020, and 43 cases in 2019. It's important to highlight that no cases have been reported in 2023.²¹¹ Poor sanitary conditions coupled with low vaccination coverage rates render polio a potentially high-risk condition. Polio is a disabling and potentially deadly disease caused by a wild poliovirus and vaccine-derived poliovirus. A non-wild polio variant continues to circulate in under-immunized communities until wild polio still threatens a few countries in Africa and beyond. In 2021, Ethiopia introduced a new polio vaccine (nOPV2), which is now in use throughout the country²¹².

Acute Respiratory Tract Infection (including COVID-19): COVID-19 and ARTIs remains a priority public health concern with reports of significant numbers of respiratory tract infections reported in the Tigray region. However, with limited diagnostic capacity, it is difficult to confirm suspected cases.²¹³ Notably, childhood acute respiratory infection remains the commonest global cause of morbidity and mortality among under-five children. In Ethiopia, it remains the highest burden of the health care system.²¹⁴ At the national level, only 38% of the population have been vaccinated with a complete primary series.²¹⁵ Since the start of the COVID-19 pandemic response until February 25, 2024, a total of 5 585 272 COVID-19 tests were conducted.²¹⁶ Among these tests, 501 373 confirmed cases and 7574 total deaths were reported, resulting in a Case Fatality Rate (CFR) of 1.5%. The positivity rate (PR) was calculated to be 9%.²¹⁷

Trauma and Injuries The WHO Rehabilitation Needs Estimator shows that in Ethiopia, approximately 1 in 5 people (21 million) had health conditions that could benefit from rehabilitation, primarily musculoskeletal disorders and sensory impairments.²¹⁸ This need will continue to grow as the population ages, non-communicable diseases surge, and conflict-induced injuries increase.²¹⁹ With conflict on-going in Amhara and the recent conflict in Tigray, there are high numbers of many reports of casualties requiring long term care and rehabilitation.²²⁰

Meningitis: There is a direct correlation between drought and the epidemiology of meningitis. This is especially true in countries within the 'Meningitis Belt', which includes much of the Horn of Africa. Countries within the meningitis belt experience the highest endemicity and epidemic frequency of meningococcal meningitis especially during the dry season. Dryness and dust levels of areas that have become more arid are among the risk factors.²²¹

Cases of meningitis were last reported in Ethiopia in 2022, across 11 or the 12 regions having surpassed the epidemic threshold. However, the key challenge is low in-country laboratory and technical capacity to ensure quality reporting.²²² In epidemiological week 7, a total of 196 suspected cases of meningitis were reported. Nationally, there was a 3% decrease in suspected meningitis cases compared to the previous epidemiological week. Notably, 59% of these suspected meningitis cases were reported from regions most affected by drought.²²³

Dengue Fever: As of EPI week 11, the cumulative cases in 2023/2024 were reported at 23 552. With 6 reported outbreaks, the cumulative deaths for 2023/2024 was 17.²²⁴ Nearly 98% of the cases and all deaths reported from Dire Dawa(58.9% cases) and Afar (38.3% cases).²²⁵ The World Bank reports that higher temperatures and greater precipitation would increase malaria and dengue transmissibility by 2050. Mortality and morbidity due to dengue would rise by as much as 50% without any complementary reforms in health policies. However, if those health sector reforms are implemented these impacts are much less severe, with mortality and morbidity rising by only 14% by 2050.²²⁶

Tuberculosis (TB): TB continues to be a major public health problem in Ethiopia. Among the top 30 high TB burden countries, Ethiopia ranked seventh in the world in 2021.²²⁷ While some gains have been made in decreasing TB incidence, from 421 (in 2000) to 132 (in 2020) per 100,000, the incidence of and mortality from drug-susceptible TB (DS-TB) remain high, while treatment coverage remains low²²⁸. WHO estimates that in 2017 about 20 000 children under the age of 15 (i.e. 11.6% of all TB patients) became ill with TB, accounting for 9.5–14.9% of all TB patients.²²⁹ A 2023 study found that the death rate among children on TB treatment was unacceptably high in Ethiopia, affecting children under the age of two disproportionately.²³⁰ Focused intervention such as prevention of HIV infection, improving nutritional status of children on TB treatment, special attention for younger age children with TB, and prevention of recurrent TB should be implemented to minimize death among children on TB treatment.²³¹

Mental Health: Conflict and displacement can be very traumatic, especially with associated factors like loss of loved one and properties. Recent inter-sectoral assessments show an increase in psychosocial distress, especially among children and caregivers, as well increased use of negative survival strategies.²³²

In Tigray, local health professionals report the need to scale up mental health and psychosocial services to meet the needs of those suffering the effects of sexual violence. As Tigray's health system was largely destroyed during the conflict, local officials noted that there are only eight psychologists for the entire region of Tigray, despite a population of more than 7 million.²³³ Currently, there is a complete absence of psychosocial support in IDP sites²³⁴.

Non-Communicable Diseases (NCD): Non-communicable diseases are a priority as the burden is high and patients lack access to diabetic medication and for conditions such as arterial hypertension. The burden of NCDs remains high and patients lack access to essential treatment for these conditions.²³⁵ Food insecurity is shown to lead to malnutrition and obesity, which was highly associated with several NCDs such as diabetes, cancer, and cardiovascular disease, causing premature deaths. The upsurge of NCDs globally has been associated with rapid unplanned urbanisation, globalisation of unhealthy lifestyles, and population ageing. Although many people in humanitarian contexts have hardly any food to eat, those who have some food have poor quality or empty calories. A coping strategy for lack of food includes compromising the quality for quantity as nutrient-rich healthier foods may be more expensive.²³⁶

HIV/AIDS: National HIV prevalence in Ethiopia is 0.9%, and the epidemic is heterogeneous by sex, geographic areas, and population groups.²³⁷ Looking at HIV prevalence by regional states, it is the highest in the Gambella region (4.8%), and Addis Ababa city (3.4%).²³⁸ In Tigray, among the women and girls who got tested for HIV/AIDS, 3% of them are HIV positive²³⁹. Before the conflict in the Tigray region, there were approximately 46 000 clients enrolled and receiving Anti-Retroviral Therapy (ART).²⁴⁰ Now, all medication is depleted and there is limited diagnostic testing in the region. This leaves patients exposed to the risk of opportunistic infections.²⁴¹

Scabies: During epidemiological week 7 of 2024, a total of 2652 cases of scabies were reported. Nationally, there was an 8% increase in scabies cases compared to the previous epidemiological week. Of these cases, 48% were reported from regions most affected by drought during epidemiological week 7.²⁴²

Visceral Leishmaniasis: Since June 28, 2022, cases of Leishmaniasis have persisted in the Gamo and South Omo zones of the South Ethiopia region, as well as in six woredas of the Somali region. In the Gamo and South Omo zones of the South Ethiopia region, a total of 528 suspected cases of Leishmaniasis, resulting in 23 deaths, have been reported. Most cases were reported from Salamago woreda (152 cases), Daramalo (140 cases), and Ditta (96 cases). Additionally, two new cases were reported during the week from South Omo Zone.²⁴³

Anthrax: In Ethiopia, anthrax is assumed to be endemic, although laboratory confirmation has not been previously routinely performed.²⁴⁴ In epidemiological week 7 of 2024, a total of 55 suspected cases of Anthrax were reported, with 27 cases from the Amhara region and 28 cases from the Tigray region.²⁴⁵

Rift Valley Fever: The viral disease, which affects both animals and humans, was first identified in 1931 during an outbreak of sudden deaths and abortions among sheep along the shores of Lake Naivasha in Kenya's Rift Valley, and had caused sporadic outbreaks in other parts of Africa since then.²⁴⁶ Potential for cross border transmission.

Mpox (monkeypox): Since May 2022, cases of mpox have been reported from countries where the disease is not endemic and continue to be reported in several endemic countries. Suspected cases have been reported in Amhara but are not confirmed.²⁴⁷

DETERMINANTS OF HEALTH

Food Suspension in Tigray: The U.S. government and World Food Program (WFP) pause in food aid in Tigray in May 2023, and in June 2023 extended to the whole country, had a devastating effect on some of Ethiopia's most food insecure people. The decision was due to widespread corruption and aid diversion.²⁴⁸ The real-life consequences for millions were catastrophic for the nearly one-sixth of Ethiopians who rely on food aid.²⁴⁹ Food assistance resumed in December 2023 and is slowly returning, but hunger is outpacing the scale-up.²⁵⁰

Since resuming food distributions in early December, the U.N. World Food Programme has delivered food to 1.2 million people in the Tigray, Afar, Amhara and Somali Regions. The U.N. World Food Programme is now scaling up to provide lifesaving food assistance to 3 million Ethiopians in the coming weeks, of which almost 2 million are in Tigray.²⁵¹

Water Sanitation and Hygiene (WASH): In terms of access to clean drinking water, Ethiopia ranks among the lowest in Sub-Saharan Africa and is thought to have one of the worst drinking water infrastructures in the world.²⁵² Around 31% of the population in Ethiopia uses unimproved sources of drinking water across the country.²⁵³ The conflict also had a devastating effect on the country's WASH infrastructure. In addition to the physical damage to critical infrastructure, such as water tanks, reservoirs, pumping stations, and distribution lines, there has been extensive looting of equipment vital to sustain WASH operations, including vehicles, rigs, computers, and monitoring equipment. Reinstatement of services seems a distant prospect in many areas given the insecurity and extensive damage. While the total damages caused to water supply by the conflict are estimated at over US\$95 million, insufficient data are available to quantify all physical damages and economic losses related to sanitation.²⁵⁴

Protection Risks

- **Gender Based Violence (GBV):** In Ethiopia, GBV continues to be a key concern in communities affected by conflict and climate shocks (drought and floods). GBV forms include violence, sexual assault, physical violence, abduction, rape, child marriage, and harmful traditional practices.²⁵⁵ Health experts estimate that between 40 and 50% of women in Tigray experienced gender-based violence (GBV), with about 10% subjected to sexual violence. Among those more than 80% have been raped, and nearly 70% of those having been gang raped.²⁵⁶ Researchers have reported post-traumatic stress disorder, depression, reproductive organ injuries and disorders including urinary incontinence, faecal incontinence, abnormal uterine bleeding, uterine prolapse, chronic pelvic pain, and fistulas.²⁵⁷ Meanwhile, there has been a surge in GBV cases in the Amhara Region. However, the region has only 10 one-stop centres and six safe houses/shelters, indicating significant resource and response gaps.²⁵⁸ GBV cases have witnessed a sharp increase recently because of the conflict with 34 cases reported in January 2024 including among health workers.²⁵⁹ This brings the total number of reported rape cases in Ethiopia to 646 cases since July 2023, about 57% of whom received care and support.²⁶⁰ Response to GBV is challenged by obstruction to patient's access to health services due to insecurity in Amhara region and migration of health professionals due to threats to safety of health workers.²⁶¹ While some can access treatment, many health facilities remain damaged or entirely non-operational, and health professionals need additional resources to reach far-flung woredas.²⁶² The Health Cluster reports a lack of reliable data on Sexual and Gender Based Violence (SGBV) survivors, and services is hampering interventions.²⁶³
- **Child Protection:** The country has the second highest number (23.8 million) of girls and women in the world having undergone female genital mutilation (about 65% of those aged 15-49).²⁶⁴ However, studies show that attitudes towards the practice of FGM are shifting at the community level in Ethiopia, with more than 8 in 10 girls and women opposing the continuation of the practice and 78% of boys and men reporting that men and boys in their community are willing to marry a woman who did not undergo FGM, which was the opposite one decade ago.²⁶⁵ Due to the conflicts and drought crises, early and forced marriage, adolescent pregnancy violence is increasing.²⁶⁶ Those who survived GBV, and the community at large suffer from trauma, and the break-up of marriages, families and communities.²⁶⁷
- **Mine Action:** Ethiopia has experienced a series of internal and international armed conflicts throughout its history, leaving a legacy of landmines scattered throughout the country, with

unaddressed contamination totalling 726 square kilometre.²⁶⁸ The outbreak of conflict in Tigray, Afar and Amhara has added new explosive ordnance contamination that poses an immediate threat to life and livelihoods.²⁶⁹ According to data collected in 2023, 1 500 (1014 male and 486 female) victims of Explosive Ordnance have been reported in Northern Ethiopia, although not all cases have been verified. It is believed that many other accidents go unreported. Initial analysis shows that children make more than 25% of all casualties known.²⁷⁰

Education: In 2019, about 2.62 million school-aged children were affected by displacement and in need of humanitarian education support.²⁷¹ The Ethiopian education system is undermined by persistent challenges to access, retention/transition, equity, inclusion, and quality. Ethiopia has experienced a rapid expansion of primary education services, but this has had a significant impact on quality: suboptimal learning outcomes and slow development of foundational as well as transferable skills remain a significant concern.²⁷² High drop-out rates denote the lack of school readiness, particularly in rural areas and low transition rates across cycles denote poor quality of education. Teacher effectiveness and motivation are low, and training and support inadequate.²⁷³

HEALTH SYSTEMS STATUS AND LOCAL HEALTH SYSTEM DISTRIBUTIONS

Pre-crisis health system status

In Ethiopia, there remain lagging health outcome indicators such as stunting rates and neonatal mortality, which have either stagnated or showed only minor improvement.²⁷⁴ Ethiopia's health service is structured into a three-tier system: primary, secondary and tertiary levels of care. The primary level of care includes primary hospitals, health centres and health posts.²⁷⁵ The lowest level of the primary health care are the health posts staffed with two women each to take care of their communities. They have around 15 000 health posts and about 30 000 women trained to run them.²⁷⁶

Access to health care: Access to primary health care stood at 90% in 2019.²⁷⁷ Ethiopia had 434 hospitals, 3 890 health centres, and 18 090 health posts in 2020. The country also had 14 314 doctors and 69 550 nurses in 2020, giving a ratio of 12.5 doctors per 10 000 population and 67 nurses per 10 000 population.²⁷⁸

Healthcare financing: According to the World Health Organization, Ethiopia's healthcare sector is financed by multiple sources including loans and donations from all over the world (46.8%), the Ethiopian Government (16.5%), out-of-pocket payments (35.8%), and others (0.9%).²⁷⁹ The country allocated US\$ 1.6 billion to health care in 2015 and of total health expenditure, approximately 15% goes to primary health care.²⁸⁰

In crisis health system status

Assessment of the health services in Ethiopia is hampered by a lack of credible data, including outdated population with the last census conducted as way back as 2007. This has made it difficult to establish the number of healthcare facilities and medical staff per given population size.²⁸¹ Since 2020, the country has faced consecutive challenges to public health service delivery and overall health security. There were continued weaknesses in systems for emergency preparedness, operations, and financing, combined with the emergence of new and emerging infectious diseases such as COVID-19.²⁸²

Conflict also began to affect nearly 20% of districts in the country, which led to the direct loss of life, displacement, and damage to public health infrastructure.²⁸³ Consequently, the health system remains fragile and underperforming, with outbreaks of infectious diseases such as cholera, measles, and meningitis a continual risk, and acute respiratory infections, including pneumonia, often reaching epidemic proportions.²⁸⁴

Understanding the extent to which basic services are functioning to meet the needs of the people they intend to serve, is a critical part of improving services.²⁸⁵ Whilst there is no comprehensive research on the capabilities of services in Ethiopia ongoing, some sector specific research has been conducted. This includes the World Health Organization Health Resources and Services Availability Monitoring System (HeRAMS), which analyses the





operational status of the health systems.²⁸⁶ However, comprehensive mapping and analysis of the function and capability of all health, nutrition, education and water services has to date, not been conducted in Ethiopia.²⁸⁷

In February 2024, the Health Cluster reported that Regional Health Bureaus (RHBs) have been newly established regions in southern Ethiopia (Central, Sidama, South and Southwest) suffering severe shortages in human resources, infrastructure, logistics support, and budget: most RHBs have just 1 vehicle to cover large distances.

Furthermore, ongoing insecurity in Amhara, Benishangul Gumuz, Western Oromia, and Tigray is impeding the delivery of basic health services including immunization, distribution of bed nets, surveillance and transport of samples for laboratory confirmation, resulting in increased risk of undetected disease outbreaks.²⁸⁸

Tigray: The HeRAMS report for Tigray, published on 05 September 2023, highlighted huge support needs, where out of 853 health facilities assessed, 92% is partially functioning, 8% non-functioning while 0% is fully functioning. Only 1% of the health facilities did not report any equipment damage, while 72% and 27% reported partial or full equipment damage respectively. The situation regarding building damages shows that 3% are fully damaged, 86% partially damaged and 2% are intact. Among major indicators provided in the report, no single facility reports full availability of outpatient services at primary level and 25% of them report that such services are unavailable. According to UN Women as of April 2024, basic services remain largely unavailable due to damages endured during conflict. With the significant destruction of education and health infrastructures, key priority needs remain unchanged in the rehabilitation and equipping of primary health and education facilities in all regions.²⁸⁹

Major access barriers to health services have been reported as including a lack of inclusive services for people with restricted mobility, lack of information on available services, lack of essential drugs, lack of medical equipment, and lack of skilled health care workers.²⁹² Incidents of GBV against health workers are consistently being reported through regional health bureaus.²⁹³ The health workforce has also suffered greatly because of the conflict, with more than 10 000 health workers forced to flee their duty stations.²⁹⁴

Key information on disruption of key health system components			
			
ACCESS TO HEALTHCARE	DISRUPTION TO SUPPLY CHAIN	DAMAGE TO HEALTH FACILITIES	ATTACKS AGAINST HEALTH
Access to primary health care stood at 90% in 2019. ²⁹⁰ (no additional information is available since 2019)	Limited data available.	In Tigray, 80% of hospitals, 60% of health centers and 76% of health posts were damaged. ²⁹¹	Limited data available as of February 2024.

HUMANITARIAN HEALTH RESPONSE

Health Cluster Overview for 2024: For the Health Cluster, 16.4 million people have been identified as in need of health services, while 6.7 million people will be targeted with US\$ 187.3M in funding required. However, the Health Cluster expects a 50% decrease in donor funding for 2024 compared to 2023.²⁹⁵ As of February 2024, the Cluster was only 24% funded.²⁹⁶

Health Cluster Response: The Health Cluster has been operational in Ethiopia since 2015, co-coordinated between WHO and the Ministry of Health.²⁹⁷ According to the 2024 HNO, the Health Cluster currently has 57 operational partners including national and international NGOs, the Red Cross Movement, UN agencies, the Ministry of Health, and the Ethiopian Public Health Institute (EPHI). However, the Health Cluster faces various challenges.²⁹⁸ Local health partners have a unique role to play in health service provision, access to population in insecure/conflict & hard-to-reach areas, last-mile delivery of supplies, and disease outbreak response in areas with difficult access to government, and UN agencies.²⁹⁹

INFORMATION GAPS / RECOMMENDED INFORMATION SOURCES		
	Gap	Recommended tools/guidance for primary data collection
Health status & threats for affected population	Surveillance data in conflict and remote areas	Early Warning Alert and Response (EWAR)
	Health needs information is limited	Health needs assessments
Health resources & services availability	Information on Health services availability, disruption and functionality in several areas	HeRAMS (WHO)
	Limited information on health workers availability and capacity	HeRAMS (WHO)
	Attacks on health	SSA (WHO)
Humanitarian health system performance	Information on quality of humanitarian health services provided to beneficiaries (accountability to affected populations)	Beneficiary satisfaction survey
	Gaps in health service provision for IDPs in some areas	Support from IOM , INGOs, NGOs, Regional Health Bureaus and local health authorities required

WORLD HEALTH ORGANISATION CONTACTS

- **Surveillance and Early Warning Lead (WHO Ethiopia Country Office):** Abiy Girmay Haddis (girmaya@who.int)
- **Public Health Information Focal Point (WHO HQ):** Sinead McGrath (mcgraths@who.int) and Nabil Tabbal (tabbaln@who.int)
- **Information Management Officer (Health Cluster):** Seth Tetteh Annuh (annuhs@who.int)
- **Public Health Information Focal Point (Regional Office):** Ramazani Mangosa Zaza (ramazanm@who.int)

FOOTNOTES

- ¹ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ² WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ³ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁴ Concern (9th February 2024), Concern launches emergency response to alarming hunger levels in Ethiopia
- ⁵ OCHA (1 February 2024), Ethiopia Situation Report
- ⁶ OCHA (27th July 2023), Ethiopia Situation Report, Last updated: 27 Jul 2023
- ⁷ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ⁸ UNICEF, Ethiopia WASH (2022), Available at: <https://www.unicef.org/ethiopia/water-sanitation-and-hygiene-wash> [cited on 28th October 2022]
- ⁹ OCHA (February 2024), Ethiopia Humanitarian Response Plan
- ¹⁰ Concern (9th February 2024), Concern launches emergency response to alarming hunger levels in Ethiopia
- ¹¹ UNFPA (1 April 2024), UNFPA Ethiopia Humanitarian Response Situation Report - February 2024
- ¹² OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹³ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ¹⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹⁵ REACH (February 2024), Research Terms of Reference - Ethiopia Crisis to Resilience (EC2R) Service Capability Assessment, Research Cyle ID: ETH2306a, Ethiopia (February 2024)
- ¹⁶ REACH (February 2024), Research Terms of Reference - Ethiopia Crisis to Resilience (EC2R) Service Capability Assessment, Research Cyle ID: ETH2306a, Ethiopia (February 2024)
- ¹⁷ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ¹⁸ OCHA (February 2024), Ethiopia 2024 Humanitarian Response Plan
- ¹⁹ OCHA (February 2024), Ethiopia 2024 Humanitarian Response Plan
- ²⁰ UNHCR (1st August 2023), UNHCR Ethiopia | Report on the state of disability inclusion in Ethiopian refugee and IDP settings - December 2022.
- ²¹ OCHA (February 2024), Ethiopia 2024 Humanitarian Response Plan
- ²² OCHA (February 2024), Ethiopia 2024 Humanitarian Response Plan
- ²³ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ²⁴ UNHCR (29 February 2024), UNHCR Ethiopia | Refugees and IDPs February 2024
- ²⁵ UNHCR (29 February 2024), UNHCR Ethiopia | Refugees and IDPs February 2024
- ²⁶ OCHA (11th March 2023), Ethiopia Priority Humanitarian Response and Critical Funding Gaps (February 2024)
- ²⁷ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ²⁸ OCHA (1st Feb 2024), Ethiopia Response Dashboard: January to December 2023
- ²⁹ OCHA (11th March 2023), Ethiopia Priority Humanitarian Response and Critical Funding Gaps (February 2024)
- ³⁰ OCHA (11th March 2023), Ethiopia Priority Humanitarian Response and Critical Funding Gaps (February 2024)
- ³¹ OCHA (February 2024), Ethiopia 2024 Humanitarian Response Plan
- ³² OCHA FTS (February 2024), Available at: <https://fts.unocha.org/plans/1128/summary>, Accessed 16/2/24]
- ³³ OCHA Financial Tracking System (FTS) (27th July 2023), Ethiopia Humanitarian Response Plan 2023, Available at: <https://fts.unocha.org/appeals/1128/summary> [Accessed 27th July 2023]
- ³⁴ OCHA (1st Feb 2024), Ethiopia Response Dashboard: January to December 2023
- ³⁵ OCHA (1st Feb 2024), Ethiopia Response Dashboard: January to December 2023
- ³⁶ Health Cluster Dashboard available at:
<https://app.powerbi.com/view?r=eyJrIjoiYjA5NjI1NjYtODk1MCM0ODVILTIzZmYtNTRlNzBjZTY0N2Q4IiwidCI6ImY2MTBjMGI3LWJkMjQ0OS04MTBjLTNkYzI4MGFmYjU5MCIsmIoJh9&pageName=ReportSection019482ace2b42ef3b49b>

- ³⁷ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ³⁸ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ³⁹ Concern (9th February 2024), Concern launches emergency response to alarming hunger levels in Ethiopia
- ⁴⁰ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ⁴¹ OCHA (1 February 2024), Ethiopia Situation Report
- ⁴² OCHA (1 February 2024), Ethiopia Situation Report
- ⁴³ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ⁴⁴ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ⁴⁵ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁴⁶ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁴⁷ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁴⁸ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁴⁹ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ⁵⁰ Concern (9th February 2024), Concern launches emergency response to alarming hunger levels in Ethiopia
- ⁵¹ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁵² WFP (2024), Ethiopia, Available at: <https://www.wfp.org/emergencies/ethiopia-emergency> [Accessed 5/4/24]
- ⁵³ WFP (Feb 2024), WFP ramps up deliveries of vital food assistance to drought and conflict-affected areas of Ethiopia
- ⁵⁴ WFP (2024), Ethiopia, Available at: <https://www.wfp.org/emergencies/ethiopia-emergency> [Accessed 5/4/24]
- ⁵⁵ WFP (2024), Ethiopia, Available at: <https://www.wfp.org/emergencies/ethiopia-emergency> [Accessed 5/4/24]
- ⁵⁶ WFP (2024), Ethiopia, Available at: <https://www.wfp.org/emergencies/ethiopia-emergency> [Accessed 5/4/24]
- ⁵⁷ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁵⁸ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ⁵⁹ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ⁶⁰ FEWSNET (April 2024), Ethiopia Acute Food Insecurity February - May 2024 projected outcomes, Available at: <https://fews.net/east-africa/ethiopia> (accessed 10/4/24)
- ⁶¹ FEWSNET (April 2024), Ethiopia Acute Food Insecurity February - May 2024 projected outcomes, Available at: <https://fews.net/east-africa/ethiopia> (accessed 10/4/24)
- ⁶² OCHA (1 February 2024), Ethiopia Situation Report
- ⁶³ OCHA (1 February 2024), Ethiopia Situation Report
- ⁶⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ⁶⁵ OCHA (1 February 2024), Ethiopia Situation Report
- ⁶⁶ Oxfam (8th February 2024), Oxfam warns of growing hunger crisis in Tigray as families resort to extreme measures to survive
- ⁶⁷ ICRC (15th February 2024), Ethiopia: Bulletin, January - December 2023
- ⁶⁸ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁶⁹ IOM (January 19th, 2024), More than 3.45 million people displaced in Ethiopia, more than half due to conflict: new report
- ⁷⁰ IOM (January 19th, 2024), More than 3.45 million people displaced in Ethiopia, more than half due to conflict: new report
- ⁷¹ IOM (January 19th, 2024), More than 3.45 million people displaced in Ethiopia, more than half due to conflict: new report
- ⁷² Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray's Humanitarian Crisis
- ⁷³ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray's Humanitarian Crisis
- ⁷⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ⁷⁵ OCHA (1 February 2024), Ethiopia Situation Report
- ⁷⁶ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁷⁷ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁷⁸ OCHA (1 February 2024), Ethiopia Situation Report
- ⁷⁹ OCHA (1 February 2024), Ethiopia Situation Report
- ⁸⁰ OCHA (1 February 2024), Ethiopia Situation Report
- ⁸¹ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ⁸² OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁸³ OCHA (1 February 2024), Ethiopia Situation Report
- ⁸⁴ OCHA (1 February 2024), Ethiopia Situation Report
- ⁸⁵ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ⁸⁶ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ⁸⁷ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ⁸⁸ OCHA (1 February 2024), Ethiopia Situation Report
- ⁸⁹ OCHA (1 February 2024), Ethiopia Situation Report
- ⁹⁰ ACAPS (26th July 2023), ACAPS Thematic Report: El Niño overview - Anticipated humanitarian impact in 2023 (25 July 2023)
- ⁹¹ WHO (11th Feb 2024), Weekly Bulletin on Outbreaks and other Emergencies: Week 4: 22 - 28 January 2024 (Data as reported by: 17:00; 28 January 2024)
- ⁹² ACAPS (26th July 2023), ACAPS Thematic Report: El Niño overview - Anticipated humanitarian impact in 2023 (25 July 2023)
- ⁹³ UNFPA (1 April 2024), UNFPA Ethiopia Humanitarian Response Situation Report - February 2024

- ⁹⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ⁹⁵ OCHA (1 February 2024), Ethiopia Situation Report
- ⁹⁶ UNHCR (1st August 2023), UNHCR Ethiopia | Report on the state of disability inclusion in Ethiopian refugee and IDP settings - December 2022.
- ⁹⁷ UNHCR (July 27th 2023), Ethiopia: Refugees and Asylum-seekers (As of 31 July 2023)
- ⁹⁸ ACAPS (21st May 2023), ACAPS Thematic report - Sudan crisis: consequences for Ethiopia.
- ⁹⁹ OCHA (1 February 2024), Ethiopia Situation Report
- ¹⁰⁰ OCHA (1 February 2024), Ethiopia Situation Report
- ¹⁰¹ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ¹⁰² World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ¹⁰³ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ¹⁰⁴ The Lancet, Progress in health among regions of Ethiopia, 1990–2019: a subnational country analysis for the Global Burden of Disease Study 2019, GBD 2019 Ethiopia Subnational-Level Disease Burden Initiative Collaborators. Available at: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)02868-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)02868-3/fulltext) [cited 3rd November 2022]
- ¹⁰⁵ The Lancet, Progress in health among regions of Ethiopia, 1990–2019: a subnational country analysis for the Global Burden of Disease Study 2019, GBD 2019 Ethiopia Subnational-Level Disease Burden Initiative Collaborators. Available at: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)02868-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)02868-3/fulltext) [cited 3rd November 2022]
- ¹⁰⁶ WHO, Health Topics (Ethiopia) (2021), Available at: <https://www.afro.who.int/health-topics/health-topics-ethiopia> [cited 3rd November 2022]
- ¹⁰⁷ WHO, Health Topics (Ethiopia) (2021), Available at: <https://www.afro.who.int/health-topics/health-topics-ethiopia> [cited 3rd November 2022]
- ¹⁰⁸ GAVI (7th July 2023), Catching up to the challenge: Lessons learned from Ethiopia’s journey to reach missed children, Available at: <https://www.gavi.org/vaccineswork/catching-challenge-lessons-learned-ethiopias-journey-reach-missed-children> [Accessed 31/7/23]
- ¹⁰⁹ UNICEF (2023), Every drop, every shot counts! Available at: <https://www.unicef.org/ethiopia/stories/every-drop-every-shot-counts> [Accessed 31/7/23]
- ¹¹⁰ Geweniger A, Abbas KM. Childhood vaccination coverage and equity impact in Ethiopia by socioeconomic, geographic, maternal, and child characteristics. *Vaccine*. 2020 Apr 29;38(20):3627-3638. doi: 10.1016/j.vaccine.2020.03.040. Epub 2020 Apr 3. PMID: 32253099; PMCID: PMC7171468.
- ¹¹¹ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹¹² Reuters, Deadly childhood diseases rise in Ethiopia’s Tigray as war hampers vaccinations (21st September 2022). Available at: <https://www.reuters.com/world/africa/deadly-childhood-diseases-rise-ethiopias-tigray-war-hampers-vaccinations-2022-09-20/> [cited 3rd November 2022]
- ¹¹³ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ¹¹⁴ GAVI (7th July 2023), Catching up to the challenge: Lessons learned from Ethiopia’s journey to reach missed children, Available at: <https://www.gavi.org/vaccineswork/catching-challenge-lessons-learned-ethiopias-journey-reach-missed-children> [Accessed 31/7/23]
- ¹¹⁵ GAVVI (18th July 2023), Takeaways from the 2022 WUENIC estimates for 57 lower-income countries supported by Gavi
- ¹¹⁶ WHO (November 2023), WHO COVID-19 dashboard- Ethiopia [Accessed 19/2/24]
- ¹¹⁷ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹¹⁸ OCHA (24th July 2023) Ethiopia - Situation Report, Last Updated: 14 Jul 2023
- ¹¹⁹ Health Cluster (Feb 2024), Ethiopia Health Cluster Bulletin (February 2024)
- ¹²⁰ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹²¹ WHO (11th Feb 2024), Weekly Bulletin on Outbreaks and other Emergencies: Week 4: 22 - 28 January 2024 (Data as reported by: 17:00; 28 January 2024)
- ¹²² WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹²³ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹²⁴ EPHI, National Measles Outbreak Situational Report for Ethiopia. Reporting Period: August 12, 2021, to February 25, 2024, Issue Number: 129
- ¹²⁵ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹²⁶ WHO, Weekly Bulletin On Outbreaks And Other Emergencies Ongoing events, Week 50: 5- 11 December 2022 (11 December 2022).
- ¹²⁷ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹²⁸ WHO (11th Feb 2024), Weekly Bulletin on Outbreaks and other Emergencies: Week 4: 22 - 28 January 2024 (Data as reported by: 17:00; 28 January 2024)
- ¹²⁹ ICRC (16th August 2023), Operational Update on Ethiopia: Hospitals in Amhara receive lifesaving medical supplies.
- ¹³⁰ ICRC (15th February 2024), Ethiopia: Bulletin, January - December 2023
- ¹³¹ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ¹³² Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ¹³³ Public Health Emergency Operation Center (PHEOC), Ethiopia: Multi Outbreak Situation Response Weekly Bulletin (February 19– 25 2024) Bulletin No.: 46)
- ¹³⁴ Public Health Emergency Operation Center (PHEOC), Ethiopia: Multi Outbreak Situation Response Weekly Bulletin (February 19– 25 2024) Bulletin No.: 46)

- ¹³⁵ Public Health Emergency Operation Center (PHEOC), Ethiopia: Multi Outbreak Situation Response Weekly Bulletin (February 19– 25 2024) Bulletin No.: 46)
- ¹³⁶ WHO (2024) Internal Report, Public Health Emergency Management Epi-week7.
- ¹³⁷ WHO (2024) Internal Report, Public Health Emergency Management Epi-week7.
- ¹³⁸ WHO (2024) Internal Report, Public Health Emergency Management Epi-week7.
- ¹³⁹ Communicable Diseases Communiqué (April 2022), Beyond our Borders, April 2022, Vol. 21 (4).
- ¹⁴⁰ Concern (9th February 2024), Concern launches emergency response to alarming hunger levels in Ethiopia
- ¹⁴¹ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁴² WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁴³ BMJ (5th July 2023), Epidemiology of childhood tuberculosis and predictors of death among children on tuberculosis treatment in central Ethiopia: an extended Cox model challenged survival analysis.
- ¹⁴⁴ Asheneffe Wassie B, Fantaw S, Mekonene Y, Teshale AM, Yitagesu Y, Tsige E, Getahun D, Tasew G, Abichu G, Moges B, Abate E, Abayneh T, Zeru T, Belay Z, Mor SM. First PCR Confirmed anthrax outbreaks in Ethiopia-Amhara region, 2018-2019. *PLoS Negl Trop Dis.* 2022 Feb 10;16(2):e0010181. doi: 10.1371/journal.pntd.0010181. PMID: 35143510; PMCID: PMC8865639
- ¹⁴⁵ WHO (2024) WCO, Internal Report, Public Health Emergency Management Epi-week7).
- ¹⁴⁶ Health Cluster, Advocacy Note On HIV/AIDS And Anti-Retroviral Therapy (March 2022)
- ¹⁴⁷ WHO (2024), WHO Internal Report, Public Health Emergency Management Epi-week7.
- ¹⁴⁸ WHO (2024), WHO Internal Report, Public Health Emergency Management Epi-week7.
- ¹⁴⁹ WHO (2024) WCO Ethiopia, Food Insecurity and Health Emergency Response Weekly Internal SitRep Epi week 07, 2024)
- ¹⁵⁰ WHO (2024) WCO Ethiopia, Food Insecurity and Health Emergency Response Weekly Internal SitRep Epi week 07, 2024)
- ¹⁵¹ GAVI (3 April 2024), How climate change increases pandemic risk
- ¹⁵² WHO, Advisory on Monkeypox outbreak in Sudan and Key Preventive Messages (18 Oct 2022)
- ¹⁵³ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ¹⁵⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹⁵⁵ Health Cluster/ WHO (30th June 2023), Ethiopia: Health Cluster Bulletin Quarter 2 | April-June 2023, 30 June 2023
- ¹⁵⁶ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁵⁷ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁵⁸ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁵⁹ WHO (2024), WHO Ethiopia Nutrition Response Analysis Situation – April 2024
- ¹⁶⁰ WHO (2024), WHO Ethiopia Nutrition Response Analysis Situation – April 2024
- ¹⁶¹ WHO (2024), WHO Ethiopia Nutrition Response Analysis Situation – April 2024
- ¹⁶² WHO (2024), WHO Ethiopia Nutrition Response Analysis Situation – April 2024
- ¹⁶³ Tigray Nutrition Cluster Report (March 2024)
- ¹⁶⁴ Tigray Nutrition Cluster Report (March 2024)
- ¹⁶⁵ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹⁶⁶ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ¹⁶⁷ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ¹⁶⁸ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ¹⁶⁹ UNICEF (1 April 2024), UNICEF Ethiopia Humanitarian Situation Report No. 2 February 2024
- ¹⁷⁰ FEWSNET (29 March 2024), Ethiopia Food Security Outlook: Hunger and acute malnutrition outpace the scale-up of food assistance, February - September 2024
- ¹⁷¹ ELHRA (August 1st, 2023), Food insecurity, maternal and child malnutrition, morbidity and mortality linkages in humanitarian contexts: A scoping review.
- ¹⁷² UNICEF, Nutrition Ethiopia (2022), Available at: <https://www.unicef.org/ethiopia/nutrition> [cited 3rd November 2022]
- ¹⁷³ UNICEF, Nutrition Ethiopia (2022), Available at: <https://www.unicef.org/ethiopia/nutrition> [cited 3rd November 2022]
- ¹⁷⁴ Food and Nutrition Baseline Survey, March 2023
- ¹⁷⁵ UNICEF, Nutrition Ethiopia (2022), Available at: <https://www.unicef.org/ethiopia/nutrition> [cited 3rd November 2022]
- ¹⁷⁶ UNICEF, Nutrition Ethiopia (2022), Available at: <https://www.unicef.org/ethiopia/nutrition> [cited 3rd November 2022]
- ¹⁷⁷ UNICEF, Nutrition Ethiopia (2022), Available at: <https://www.unicef.org/ethiopia/nutrition> [cited 3rd November 2022]
- ¹⁷⁸ USAID, Ethiopia Fact Sheet: Maternal And Child Health (October 2020)
- ¹⁷⁹ UNFPA, World Population Dashboard- Ethiopia (2022). Available at: <https://www.unfpa.org/data/world-population/ET> [cited on 28th October 2022]
- ¹⁸⁰ UNFPA (29th June 2023), Strengthening Maternity Waiting Homes to reduce maternal and new-born deaths in Tigray.
- ¹⁸¹ UNFPA (29th June 2023), Strengthening Maternity Waiting Homes to reduce maternal and new-born deaths in Tigray.
- ¹⁸² OCHA (24th July 2023) Ethiopia - Situation Report, Last Updated: 14 Jul 2023
- ¹⁸³ UNFPA (29th June 2023), Strengthening Maternity Waiting Homes to reduce maternal and new-born deaths in Tigray.
- ¹⁸⁴ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁸⁵ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)

- ¹⁸⁶ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁸⁷ Health Cluster (Feb 2024), Ethiopia Health Cluster Bulletin (February 2024)
- ¹⁸⁸ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ¹⁸⁹ World Bank (2024), Ethiopia: Country Climate and Development Report (February 2024)
- ¹⁹⁰ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ¹⁹¹ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ¹⁹² WHO, Public Health Situation Analysis: Horn of Africa Drought (2022).
- ¹⁹³ WHO, Public Health Situation Analysis: Horn of Africa Drought (2022).
- ¹⁹⁴ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹⁹⁵ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁹⁶ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ¹⁹⁷ EPHI, National Measles Outbreak Situational Report for Ethiopia. Reporting Period: August 12, 2021, to February 25, 2024, Issue Number: 129
- ¹⁹⁸ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ¹⁹⁹ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ²⁰⁰ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ²⁰¹ Health Cluster (Feb 2024), Ethiopia Health Cluster Bulletin (February 2024)
- ²⁰² Health Cluster (Feb 2024), Ethiopia Health Cluster Bulletin (February 2024)
- ²⁰³ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ²⁰⁴ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ²⁰⁵ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ²⁰⁶ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ²⁰⁷ MSF (5th February 2024), Ethiopia: Amidst global cholera vaccine shortages, highly targeted interventions could prove an effective response
- ²⁰⁸ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ²⁰⁹ OCHA (24th July 2023) Ethiopia - Situation Report, Last Updated: 14 Jul 2023
- ²¹⁰ UNICEF, Ethiopia WASH (2022), Available at: <https://www.unicef.org/ethiopia/water-sanitation-and-hygiene-wash> [cited on 28th October 2022]
- ²¹¹ WHO (11th Feb 2024), Weekly Bulletin on Outbreaks and other Emergencies: Week 4: 22 - 28 January 2024 (Data as reported by: 17:00; 28 January 2024)
- ²¹² WHO, Joint statement by WHO-UNICEF-ROTARY on World Polio Day (5th November 2022), Available at: <https://www.afro.who.int/countries/ethiopia/news/joint-statement-who-unicef-rotary-world-polio-day> (cited on 16th February 2023)
- ²¹³ Health Cluster Ethiopia, Advocacy Notes Tigray (August 2022).
- ²¹⁴ Amsalu ET, Akalu TY, Gelaye KA (2019) Spatial distribution and determinants of acute respiratory infection among under-five children in Ethiopia: Ethiopian Demographic Health Survey 2016. PLoS ONE 14(4): e0215572. <https://doi.org/10.1371/journal.pone.0215572>
- ²¹⁵ WHO, WHO Coronavirus (COVID-19) Dashboard, <https://covid19.who.int/table> [Accessed 17th August 2023]
- ²¹⁶ Public Health Emergency Operation Center (PHEOC), Ethiopia: Multi Outbreak Situation Response Weekly Bulletin (February 19– 25 2024) Bulletin No.: 46)
- ²¹⁷ Public Health Emergency Operation Center (PHEOC), Ethiopia: Multi Outbreak Situation Response Weekly Bulletin (February 19– 25 2024) Bulletin No.: 46)
- ²¹⁸ Health Systems Strengthening (2024), Strengthening rehabilitation within Ethiopia’s health system
- ²¹⁹ Health Systems Strengthening (2024), Strengthening rehabilitation within Ethiopia’s health system
- ²²⁰ ICRC (16th August 2023), Operational Update on Ethiopia: Hospitals in Amhara receive lifesaving medical supplies.
- ²²¹ WHO, Public Health Situation Analysis: Horn of Africa Drought (2022).
- ²²² Communicable Diseases Communiqué (April 2022), Beyond our Borders, April 2022, Vol. 21 (4).
- ²²³ WHO (2024) Internal Report, Public Health Emergency Management Epi-week7.
- ²²⁴ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ²²⁵ WHO (28th March 2024), Ethiopia Public Health Emergency Situations & Ongoing Responses (internal)
- ²²⁶ World Bank (2024), Ethiopia: Country Climate and Development Report (February 2024)
- ²²⁷ BMJ (5th July 2023), Epidemiology of childhood tuberculosis and predictors of death among children on tuberculosis treatment in central Ethiopia: an extended Cox model challenged survival analysis.
- ²²⁸ USAID, Ethiopia Tuberculosis Roadmap Overview, Fiscal Year 2022.
- ²²⁹ BMJ (5th July 2023), Epidemiology of childhood tuberculosis and predictors of death among children on tuberculosis treatment in central Ethiopia: an extended Cox model challenged survival analysis.
- ²³⁰ BMJ (5th July 2023), Epidemiology of childhood tuberculosis and predictors of death among children on tuberculosis treatment in central Ethiopia: an extended Cox model challenged survival analysis.

- ²³¹ BMJ (5th July 2023), Epidemiology of childhood tuberculosis and predictors of death among children on tuberculosis treatment in central Ethiopia: an extended Cox model challenged survival analysis.
- ²³² OCHA, Drought Response Ethiopia (Revised) (July – September 2022)
- ²³³ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²³⁴ OCHA, Addressing Gender Inequality Amid Conflict: Reports from Northern Ethiopia, 2021 (July 2021).
- ²³⁵ WHO, Health Cluster Bulletin—Ethiopia, Tigray (Reporting period: July 2022 –August 2022)
- ²³⁶ ELHRA (August 1st, 2023), Food insecurity, maternal and child malnutrition, morbidity and mortality linkages in humanitarian contexts: A scoping review.
- ²³⁷ Qanche Q, Wondimu W, Asefa A, Yosef T, Midaksa G, Nigusie T. Factors Contributing to High HIV Prevalence in Majang Zone, Southwest Ethiopia: What Lies Beneath the Tip of the Iceberg? J Multidiscip Healthc. 2021 Nov 25;14:3273-3283. doi: 10.2147/JMDH.S331708. PMID: 34858030; PMCID: PMC8630364.
- ²³⁸ Qanche Q, Wondimu W, Asefa A, Yosef T, Midaksa G, Nigusie T. Factors Contributing to High HIV Prevalence in Majang Zone, Southwest Ethiopia: What Lies Beneath the Tip of the Iceberg? J Multidiscip Healthc. 2021 Nov 25;14:3273-3283. doi: 10.2147/JMDH.S331708. PMID: 34858030; PMCID: PMC8630364.
- ²³⁹ UNFPA, Ethiopia Response To The Northern Ethiopia Crisis, Situation Report (1 to 30 January 2022).
- ²⁴⁰ Health Cluster, Advocacy Note On HIV/AIDS And Anti-Retroviral Therapy (March 2022)
- ²⁴¹ Health Cluster, Advocacy Note On HIV/AIDS And Anti-Retroviral Therapy (March 2022)
- ²⁴² WHO (2024), WHO Internal Report, Public Health Emergency Management Epi-week7.
- ²⁴³ WHO (2024) WCO Ethiopia, Food Insecurity and Health Emergency Response Weekly Internal SitRep Epi week 07, 2024)
- ²⁴⁴ Ashenefe Wassie B, Fantaw S, Mekonene Y, Teshale AM, Yitagesu Y, Tsige E, Getahun D, Tasew G, Abichu G, Moges B, Abate E, Abayneh T, Zeru T, Belay Z, Mor SM. First PCR Confirmed anthrax outbreaks in Ethiopia-Amhara region, 2018-2019. PLoS Negl Trop Dis. 2022 Feb 10;16(2):e0010181. doi: 10.1371/journal.pntd.0010181. PMID: 35143510; PMCID: PMC8865639
- ²⁴⁵ WHO (2024) WCO, Internal Report, Public Health Emergency Management Epi-week7).
- ²⁴⁶ GAVI (3 April 2024), How climate change increases pandemic risk
- ²⁴⁷ WHO, Advisory on Monkeypox outbreak in Sudan and Key Preventive Messages (18 Oct 2022)
- ²⁴⁸ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁴⁹ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁵⁰ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁵¹ WFP (6 Feb 2024), WFP Ramps up Deliveries of Vital Food Assistance to Drought and Conflict-Affected Areas of Ethiopia
- ²⁵² BMC (31st July 2023), Unimproved source of drinking water and its associated factors: a spatial and multilevel analysis of Ethiopian demographic and health survey.
- ²⁵³ BMC (31st July 2023), Unimproved source of drinking water and its associated factors: a spatial and multilevel analysis of Ethiopian demographic and health survey.
- ²⁵⁴ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁵⁵ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ²⁵⁶ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁵⁷ Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁵⁸ OCHA (25 March 2024), Ethiopia - Situation Report, 25 Mar 2024
- ²⁵⁹ OCHA (16th February 2024), Ethiopia Situation Report 4
- ²⁶⁰ OCHA (16th February 2024), Ethiopia Situation Report 4
- ²⁶¹ OCHA (16th February 2024), Ethiopia Situation Report 4
- ²⁶² Relief International (March 2024), Scars of War and Deprivation: An Urgent Call to Reverse Tigray’s Humanitarian Crisis
- ²⁶³ Health Cluster/ WHO (30th June 2023), Ethiopia: Health Cluster Bulletin Quarter 2 | April-June 2023, 30 June 2023
- ²⁶⁴ UN Security Council (14th July 2023), Conflict-related sexual violence - Report of the Secretary-General (S/2023/413).
- ²⁶⁵ UNFPA (6th February 2024), UNFPA and UNICEF in Ethiopia underscore the need for increasing investment for survivors of female genital mutilation
- ²⁶⁶ UN Women (1 April 2024), Rapid Gender Assessment Final Report (Afar, Amhara, Oromia, Somali and Tigray Regions) (December 2023)
- ²⁶⁷ UN Women (1 April 2024), Rapid Gender Assessment Final Report (Afar, Amhara, Oromia, Somali and Tigray Regions) (December 2023)
- ²⁶⁸ UNMAS (2024) Ethiopia
- ²⁶⁹ UNMAS (2024) Ethiopia
- ²⁷⁰ UNCT (5 April 2024), International Day for Mine Awareness & Assistance in Mine Action in Ethiopia
- ²⁷¹ ECW (8th February 2024), Strengthening resilience of education in Ethiopia: ECW Multi-Year Resilience Program: Ethiopia 2020 - 2023
- ²⁷² ECW (8th February 2024), Strengthening resilience of education in Ethiopia: ECW Multi-Year Resilience Program: Ethiopia 2020 - 2023
- ²⁷³ ECW (8th February 2024), Strengthening resilience of education in Ethiopia: ECW Multi-Year Resilience Program: Ethiopia 2020 - 2023
- ²⁷⁴ Colombia School of Public Health (2024), Ethiopia, Available at: <https://www.publichealth.columbia.edu/research/others/comparative-health-policy-library/ethiopia-summary#:~:text=Access%20to%20modern%20healthcare%20is,areas%20it%20is%20virtually%20nonexistent.&text=Most%20facilities%20are%20government%20owned,rising%20demand%20of%20health%20services.> [Accessed 19/2/24]
- ²⁷⁵ Colombia School of Public Health (2024), Ethiopia, Available at: <https://www.publichealth.columbia.edu/research/others/comparative-health-policy-library/ethiopia-summary#:~:text=Access%20to%20modern%20healthcare%20is,areas%20it%20is%20virtually%20nonexistent.&text=Most%20facilities%20are%20government%20owned,rising%20demand%20of%20health%20services.> [Accessed 19/2/24]

- ²⁷⁶ Colombia School of Public Health (2024), Ethiopia, Available at: <https://www.publichealth.columbia.edu/research/others/comparative-health-policy-library/ethiopia-summary#:~:text=Access%20to%20modern%20healthcare%20is,areas%20it%20is%20virtually%20nonexistent.&text=Most%20facilities%20are%20government%20owned,rising%20demand%20of%20health%20services>. [Accessed 19/2/24]
- ²⁷⁷ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁷⁸ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁷⁹ Colombia School of Public Health (2024), Ethiopia, Available at: <https://www.publichealth.columbia.edu/research/others/comparative-health-policy-library/ethiopia-summary#:~:text=Access%20to%20modern%20healthcare%20is,areas%20it%20is%20virtually%20nonexistent.&text=Most%20facilities%20are%20government%20owned,rising%20demand%20of%20health%20services>. [Accessed 19/2/24]
- ²⁸⁰ Colombia School of Public Health (2024), Ethiopia, Available at: <https://www.publichealth.columbia.edu/research/others/comparative-health-policy-library/ethiopia-summary#:~:text=Access%20to%20modern%20healthcare%20is,areas%20it%20is%20virtually%20nonexistent.&text=Most%20facilities%20are%20government%20owned,rising%20demand%20of%20health%20services>. [Accessed 19/2/24]
- ²⁸¹ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ²⁸² OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ²⁸³ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁸⁴ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁸⁵ REACH (February 2024), Research Terms of Reference - Ethiopia Crisis to Resilience (EC2R) Service Capability Assessment, Research Cycle ID: ETH2306a, Ethiopia (February 2024)
- ²⁸⁶ REACH (February 2024), Research Terms of Reference - Ethiopia Crisis to Resilience (EC2R) Service Capability Assessment, Research Cycle ID: ETH2306a, Ethiopia (February 2024)
- ²⁸⁷ REACH (February 2024), Research Terms of Reference - Ethiopia Crisis to Resilience (EC2R) Service Capability Assessment, Research Cycle ID: ETH2306a, Ethiopia (February 2024)
- ²⁸⁸ Health Cluster (Feb 2024), Ethiopia Health Cluster Bulletin (February 2024)
- ²⁸⁹ UN Women (1 April 2024), Rapid Gender Assessment Final Report (Afar, Amhara, Oromia, Somali and Tigray Regions) (December 2023)
- ²⁹⁰ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁹¹ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁹² Project Hope (April 2023) Multi-Agency Rapid Integrated Need Assessment for IDPs in Enderta Woreda and Mekelle City Administration (MCA), Tigray Regional State: Tigray Regional Health Bureau and Project HOPE.
- ²⁹³ OCHA (16th February 2024), Ethiopia Situation Report 4
- ²⁹⁴ World Bank (December 2022), The Ethiopia Damage and Needs Assessment – December 2022 report.
- ²⁹⁵ Health Cluster (February 2024), Ethiopia Health Cluster Bulletin
- ²⁹⁶ OCHA (1st Feb 2024), Ethiopia Response Dashboard: January to December 2023
- ²⁹⁷ OCHA (28th February 2023), Ethiopia Humanitarian Response Plan 2023.
- ²⁹⁸ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)
- ²⁹⁹ OCHA (February 2024), Ethiopia 2024 Humanitarian Needs Overview (HNO)