

APPENDIX IV - TABLE 1
PUBLIC PLACES WITH SMOKE-FREE LEGISLATION

Globally

Africa

The Americas

South-East Asia

Europe

Eastern Mediterranean

Western Pacific

Table 4.1.0
Public places with smoke-free legislation, globally

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ⊙ Policy adopted but not implemented by 31 December 2008.
- ☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.
- ... Data not reported/not available.
- Data not required/not applicable.
- ¹ Smoke-free legislation does not meet criteria for a complete ban, which is defined such that smoking is not allowed at any time in any indoor area under any circumstances. However, there is very strong subnational smoke-free legislation meeting this criterion.
- ² Data not approved by national authorities.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Afghanistan	Yes	Yes
Albania	No	No
Algeria	Yes	Yes
Andorra	Yes	Yes
Angola	Yes	No
Antigua and Barbuda	No	No
Argentina	No	No
Armenia	Yes	Yes
Australia ¹	No	No
Austria	No	No
Azerbaijan	Yes	Yes
Bahamas	No	No
Bahrain	Yes	Yes
Bangladesh	Yes	Yes
Barbados	No	No
Belarus	Yes	No
Belgium	Yes	Yes
Belize	No	No
Benin	Yes	Yes
Bhutan	Yes	Yes
Bolivia (Plurinational State of)	Yes	Yes
Bosnia and Herzegovina	No	No
Botswana	No	No
Brazil	No	No
Brunei Darussalam	Yes	Yes
Bulgaria	No	Yes
Burkina Faso	Yes	Yes
Burundi	No	No
Cambodia	No	No
Cameroon	Yes	Yes
Canada ¹	No	No
Cape Verde	No	No
Central African Republic	No	No
Chad	Yes	Yes
Chile	Yes	Yes
China	No ²	No ²
Colombia	Yes	Yes
Comoros	Yes	Yes
Congo	No	No
Cook Islands	No	No
Costa Rica	No	Yes
Côte d'Ivoire	Yes	Yes
Croatia	Yes ⊙	Yes ⊙
Cuba	Yes	Yes
Cyprus	No	No
Czech Republic	Yes	Yes
Democratic People's Republic of Korea	No	No
Democratic Republic of the Congo	Yes	Yes
Denmark	Yes	No



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
Yes	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	0
...	Yes	No	No	No	...	No	...
No	No	No	No	No	No	No	1
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	No	No	No	Yes	Yes	0
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	1
No	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	Yes	Yes	9
No	No	No	No	No	No	No	4
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	4
Yes	Yes	Yes	Yes	No	No	Yes	8
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	No	No	...
Yes	Yes	Yes	Yes	Yes	Yes	Yes	7
Yes	Yes	Yes	Yes	No	Yes	No	...
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	9
Yes	No	Yes	Yes	—	Yes	No	5
Yes	No	No	No	No	Yes	Yes	3
No	Yes	Yes	No	No	No	No	0
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	0
No	Yes	No	No	No	No	No	...
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	No	Yes	0
No	No	No	No	No	No	No	7
No	No	No	No	No	No ²	No ²	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	5
No	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	No	2
No	No	No	No	No	No	No	5
☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	6
Yes	No	No	No	No	Yes	No	1
No	No	No	No	No	Yes	No	...
No	Yes	No	No	No	Yes	No	4
No	No	No	No	No	No	No	—
Yes	No	No	No	No	Yes	No	1
No	No	No	No	No	No	No	...

Table 4.1.0
Public places with smoke-free legislation, globally

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ⊙ Policy adopted but not implemented by 31 December 2008.
- ☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.
- ... Data not reported/not available.
- Data not required/not applicable.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Djibouti	Yes	Yes
Dominica	No	No
Dominican Republic	No	No
Ecuador	Yes	Yes
Egypt	Yes	Yes
El Salvador	Yes	No
Equatorial Guinea	Yes	Yes
Eritrea	No	No
Estonia	No	Yes
Ethiopia	No	No
Fiji	Yes	No
Finland	Yes	Yes
France	Yes	Yes
Gabon	No	No
Gambia	No	No
Georgia	No	No
Germany	No	No
Ghana	No	No
Greece	No	No
Grenada	No	No
Guatemala	Yes ⊙	Yes ⊙
Guinea	Yes	Yes
Guinea-Bissau	No	No
Guyana	Yes	Yes
Haiti	No	No
Honduras	Yes	Yes
Hungary	No	No
Iceland	No	Yes
India	Yes	Yes
Indonesia	Yes	Yes
Iran (Islamic Republic of)	Yes	Yes
Iraq	Yes	Yes
Ireland	Yes	Yes
Israel	Yes	No
Italy	☆	☆
Jamaica	No	No
Japan	No	No
Jordan	Yes	Yes
Kazakhstan	Yes	Yes
Kenya	No	No
Kiribati	No	No
Kuwait	No	No
Kyrgyzstan	Yes	Yes
Lao People's Democratic Republic	Yes	Yes
Latvia	No	Yes
Lebanon	Yes	Yes
Lesotho	Yes	No
Liberia	No	No
Libyan Arab Jamahiriya	Yes	Yes



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
Yes	Yes	Yes	Yes	Yes	Yes	No	3
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	Yes	No	No	No	No	No	5
Yes	Yes	Yes	No	No	Yes	Yes	3
No	Yes	...	No	No	Yes	No	4
Yes	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	8
No	No	No	No	No	No	No	—
No	No	No	No	No	No	Yes	5
Yes	Yes	Yes	☆	☆	Yes	Yes	10
☆	☆	☆	☆	☆	☆	☆	...
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	Yes	No	6
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	...
No	No	No	No	No	No	No	—
Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	1
Yes	Yes	Yes	Yes	Yes	Yes	No	3
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	8
No	No	No	No	No	No	No	—
Yes	Yes	No	No	No	Yes	No	2
No	No	No	No	No	No	No	—
Yes	No	No	No	No	Yes	No	10
Yes	Yes	Yes	No	No	No	Yes	5
Yes	No	No	No	No	No	No	0
Yes	Yes	Yes	Yes	Yes	Yes	Yes	9
No	Yes	No	No	No	No	No	1
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	8
☆	☆	☆	☆	☆	☆	☆	8
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	Yes	No	4
Yes	Yes	No	No	No	No	No	3
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	Yes	3
Yes	No	No	No	No	No	No	5
Yes	No	No	No	No	No	No	7
No	No	No	No	No	No	No	...
Yes	No	No	No	No	Yes	No	0
No	No	No	No	No	No	No	4
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	—	Yes	Yes	2

Table 4.1.0
Public places with smoke-free legislation, globally

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ⊙ Policy adopted but not implemented by 31 December 2008.
- ☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.
- ... Data not reported/not available.
- Data not required/not applicable.
- ³ Designated smoking rooms are allowed without specific technical requirements but are practically all located outside the buildings.
- ⁴ On 31 May 2009, the federal Minister for Health formally withdrew the Statutory Regulatory Order from September 2008 which permitted designated smoking areas in public places.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Lithuania	No	No
Luxembourg	Yes	Yes
Madagascar	Yes	Yes
Malawi	No	No
Malaysia	No	No
Maldives	Yes »	Yes »
Mali	No	No
Malta	Yes	Yes
Marshall Islands	Yes	Yes
Mauritania	Yes	No
Mauritius	Yes ⊙	Yes ⊙
Mexico	No	Yes
Micronesia (Federated States of)	No	No
Monaco
Mongolia	No	No
Montenegro	Yes	Yes
Morocco	Yes	No
Mozambique	No	No
Myanmar	Yes	Yes
Namibia	No	No
Nauru	No	No
Nepal	No	No
Netherlands	Yes	Yes
New Zealand	Yes	Yes
Nicaragua	Yes	No
Niger	No	Yes
Nigeria	Yes	Yes
Niue	No	No
Norway	No	No
Oman	Yes	No ³
Pakistan ⁴	Yes	Yes
Palau	No	No
Panama	Yes	Yes
Papua New Guinea	No	No
Paraguay	Yes	Yes
Peru	Yes	Yes
Philippines	Yes	Yes
Poland	No	No
Portugal	Yes	Yes
Qatar	No	No
Republic of Korea	Yes	Yes
Republic of Moldova	Yes	Yes
Romania	Yes	No
Russian Federation	No	No
Rwanda	No	No
Saint Kitts and Nevis	No	No
Saint Lucia	No	No
Saint Vincent and the Grenadines	No	No
Samoa	No	No



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
Yes	No	Yes	No	No	No	No	10
No	No	No	No	No	...	No	...
Yes	No	No	No	No	No	No	4
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	...
Yes »	Yes »	No	No	...	No	No	3
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	3
Yes	Yes	Yes	Yes	Yes	Yes	Yes	3
No	No	No	No	No	No	No	0
Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	7
No	No	No	No	No	Yes	No	3
No	No	No	No	No	No	No	—
...
No	No	No	No	No	No	No	—
Yes	Yes	No	No	No	No	No	5
No	No	No	No	No	No	No	1
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	3
No	Yes	No	No	No	No	No	...
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	...
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	3
Yes	No	No	No	No	Yes	No	6
No	Yes	Yes	No	No	Yes	No	7
No	No	No	No	No	No	No	—
No	No	No	Yes	Yes	No	No	10
No	Yes	No	No	No	No	No	8
Yes	No	No	No	—	Yes	No	0
No	Yes	No	No	No	No	No	7
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	6
Yes	Yes	No	No	No	Yes	No	5
Yes	No	No	No	No	No	No	3
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	Yes	Yes	7
No	No	No	No	No	Yes	Yes	5
No	No	No	No	No	No	No	6
No	No	No	No	No	No	No	1
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—

Table 4.1.0
Public places with smoke-free legislation, globally

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ⊙ Policy adopted but not implemented by 31 December 2008.
- ☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.
- ... Data not reported/not available.
- Data not required/not applicable.
- < Refers to a territory.
- ⁵ Air-conditioned public places are completely smoke-free.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
San Marino
Sao Tome and Principe	No	No
Saudi Arabia	Yes »	Yes »
Senegal	Yes	No
Serbia	Yes	Yes
Seychelles	Yes	Yes
Sierra Leone	No	No
Singapore	Yes	Yes
Slovakia	Yes	Yes
Slovenia	Yes	Yes
Solomon Islands	No	No
Somalia	No	No
South Africa	Yes	Yes
Spain	Yes	Yes
Sri Lanka	Yes	Yes
Sudan	No	Yes
Suriname	No	No
Swaziland	No	No
Sweden	Yes	No
Switzerland	No	No
Syrian Arab Republic	No	No
Tajikistan	Yes »	Yes »
Thailand	No ⁵	Yes
The former Yugoslav Republic of Macedonia	No	No
Timor-Leste	No	No
Togo	No	No
Tonga	No	No
Trinidad and Tobago	No	No
Tunisia	No	No
Turkey	Yes	Yes
Turkmenistan	No	Yes
Tuvalu	No	No
Uganda	Yes	Yes
Ukraine	No	No
United Arab Emirates	Yes	Yes
United Kingdom of Great Britain and Northern Ireland	Yes	Yes
United Republic of Tanzania	No	No
United States of America	No	No
Uruguay	Yes	Yes
Uzbekistan	No	No
Vanuatu	No	No
Venezuela (Bolivarian Republic of)	Yes	Yes
Viet Nam	Yes	Yes
West Bank and Gaza Strip ^{<}	Yes	Yes
Yemen	Yes	Yes
Zambia	Yes	Yes
Zimbabwe	No	No



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
...
No	No	No	No	No	No	No	—
Yes »	Yes »	No	No	—	No	No	...
No	No	No	No	No	No	No	0
Yes	No	No	No	No	No	No	2
...	No	No	No	No	No	No	...
No	No	No	No	No	No	No	—
No	No	No	Yes	No	Yes	No	10
Yes	No	No	No	No	Yes	No	8
Yes	No	No	No	No	No	No	9
No	No	No	No	No	No	No	—
...	Yes	Yes	No	No	...	No	...
Yes	No	No	No	No	No	No	6
Yes	Yes	Yes	No	No	No	Yes	6
Yes	Yes	Yes	No	No	Yes	No	8
No	No	No	No	No	No	Yes	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	8
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes »	Yes »	Yes »	No	No	Yes	Yes	4
No ⁵	No ⁵	No ⁵	No ⁵	No ⁵	Yes	Yes	6
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	No	Yes	7
No	Yes	No	No	No	No	No	6
No	No	No	No	No	No	...	—
Yes	Yes	Yes	Yes ⊕	Yes ⊕	Yes	Yes	5
Yes	Yes	Yes	No	No	Yes	No	5
No	No	No	Yes	Yes	Yes	No	5
Yes	Yes	Yes	☆	☆	☆	☆	...
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	No	No	...
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	Yes	6
Yes	Yes	Yes	No	No	Yes	No	1
Yes	Yes	Yes	Yes	No	Yes	No	2
Yes	Yes	No	No	No	No	No	1
Yes	Yes	Yes	Yes	Yes	Yes	Yes	4
No	No	No	No	No	Yes	No	4

Africa

Table 4.1.1
Public places with smoke-free legislation in Africa

* Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.

⊙ Policy adopted but not implemented by 31 December 2008.

☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.

... Data not reported/not available.

— Data not required/not applicable.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Algeria	Yes	Yes
Angola	Yes	No
Benin	Yes	Yes
Botswana	No	No
Burkina Faso	Yes	Yes
Burundi	No	No
Cameroon	Yes	Yes
Cape Verde	No	No
Central African Republic	No	No
Chad	Yes	Yes
Comoros	Yes	Yes
Congo	No	No
Côte d'Ivoire	Yes	Yes
Democratic Republic of the Congo	Yes	Yes
Equatorial Guinea	Yes	Yes
Eritrea	No	No
Ethiopia	No	No
Gabon	No	No
Gambia	No	No
Ghana	No	No
Guinea	Yes	Yes
Guinea-Bissau	No	No
Kenya	No	No
Lesotho	Yes	No
Liberia	No	No
Madagascar	Yes	Yes
Malawi	No	No
Mali	No	No
Mauritania	Yes	No
Mauritius	Yes ⊙	Yes ⊙
Mozambique	No	No
Namibia	No	No
Niger	No	Yes
Nigeria	Yes	Yes
Rwanda	No	No
Sao Tome and Principe	No	No
Senegal	Yes	No
Seychelles	Yes	Yes
Sierra Leone	No	No
South Africa	Yes	Yes
Swaziland	No	No
Togo	No	No
Uganda	Yes	Yes
United Republic of Tanzania	No	No
Zambia	Yes	Yes
Zimbabwe	No	No

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.1.

UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
No	No	No	No	No	No	No	0
No	No	No	No	No	No	No	1
No	Yes	Yes	No	No	No	No	...
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	No	No	0
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	0
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	No	Yes	0
No	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	5
Yes	No	No	No	No	Yes	No	1
Yes	No	No	No	No	No	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	No	3
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	4
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	4
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	0
Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	7
No	No	No	No	No	No	No	—
No	Yes	No	No	No	No	No	...
Yes	No	No	No	No	Yes	No	6
No	Yes	Yes	No	No	Yes	No	7
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	0
...	No	No	No	No	No	No	...
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	6
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	☆	☆	☆	☆	...
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	4
No	No	No	No	No	Yes	No	4

The Americas

Table 4.1.2
Public places with smoke-free legislation in the Americas

* Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.

⊙ Policy adopted but not implemented by 31 December 2008.

... Data not reported/not available.

— Data not required/not applicable.

¹ Smoke-free legislation does not meet criteria for a complete ban, which is defined such that smoking is not allowed at any time in any indoor area under any circumstances. However, there is very strong subnational smoke-free legislation meeting this criterion.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Antigua and Barbuda	No	No
Argentina	No	No
Bahamas	No	No
Barbados	No	No
Belize	No	No
Bolivia (Plurinational State of)	Yes	Yes
Brazil	No	No
Canada ¹	No	No
Chile	Yes	Yes
Colombia	Yes	Yes
Costa Rica	No	Yes
Cuba	Yes	Yes
Dominica	No	No
Dominican Republic	No	No
Ecuador	Yes	Yes
El Salvador	Yes	No
Grenada	No	No
Guatemala	Yes ⊙	Yes ⊙
Guyana	Yes	Yes
Haiti	No	No
Honduras	Yes	Yes
Jamaica	No	No
Mexico	No	Yes
Nicaragua	Yes	No
Panama	Yes	Yes
Paraguay	Yes	Yes
Peru	Yes	Yes
Saint Kitts and Nevis	No	No
Saint Lucia	No	No
Saint Vincent and the Grenadines	No	No
Suriname	No	No
Trinidad and Tobago	No	No
United States of America	No	No
Uruguay	Yes	Yes
Venezuela (Bolivarian Republic of)	Yes	Yes

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.2.



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	No	Yes	No	...
No	No	No	No	No	Yes	No	9
No	Yes	No	No	No	No	No	...
No	No	No	No	No	No	No	7
Yes	Yes	Yes	Yes	Yes	Yes	Yes	5
No	No	No	No	No	No	No	2
Yes	No	No	No	No	Yes	No	1
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	Yes	No	No	No	No	No	5
No	Yes	...	No	No	Yes	No	4
No	No	No	No	No	No	No	—
Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	Yes ☉	1
No	No	No	No	No	No	No	8
No	No	No	No	No	No	No	—
Yes	Yes	No	No	No	Yes	No	2
No	No	No	No	No	No	No	—
No	No	No	No	No	Yes	No	3
No	No	No	No	No	No	No	3
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	6
Yes	Yes	No	No	No	Yes	No	5
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	Yes	No	No	No	No	No	6
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	Yes	Yes	6

South-East Asia

Table 4.1.3
Public places with smoke-free legislation in South-East Asia

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ... Data not reported/not available.
- Data not required/not applicable.
- ¹ Air-conditioned public places are completely smoke-free.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Bangladesh	Yes	Yes
Bhutan	Yes	Yes
Democratic People's Republic of Korea	No	No
India	Yes	Yes
Indonesia	Yes	Yes
Maldives	Yes »	Yes »
Myanmar	Yes	Yes
Nepal	No	No
Sri Lanka	Yes	Yes
Thailand	No ¹	Yes
Timor-Leste	No	No

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.3.



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS *
No	No	No	No	No	No	No	4
Yes	Yes	Yes	Yes	Yes	Yes	Yes	7
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	No	Yes	5
Yes	No	No	No	No	No	No	0
Yes »	Yes »	No	No	...	No	No	3
Yes	No	No	No	No	No	No	3
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	Yes	No	8
No ¹	No ¹	No ¹	No ¹	No ¹	Yes	Yes	6
No	No	No	No	No	No	No	—

Europe

Table 4.1.4
Public places with smoke-free legislation in Europe

- * Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.
- » Data not substantiated by a copy of the legislation.
- ⊙ Policy adopted but not implemented by 31st December 2008.
- ☆ Separate, completely enclosed smoking rooms are allowed if they are separately ventilated to the outside and kept under negative air pressure in relation to the surrounding areas. Given the difficulty of meeting the very strict requirements delineated for such rooms, they appear to be a practical impossibility but no reliable empirical evidence is presently available to ascertain whether they have been constructed.
- ... Data not reported/not available.
- Data not required/not applicable.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Albania	No	No
Andorra	Yes	Yes
Armenia	Yes	Yes
Austria	No	No
Azerbaijan	Yes	Yes
Belarus	Yes	No
Belgium	Yes	Yes
Bosnia and Herzegovina	No	No
Bulgaria	No	Yes
Croatia	Yes ⊙	Yes ⊙
Cyprus	No	No
Czech Republic	Yes	Yes
Denmark	Yes	No
Estonia	No	Yes
Finland	Yes	Yes
France	Yes	Yes
Georgia	No	No
Germany	No	No
Greece	No	No
Hungary	No	No
Iceland	No	Yes
Ireland	Yes	Yes
Israel	Yes	No
Italy	☆	☆
Kazakhstan	Yes	Yes
Kyrgyzstan	Yes	Yes
Latvia	No	Yes
Lithuania	No	No
Luxembourg	Yes	Yes
Malta	Yes	Yes
Monaco
Montenegro	Yes	Yes
Netherlands	Yes	Yes
Norway	No	No
Poland	No	No
Portugal	Yes	Yes
Republic of Moldova	Yes	Yes
Romania	Yes	No
Russian Federation	No	No
San Marino
Serbia	Yes	Yes
Slovakia	Yes	Yes
Slovenia	Yes	Yes
Spain	Yes	Yes
Sweden	Yes	No
Switzerland	No	No
Tajikistan	Yes »	Yes »
The former Yugoslav Republic of Macedonia	No	No
Turkey	Yes	Yes
Turkmenistan	No	Yes
Ukraine	No	No
United Kingdom of Great Britain and Northern Ireland	Yes	Yes
Uzbekistan	No	No

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.4.

UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS *
No	No	No	No	No	No	No	—
...	Yes	No	No	No	0	No	...
Yes	Yes	No	No	No	Yes	Yes	0
Yes	No	No	No	No	No	No	1
No	No	No	No	No	No	No	2
No	No	No	No	No	No	No	4
Yes	Yes	Yes	Yes	No	No	Yes	8
No	No	No	No	No	No	No	—
Yes	No	No	No	No	Yes	Yes	3
☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	☆ ⊙	6
No	No	No	No	No	Yes	No	...
No	Yes	No	No	No	Yes	No	4
No	No	No	No	No	No	No	...
No	No	No	No	No	No	No	8
Yes	Yes	Yes	☆	☆	Yes	Yes	10
☆	☆	☆	☆	☆	☆	☆	...
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	Yes	No	6
No	No	No	No	No	Yes	No	...
No	No	No	No	No	No	No	—
Yes	No	No	No	No	Yes	No	10
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	8
☆	☆	☆	☆	☆	☆	☆	8
Yes	Yes	No	No	No	No	No	3
Yes	No	No	No	No	No	No	5
No	No	No	No	No	No	No	...
Yes	No	Yes	No	No	No	No	10
No	No	No	No	No	No	No	...
No	No	No	No	No	Yes	No	3
...
Yes	Yes	No	No	No	No	No	5
Yes	No	No	No	No	No	No	...
No	No	No	Yes	Yes	No	No	10
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	Yes	Yes	7
No	No	No	No	No	No	No	1
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	No	—
...
Yes	No	No	No	No	No	No	2
Yes	No	No	No	No	Yes	No	8
Yes	No	No	No	No	No	No	9
Yes	Yes	Yes	No	No	No	Yes	6
No	No	No	No	No	No	No	8
No	No	No	No	No	No	No	—
Yes »	Yes »	Yes »	No	No	Yes	Yes	4
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes ⊙	Yes ⊙	Yes	Yes	5
Yes	Yes	Yes	No	No	Yes	No	5
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	—

Eastern Mediterranean

Table 4.1.5

Public places with smoke-free legislation in the Eastern Mediterranean

* Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.

» Data not substantiated by a copy of the legislation.

... Data not reported/not available.

— Data not required/not applicable.

< Refers to a territory.

¹ Designated smoking rooms are allowed without specific technical requirements but are practically all located outside the buildings.

² On 31 May 2009, the federal Minister for Health formally withdrew the Statutory Regulatory Order from September 2008 which permitted designated smoking areas in public places.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Afghanistan	Yes	Yes
Bahrain	Yes	Yes
Djibouti	Yes	Yes
Egypt	Yes	Yes
Iran (Islamic Republic of)	Yes	Yes
Iraq	Yes	Yes
Jordan	Yes	Yes
Kuwait	No	No
Lebanon	Yes	Yes
Libyan Arab Jamahiriya	Yes	Yes
Morocco	Yes	No
Oman	Yes	No ¹
Pakistan ²	Yes	Yes
Qatar	No	No
Saudi Arabia	Yes »	Yes »
Somalia	No	No
Sudan	No	Yes
Syrian Arab Republic	No	No
Tunisia	No	No
United Arab Emirates	Yes	Yes
West Bank and Gaza Strip<	Yes	Yes
Yemen	Yes	Yes

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.5.



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS *
Yes	No	No	No	No	No	No	2
Yes	Yes	Yes	No	No	Yes	Yes	9
Yes	Yes	Yes	Yes	Yes	Yes	No	3
Yes	Yes	Yes	No	No	Yes	Yes	3
Yes	Yes	Yes	Yes	Yes	Yes	Yes	9
No	Yes	No	No	No	No	No	1
Yes	Yes	Yes	No	No	Yes	No	4
No	No	No	No	No	No	Yes	3
Yes	No	No	No	No	Yes	No	0
Yes	Yes	Yes	No	—	Yes	Yes	2
No	No	No	No	No	No	No	1
No	Yes	No	No	No	No	No	8
Yes	No	No	No	—	Yes	No	0
No	No	No	No	No	Yes	Yes	5
Yes »	Yes »	No	No	—	No	No	...
...	Yes	Yes	No	No	No	No	...
No	No	No	No	No	No	Yes	2
No	No	No	No	No	No	No	—
No	No	No	No	No	No	...	—
Yes	Yes	Yes	No	No	No	No	...
Yes	Yes	Yes	Yes	No	Yes	No	2
Yes	Yes	No	No	No	No	No	1

Western Pacific

Table 4.1.6
Public places with smoke-free legislation in the Western Pacific

* Based on a score of 0–10, where 0 is low compliance. Refer to Technical Note I for more information.

— Data not required/not applicable.

¹ Smoke-free legislation does not meet criteria for a complete ban, which is defined such that smoking is not allowed at any time in any indoor area under any circumstances. However, there is very strong subnational smoke-free legislation meeting this criterion.

² Data not approved by national authorities.

COUNTRY	HEALTH-CARE FACILITIES	EDUCATIONAL FACILITIES EXCEPT UNIVERSITIES
Australia ¹	No	No
Brunei Darussalam	Yes	Yes
Cambodia	No	No
China	No ²	No ²
Cook Islands	No	No
Fiji	Yes	No
Japan	No	No
Kiribati	No	No
Lao People's Democratic Republic	Yes	Yes
Malaysia	No	No
Marshall Islands	Yes	Yes
Micronesia (Federated States of)	No	No
Mongolia	No	No
Nauru	No	No
New Zealand	Yes	Yes
Niue	No	No
Palau	No	No
Papua New Guinea	No	No
Philippines	Yes	Yes
Republic of Korea	Yes	Yes
Samoa	No	No
Singapore	Yes	Yes
Solomon Islands	No	No
Tonga	No	No
Tuvalu	No	No
Vanuatu	No	No
Viet Nam	Yes	Yes

This table is duplicated in the printed copy of the report, and labelled there as Table 2.1.6.



UNIVERSITIES	GOVERNMENT FACILITIES	INDOOR OFFICES	RESTAURANTS	PUBS AND BARS	PUBLIC TRANSPORT	ALL OTHER INDOOR PUBLIC PLACES	OVERALL COMPLIANCE WITH REGULATIONS ON SMOKE-FREE ENVIRONMENTS*
No	No	No	No	No	No	No	—
Yes	No	Yes	Yes	—	Yes	No	5
No	No	No	No	No	No	No	—
No	No	No	No	No	No ²	No ²	—
No	No	No	No	No	Yes	No	5
No	No	No	No	No	No	Yes	5
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	7
No	No	No	No	No	Yes	No	...
Yes	Yes	Yes	Yes	Yes	Yes	Yes	3
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
No	No	No	No	No	No	No	—
Yes	Yes	Yes	Yes	Yes	Yes	Yes	10
No	No	No	No	No	No	No	—
No	Yes	No	No	No	No	No	7
No	No	No	No	No	No	No	—
Yes	No	No	No	No	No	No	3
No	No	No	No	No	No	No	6
No	No	No	No	No	No	No	—
No	No	No	Yes	No	Yes	No	10
No	No	No	No	No	No	No	—
No	Yes	Yes	No	No	No	Yes	7
No	No	No	Yes	Yes	Yes	No	5
No	No	No	No	No	No	No	—
Yes	Yes	Yes	No	No	Yes	No	1